147. The method of claim 138, further comprising:
(j) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

148. The method of claim 138, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

149. The method of claim 138, wherein
h is a member independently selected from the integers between 1 and 3;
a, b, c, d, e, f, g, i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;
n, v, w, x, and y are 0; and
q, p are 1.

150. The method of claim 138, wherein
a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0;
e, g, i, r, and t are members independently selected from 0 and 1; and
q, p are 1.

151. The method of claim 138, wherein
a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x, and y are 0;
q, p are 1; and
i is independently selected from 0 and 1.

152. The method of claim 138, wherein
a, b, c, d, e, f, g, h, I, j, k, l, m, r, s, t, u, v, w, x, and y are 0; and
p, q are 1.

153. The method of claim 138, wherein
a, b, c, d, e, f, g, h, i, j, k, l, m, and n are 0;
q, p are 1; and
r, s, t, u, v, w, x, and y are members independently selected from 0 and 1.

154. The method of claim 138, wherein

a, b, c, d, e, f, g, h, i, r, s, t, and u are members independently selected from 0 and 1;

j, k, l, m, n, v, w, x, and y are 0; and

q, p are 1.

155. The method of claim 138, wherein

a, b, c, d, h, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, are members selected from the integers between 0 and 3;

n, v, w, x, and y are 0; and

q, p are 1.

156. The method of claim 138, wherein

a, b, c, d, i, j, k, l, m, r, s, t, u, p and q are members independently selected from 0 and 1;

e, f, g, and h are 1; and

n, v, w, x, and y are 0.

157. An interferon beta peptide conjugate formed by the method of claim 138.

158. A method of forming a conjugate between a Factor VIIa peptide and a modifying group, wherein said modifying group is covalently attached to said Factor VIIa peptide through an intact glycosyl linking group, said Factor VIIa peptide comprising a glycosyl residue having a formula which is a member selected from:



; and

wherein

a, b, c, d, i, o, p, q, r, s, t, and u, are members independently selected from 0 and 1;

e, f, g, h and n are members independently selected from the integers from 0 to 6;

j, k, l and m are members independently selected from the integers from 0 to 20;

v, w, x and y are 0; and

R is a modifying group, a mannose, an oligomannose, SialylLewis^x or SialylLewis^a;

said method comprising:

(a) contacting said Factor VIIa peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

159. The method of claim 158, further comprising:

(b) prior to step (a), contacting said Factor VIIa peptide with a sialidase under conditions appropriate to remove sialic acid from said Factor VIIa peptide.

160. The method of claim 158, further comprising:

(c) prior to step (a), contacting said Factor VIIa peptide with a galactosidase under conditions appropriate to remove galactose from said Factor VIIa peptide.

161. The method of claim 158, further comprising:

(d) prior to step (a), contacting said Factor VIIa peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said Factor VIIa peptide.

162. The method of claim 158, further comprising:

(e) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

163. The method of claim 158, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

164. The method of claim 158, wherein

a, b, c, d, e, g, i, j, l, o, p and q members independently selected from 0 and 1;

r and t are 1; f, h, k, m, s, u, v, w, x and y are 0; and

n is selected from the integers from 0 to 4.

165. The method of claim 158, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, n, ,o, p, q, r, s, t and u are members independently selected from 0 and 1;

v, w, x and y are 0; and

n is a member selected from the integers from 0 to 4.

166. A Factor VIIa peptide conjugate formed by the method of claim 158.

167. A method for forming a conjugate between a Factor IX peptide and a modifying group, wherein said modifying group is covalently attached to said Factor IX peptide through an intact glycosyl linking group, said Factor IX peptide comprising a glycosyl residue having a formula which is a member selected from:



wherein

a, b, c, d, i, n, o, p, q, r, s, t, u, bb, cc, dd, ee, ff and gg are members independently selected from 0 and 1;

e, f, g, h and aa are members independently selected from the integers from 0 to 6;

j, k, l and m are members independently selected from the integers from 0 to 20;

v, w, x, y and z are 0;

R is a modifying group, a mannose or an oligomannose;

said method comprising:

(a) contacting said Factor IX peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

168. The method of claim 167, further comprising:

(b) prior to step (a), contacting said Factor IX peptide with a sialidase under conditions appropriate to remove sialic acid from said Factor IX peptide.

169. The method of claim 167, further comprising:

(c) contacting the product formed in step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

170. The method of claim 168, further comprising:

(d) contacting the product from step (b) with a galactosyltransferase and a galactose donor under conditions appropriate to transfer said galactose to said product.

171. The method of claim 170, further comprising:

(e) contacting the product from step (d) with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

172. The method of claim 167, further comprising:

(d) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

173. The method of claim 167, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

174. The method of claim 167, wherein

a, b, c, and d are 1;

e, f, g and h are members independently selected from the integers from 1 to 4;

aa, bb, cc, dd, ee, ff, j, k, l, m, i, n, o, p, q, r, s, t and u are members independently selected from 0 and 1; and

v, w, x, y, z and gg are 0.

175. The method of claim 167, wherein

a, b, c, d, n, q are independently selected from 0 and 1;

aa, e, f, g and h are members independently selected from the integers from 1 to 4;

bb, cc, dd, ee, ff, j, k, l, m, i, o, p, r, s, t and u are members independently selected from 0 and 1; and

v, w, x, y, z and gg are 0.

176. The method of claim 167, wherein

a, b, c, d, n, bb, cc, dd and ff are 1;

e, f, g, h and aa are members independently selected from the integers from 1 to 4;

q, ee, i, j, k, l, m, o, p, r, s, t and u are members independently selected from 0 and 1; and

v, w, x, y, z and gg are 0.

177. The method of claim 167, wherein

a, b, c, d and q are 1;

e, f, g and h are members independently selected from the integers from 1 to 4;

aa, bb, cc, dd, ee, ff, j, k, l, m, i, n, o, p, r, s, t and u are members independently selected from 0 and 1; and

v, w, x, y, z and gg are 0.

178. The method of claim 167, wherein

a, b, c, d, q, bb, cc, dd and ff are 1;

aa, e, f, g and h are members independently selected from the integers from 1 to 4;

ee, i, j, k, l, m, o, p, r, s, t and u are members independently selected from 0 and 1; and

v, w, x, y, z and gg are 0.

179. A Factor IX peptide conjugate formed by the method of claim 167.

180. A method of forming a conjugate between a follicle stimulating hormone (FSH) peptide and a modifying group, wherein said modifying group is covalently attached to said FSH peptide through an intact glycosyl linking group, said FSH peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0; and

R is a modifying group, a mannose or an oligomannose;

said method comprising:

(a) contacting said FSH peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

181. The method of claim 180, further comprising:

(b) prior to step (a), contacting said FSH peptide with a sialidase under conditions appropriate to remove sialic acid from said FSH peptide.

182. The method of claim 180, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

183. The method of claim 180, further comprising:

(d) prior to step (a), contacting said FSH peptide with a galactosidase under conditions appropriate to remove galactose from said FSH peptide.

184. The method of claim 180, further comrprising:

(e) prior to step (a) contacting said FSH peptide with a combination of a glycosidase and a sialidase.

185. The method of claim 180, further comprising:

(f) prior to step (a), contacting said FSH peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said FSH peptide.

186. The method of claim 180, further comprising:

(d) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

187. The method of claim 180, further comprising:

(e) prior to step (b), contacting said FSH peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said FSH peptide.

188. The method of claim 180, further comprising:

(f) prior to step (a), contacting said FSH peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said FSH peptide.

189. The method of claim 180, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

190. The method of claim 180, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are 1; and

v, w, x, and y are 0.

191. The method of claim 180, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

v, w, x, and y are 0.

192. The method of claim 180, wherein

a, b, c, d, f, h, j, k, l, m , s, u, v, w, x, and y are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1.

193. The method of claim 180, wherein

a, b, c, d, e, f, g, h, j, k, l, and m are 0;

i, q, r, s, t, u, v, w, x, and y are independently selected from 0 and 1;

p is 1;

R (branched or linear) is a member selected from mannose and oligomannose.

194. The method of claim 180, wherein

a, b, c, d, e, f, g, h, j, k, l, m, r, s, t, u, v, w, and y are 0;

i is 0 or 1; and

q is 1.

195. A FSH peptide conjugate formed by the method of claim 180.

196. A method for forming a conjugate between an erythropoietin (EPO) peptide and a modifying group, wherein said modifying group is covalently attached to said EPO peptide through an intact glycosyl linking group, said EPO peptide comprising a glycosyl residue having a formula which is a member selected from:



; and

wherein

a, b, c, d, i, n, o, p, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 4;

j, k, l, and m are members independently selected from the integers between 0 and 20;

v, w, x, y, and z are 0; and

R is a modifying group, a mannose or an oligomannose;

said method comprising:

(a) contacting said EPO peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

197. The method of claim 196, further comprising:

(b) prior to step (a), contacting said EPO peptide with a sialidase under conditions appropriate to remove sialic acid from said EPO peptide.

198. The method of claim 196, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

199. The method of claim 196, further comprising:

(d) prior to step (a), contacting said EPO peptide with a galactosidase operating synthetically under conditions appropriate to add a galactose to said EPO peptide.

200. The method of claim 196, further comprising:

(e) prior to step (a), contacting said EPO peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said EPO peptide.

201. The method of claim 200, further comprising:

(f) contacting the product from step (e) with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

202. The method of claim 196, further comprising:

(g) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

203. The method of claim 196, further comprising:

(h) prior to step (a), contacting said EPO peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said EPO peptide.

204. The method of claim 196, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

205. The method of claim 196, wherein

a, b, c, d, e, f, g, n, and q are 1;

h is a member selected from the integers between 1 and 3;

i, j, k, l, m, o, p, r, s, t, and u are members independently selected from 0 and 1;

and, v, w, x, y and z are 0.

206. The method of claim 196, wherein

a, b, c, d, f, h, j, k, l, m, q, s, u, v, w, x, y, and z are 0; and

e, g, i, r, and t are members independently selected from 0 and 1.

207. The method of claim 196, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, and u are members independently selected from 0 and 1; and

v, w, x, y, and z are 0.

208. The method of claim 196, wherein

a, b, c, d, e, f, g, n, and q are 1;

h is a member selected from the integers between 1 and 3;

i, j, k, l, m, o, p, r, s, t, and u are members independently selected from 0 and 1; and v, w, x, y and z are 0.

209. The method of claim 196, wherein

a, b, c, d, f, h, j, k, l, m, o, p, s, u, v, w, x, y, and z are 0; and

e, g, i, n, q, r, and t are independently selected from 0 and 1.

210. The method of claim 196, wherein

a, b, c, d, f, h, j, k, l, m, n, o, p, s, u, v, w, x, y, and z are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1.

211. The method of claim 196, wherein

q is 1;

a, b, c, d, e, f, g, h, i, n, r, s, t, and u are members independently selected from 0 and 1; and

j, k, l, m, o, p, v, w, x, y, and z are 0.

212. An EPO peptide conjugate formed by the method of claim 196.

213. A method for forming a conjugate between a granulocyte macrophage colony stimulating factor (GM-CSF) peptide and a modifying group, wherein said modifying group is covalently attached to said GM-CSF peptide through an intact glycosyl linking group, said GM-CSF peptide comprising a glycosyl residue having a formula selected from:



; and



wherein

a, b, c, d, i, n, o, p, q, r, s, t, u, aa, bb, and cc are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0;

R is a modifying group, mannose or oligomannose; and

R' is H or a glycosyl residue, or a modifying group or a glycoconjugate,

said method comprising:

(a) contacting said GM-CSF peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a

substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

214. The method of claim 213, further comprising:

(b) prior to step (a), contacting said GM-CSF peptide with a sialidase under conditions appropriate to remove sialic acid from said GM-CSF peptide.

215. The method of claim 213, further comprising:

(c) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

216. The method of claim 213, further comprising:

(d) prior to step (a) contacting said GM-CSF peptide with a combination of a glycosidase and a sialidase.

217. The method of claim 213, further comprising:

(e) prior to step (a), contacting said GM-CSF peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said GM-CSF peptide.

218. The method of claim 213, further comprising:

(f) prior to step (a), contacting said GM-CSF peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said GM-CSF peptide.

219. The method of claim 213, further comprising:

(g) prior to step (a) contacting said GM-CSF peptide with a mannosidase under conditions appropriate to cleave a mannose residue from said GM-CSF peptide.

220. The method of claim 213, further comprising:

(h) prior to step (a), contacting said GM-CSF peptide with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

221. The method of claim 213, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

222. The method of claim 213, wherein

a, b, c, d, i, j, k, l, m, o, p, q, r, s, t, u, and aa are members independently selected from 0 and 1;

bb, e, f, g, h, and n are 1; and

cc, v, w, x, y, and z are 0.

223. The method of claim 213, wherein

a, b, c, d, i, j, k, l, m, o, p, q, r, s, t, u, and aa are members independently selected from 0 and 1;

bb, e, f, g, h, and n are members independently selected from 0 and 1; and

cc, v, w, x, y, and z are 0.

224. The method of claim 213, wherein

cc, a, b, c, d, f, h, j, k, l, m, o, p, s, u, v, w, x, y, and z are 0; and

e, g, i, n, q, r, t, and aa are members independently selected from 0 and 1; and

bb is 1.

225. The method of claim 213, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, z and cc are 0;

q, r, s, t, u, v, w, x, y, and aa are members independently selected from 0 and 1; bb is 1; and

R is mannose or oligomannose.

226. The method of claim 213, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, o, q, r, s, t, u, aa, and bb are members

independently selected from 0 and 1; and

n, p, v, w, x, y, z, and cc are 0.

227. A GM-CSF peptide conjugate formed by the method of claim 213.

228. A method of forming a conjugate between an interferon gamma peptide and a modifying group, wherein said modifying group is covalently attached to said interferon gamma peptide through an intact glycosyl linking group, said interferon gamma peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, p, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0;

R is a modifying group, mannose or oligomannose; and

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group,

said method comprising:

(a) contacting said interferon gamma peptide with a member selected from a glycosyltransferase and a galactosidase operating synthetically and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

229. The method of claim 228, further comprising:

(b) prior to step (a), contacting said interferon gamma peptide with a sialidase under conditions appropriate to remove sialic acid from said interferon gamma peptide.

230. The method of claim 228, further comprising:

(c) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

231. The method of claim 228, further comprising:

(d) prior to step (a) contacting said interferon gamma peptide with a combination of a glycosidase and a sialidase.

232. The method of claim 228, further comprising:

(e) prior to step (a), contacting said interferon gamma peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said interferon gamma peptide.

233. The method of claim 228, further comprising:

(f) prior to step (a), contacting said interferon gamma peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said interferon gamma peptide.

234. The method of claim 228, further comprising:

(g) prior to step (a), contacting said interferon gamma peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer galactose to said product.

235. The method of claim 228, further comprising:

(h) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

236. The method of claim 228, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

237. The method of claim 228, wherein

wherein a, b, c, d, i, j, k, l, m, q, p, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are 1; and

n, v, w, x, and y are 0.

238. The method of claim 228, wherein

a, b, c, d, i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;

p, q, e, f, g, and h are 1; and

n, v, w, x, and y are 0.

239. The method of claim 228, wherein

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1; and

p is 1.

240. The method of claim 228, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, and n are 0;

q, r, s, t, u, v, w, x, and y are members independently selected from 0 and 1; and

p is 1; and

R is mannose or oligomannose.

241. The method of claim 228, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, h, and p are 1; and

n, v, w, x, and y are 0.

242. An interferon gamma peptide conjugate formed by the method of claim 228.

243. A method of forming a conjugate between an alpha 1 protease inhibitor (A-1-PI) peptide and a modifying group, wherein said modifying group is covalently attached to said A-1-PI peptide through an intact glycosyl linking group, said A-1-PI peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, p, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0;

R is a modifying group, mannose and oligomannose; and

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group; said method comprising:

(a) contacting said A-1-PI peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

244. The method of claim 243, further comprising:

(b) prior to step (a), contacting said A-1-PI peptide with a sialidase under conditions appropriate to remove sialic acid from said A-1-PI peptide.

245. The method of claim 243, further comprising:

(c) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

246. The method of claim 243, further comprising:

(d) prior to step (a) contacting said A-1-PI peptide with a combination of a glycosidase and a sialidase.

247. The method of claim 243, further comprising:

(e) prior to step (a), contacting said A-1-PI peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said A-1-PI peptide.

248. The method of claim 243, further comprising:

(f) prior to step (a), contacting said A-1-PI peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said A-1-PI peptide.

249. The method of claim 244, further comprising:

(g) prior to step (a), contacting said A-1-PI peptide with a mannosidase under conditions appropriate to remove mannose from said A-1-PI peptide.

250. The method of claim 243, further comprising:

(h) prior to step (a), contacting said A-1-PI peptide with a member selected from a mannosidase, a xylosidase, a hexosaminidase and combinations thereof under conditions appropriate to remove a glycosyl residue from said A-1-PI peptide.

251. The method of claim 243, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

252. The method of claim 243, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1; and

e, f, g, and h are 1; and n, v, w, x, and y are 0.

253. The method of claim 243, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, q, r, s, t and u are members independently selected from 0 and 1; and

n, v, w, x, and y are 0.

254. The method of claim 243, wherein

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1.

255. The method of claim 243, wherein

n, a, b, c, d, e, f, g, h, i, j, k, l, and m are 0;

q, r, s, t, u, v, w, x, and y area members independently selected from 0 and 1; and

p is 1.

256. The method of claim 243, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, n, p, and q are 0;

r, s, t, u, v, w, x, and y are members independently selected from 0 and 1.

257. The method of claim 243, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;

p, v, w, x, and y are 0; and

n and q are 1.

258. An alpha 1 protease inhibitor peptide conjugate formed by the method of claim 243.

259. A method of forming a conjugate between a beta glucosidase peptide and a modifying group, wherein said modifying group is covalently attached to said beta glucosidase peptide through an intact glycosyl linking group, said beta glucosidase peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, p, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100; and

v, w, x, and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group, said method comprising:

(a) contacting said beta glucosidase peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

260. The method of claim 259, further comprising:

(b) prior to step (a), contacting said beta glucosidase peptide with a sialidase under conditions appropriate to remove sialic acid from said beta glucosidase peptide.

261. The method of claim 259, further comprising:

(c) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

262. The method of claim 259, further comprising:

(d) prior to step (a) contacting said beta glucosidase peptide with a combination of a glycosidase and a sialidase.

263. The method of claim 259, further comprising:

(e) prior to step (a), contacting said beta glucosidase peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said beta glucosidase peptide.

264. The method of claim 259, further comprising:

(f) prior to step (a), contacting said beta glucosidase peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said beta glucosidase peptide.

265. The method of claim 259, further comprising:

(g) prior to step (a), contacting said beta glucosidase peptide with a galactosyl transferase and a galactose donoer under conditions appropriate to transfer galactose to said product.

266. The method of claim 259, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

267. The method of claim 259, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

p, e, f, g, and h are 1; and

n, v, w, x, and y are 0.

268. The method of claim 259, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1; and

n, v, w, x, and y are 0.

269. The method of claim 259, wherein

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0;

e, g, i, q, r, and t are members independently selected from 0 and 1; and

p is 1.

270. The method of claim 259, wherein

n, a, b, c, d, e, f, g, h, i, j, k, l, and m are 0;

q, r, s, t, u, v, w, x, and y are members independently selected from 0 and 1;

p is 1; and

R is mannose or oligomannose.

271. A beta glucosidase peptide conjugate formed by the method of claim 259.

272. A method of forming a conjugate between a tissue plasminogen activator (TPA) peptide and a modifying group, wherein said modifying group is covalently attached to said TPA peptide through an intact glycosyl linking group, said TPA peptide having a glycosyl subunit comprising the formula:



wherein

a, b, c, d, i, n, o, p, q, r, s, t, u, v, w, x and y are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers from 0 and 6;

j, k, l, and m are members independently selected from the integers from 0 and 100;

R is a modifying group, mannose or oligomannose;

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group; and

R" is a glycosyl group, a glycoconjugate or a modifying group;

said method comprising:

(a) contacting said TPA peptide with a member selected from a glycosyltransferase and a glycosidase operating synthetically and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

273. The method of claim 272, further comprising:

(b) prior to step (a), contacting said TPA peptide with a sialidase under conditions appropriate to remove sialic acid from said TPA peptide.

274. The method of claim 272, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

275. The method of claim 272, further comprising:

(d) prior to step (a), contacting said TPA peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said TPA peptide.

276. The method of claim 272, further comprising:

(e) prior to step (a) contacting said TPA peptide with a combination of a glycosidase and a sialidase.

277. The method of claim 272, further comprising:

(f) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

278. The method of claim 272, further comprising:

(g) prior to step (a), contacting said TPA peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said TPA peptide.

279. The method of claim 272, further comprising:

(h) prior to step (a), contacting said TPA peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said TPA peptide.

280. The method of claim 272, further comprising:

(i) prior to step (a), contacting said TPA peptide with a member selected from a mannosidase, a xylosidase, a hexosaminidase and combinations thereof under conditions appropriate to remove a glycosyl residue from said TPA peptide.

281. The method of claim 272, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

282. The method of claim 272, wherein

a, b, c, d are 1;

e, f, g and h are members selected from the integers between 1 and 3;

i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1; and

n, o, v, w, x, and y are 0.

283. The method of claim 272, wherein

a, b, c, d, f, h, j, k, l, m, n, o, s, u, v, w, x, and y are 0;

e, g, i, r, and t are members independently selected from 0 and 1; and

q and p are 1.

284. The method of claim 272, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, p, q, r, s, t, and u are members independently selected from 0 and 1; and

n, o, v, w, x, and y are 0.

285. The method of claim 272, wherein

a, b, c, d, e, f, g, and p are 1;

h is a member selected from the integers between 1 and 3;

j, k, l, m, i, q, r, s, t, and u are members independently selected from 0 and 1; and

n, o, v, w, x, and y are 0.

286. The method of claim 272, wherein

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0;

e, g, i, q, r, and t are members independently selected from 0 and 1;

o is 1; and

R" is xylose.

287. The method of claim 272, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are 1; and

n, o, v, w, x, and y are 0.

288. The method of claim 272, wherein

a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x, and y are 0;

i and q are members independently selected from 0 and 1; and

p is 1.

289. The method of claim 272, wherein

a, b, c, d, e, f, g, h, j, k, l, m, o, r, s, t, u, v, w, x, and y are 0;

i and q are members independently selected from 0 and 1;

p is 0; and

n is 1.

290. A TPA peptide conjugate formed by the method of claim 272.

291. A method of forming a conjugate between an interleukin 2 (IL-2) peptide and a modifying group, wherein said modifying group is covalently attached to said IL-2 peptide through an intact glycosyl linking group, said IL-2 peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, and e are members independently selected from 0 and 1;

d is 0; and

R is a modifying group,

said method comprising:

(a) contacting said IL-2 peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

292. The method of claim 291, further comprising:

(b) prior to step (a), contacting said IL-2 peptide with a sialidase under conditions appropriate to remove sialic acid from said IL-2 peptide.

293. The method of claim 291, further comprising:

(c) prior to step (a), contacting said IL-2 peptide with an endo-N-acetylgalactosaminidase operating synthetically under conditions appropriate to add a GalNAc to said IL-2 peptide.

294. The method of claim 291, further comprising:

(d) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

295. The method of claim 291, further comprising:

(e) prior to step (a), contacting said IL-2 peptide with N-acetylgalactosamine transferase and a GalNAc donor under conditions appropriate to transfer GalNAc to said IL-2 peptide.

296. The method of claim 291, further comprising

(f) prior to step (a) contacting said IL-2 peptide with galactosyltransferase and a galactose donor under conditions appropriate to transfer galactose to said IL-2 peptide.

297. The method of claim 291, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

298. The method of claim 291, wherein

a and e are members independently selected from 0 and 1; and

b, c, and d are 0.

299. The method of claim 291, wherein

a, b, c, d, and e are 0.

300. An IL-2 peptide conjugate formed by the method of claim 291.

301. A method of forming a conjugate between a Factor VIII peptide and a modifying group, wherein said modifying group is covalently attached to said glycopeptide through an intact glycosyl linking group, said glycopeptide comprising a glycosyl residue having a formula which is a member selected from:



and



wherein

a, b, c, d, i, n, o, p, q, r, s, t, u, aa, cc, and dd are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 20;

v, w, x, y and z are 0; and

R is a modifying group, a mannose or an oligomannose;

R' is a member selected from H, a glycosyl residue, a modifying group and a glycoconjugate,

said method comprising:

(a) contacting said glycopeptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

302. The method of claim 301, further comprising:

(b) prior to step (a), contacting said glycopeptide with a sialidase under conditions appropriate to remove sialic acid from said glycopeptide.

303. The method of claim 301, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

304. The method of claim 301, further comprising:

(d) prior to step (a), contacting said glycopeptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said glycopeptide.

305. The method of claim 301, further comprising:

(e) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

306. The method of claim 301, further comprising:

(f) prior to step (a), contacting said glycopeptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said glycopeptide.

307. The method of claim 301, further comprising:

(g) prior to step (a), contacting said glycopeptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said glycopeptide.

308. The method of claim 301, further comprising:

(h) prior to step (a), contacting said glycopeptide with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

309. The method of claim 301, further comprising:

(i) prior to step (a), contacting said glycopeptide with a mannosidase under conditions appropriate to remove mannose from said glycopeptide.

310. The method of claim 301, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

311. The method of claim 301, wherein

e, f, g, and h are members independently selected from the integers between 1 and 4;

a, b, c, d, i, j, k, l, m, n, o, p, q, r, s, t, u, aa, and cc are members independently selected from 0 and 1; and

v, w, x, y, z, and dd are 0.

312. A Factor VIII peptide conjugate formed by the method of claim 301.

313. A method of forming a conjugate between a tumor necrosis factor (TNF) alpha receptor/IgG fusion peptide and a modifying group, wherein said modifying group is covalently attached to said glycopeptide through an intact glycosyl linking group, said glycopeptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, u, w, ww, and z are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 4;

n, v, x, and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from H, a glycosyl residue, a modifying group and a glycoconjugate,

said method comprising:

(a) contacting said glycopeptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

314. The method of claim 313, further comprising:

(b) prior to step (a), contacting said glycopeptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said glycopeptide.

315. The method of claim 313, further comprising:

(c) prior to step (a), contacting said glycopeptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said glycopeptide.

316. The method of claim 313, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

317. The method of claim 313, wherein

a, c, i, j, and l are members independently selected from 0 and 1;

e, g, q, r, t, and z are 1; and

b, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0.

318. The method of claim 313, wherein

e, g, i, r, and t are members independently selected from 0 and 1

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

q and z are 1.

319. A TNF alpha receptor/IgG fusion peptide conjugate formed by the method of claim 313.

320. A method of forming a conjugate between a urokinase peptide and a modifying group, wherein said modifying group is covalently attached to said urokinase peptide through an intact glycosyl linking group, said urokinase peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, p, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group;

said method comprising:

(a) contacting said urokinase peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

321. The method of claim 320, further comprising:

(b) prior to step (a), contacting said urokinase peptide with a sialidase under conditions appropriate to remove sialic acid from said urokinase peptide.

322. The method of claim 320, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

323. The method of claim 320, further comprising:

(d) prior to step (a), contacting said urokinase peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said urokinase peptide.

324. The method of claim 320, further comprising:

(e) prior to step (a) contacting said urokinase peptide with a combination of a glycosidase and a sialidase.

325. The method of claim 320, further comprising:

(f) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

326. The method of claim 320, further comprising:

(g) prior to step (a), contacting said urokinase peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said urokinase peptide.

327. The method of claim 320, further comprising:

(h) prior to step (a), contacting said urokinase peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said urokinase peptide.

328. The method of claim 320, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

329. The method of claim 320, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are 1;

v, w, x, and y are 0; and

p is 1.

330. The method of claim 320, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

n, v, w, x, and y are 0; and

p is 1.

331. The method of claim 320, wherein

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1; and

p is 1.

332. The method of claim 320, wherein

a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x and y are 0;

i is 0 or 1; and

q and p are 1.

333. The method of claim 320, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are independently selected from 0, 1 ,2, 3 and 4; and

n, v, w, x, and y are 0.

334. The method of claim 320, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, o, r, s, t, u, v, w, x and y are 0;

q is1; and

n is 0 or 1.

335. A urokinase peptide conjugate formed by the method of claim 320.

336. A method of forming a conjugate between an anti-glycoprotein IIb/IIIa monoclonal antibody peptide and a modifying group, wherein said modifying group is covalently attached to said glycopeptide through an intact glycosyl linking group, said glycopeptide comprising a glycosyl residue having a formula which is a member selected from:



; and



wherein

a, b, c, d, i, j, k, l, m, r, s, t, u, z, aa, bb, cc, and ee are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers from 0 and 4;

n, v, w, x, y, and dd are 0;

R is a modifying group a mannose or an oligomannose; and

R' is a member selected from H, a glycosyl residue, a modifying group and a glycoconjugates,

said method comprising:

(a) contacting said glycopeptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

337. The method of claim 336, further comprising:

(b) prior to step (a), contacting said glycopeptide with a sialidase under conditions appropriate to remove sialic acid from said glycopeptide.

338. The method of claim 336, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

339. The method of claim 336, further comprising:

(d) prior to step (a), contacting said glycopeptide with a galactosidase operating synthetically under conditions appropriate to add a galactose to said glycopeptide.

340. The method of claim 336, further comprising:

(e) prior to step (a), contacting said glycopeptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said glycopeptide.

341. The method of claim 340, further comprising:

(f) contacting the product from step (e) with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

342. The method of claim 336, further comprising:

(g) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

343. The method of claim 336, further comprising:

(h) prior to step (a), contacting said glycopeptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said glycopeptide.

344. The method of claim 336, further comprising:

(i) prior to step (a), contacting said glycopeptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said glycopeptide.

345. The method of claim 336, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

346. The method of claim 336, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m r, s, t, and u are members independently selected from 0 and 1;

n, v, w, x, and y are 0; and

z is 1.

347. The method of claim 336, wherein

a, b, c, d, e, f, g, h, j, k, l, m, n, s, t, u, v, w, x, and y are 0;

i and r are members independently selected from 0 and 1; and

z is 1.

348. The method of claim 336, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, and n are 0;

r, s, t, u, v, w, x, and y are members independently selected from 0 and 1; and

z is 1.

349. The method of claim 336, wherein

aa, bb, cc, and ee are members independently selected from 0 and 1; and

dd is 0.

350. The method of claim 336, wherein

aa and ee are members independently selected from 0 and 1; and

bb, cc, and dd are 0.

351. The method of claim 336, wherein

aa, bb, cc, dd, and ee are 0.

352. An anti-glycoprotein IIb/IIIa monoclonal antibody peptide conjugate formed by the method of claim 336.

353. A method of forming a conjugate between a chimeric anti HER2 antibody peptide and a modifying group, wherein said modifying group is covalently attached to said chimeric anti HER2 antibody peptide through an intact glycosyl linking group, said chimeric anti HER2 antibody peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, j, k, l, q, r, s, t, u, and z are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 4;

n, v, w, x, and y are 0;

m is 0-20;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from hydrogen and a glycosyl residue, and a modifying group,

said method comprising:

(a) contacting said chimeric anti HER2 antibody peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

354. The method of claim 353, further comprising:

(b) prior to step (a), contacting said chimeric anti HER2 antibody peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said chimeric anti HER2 antibody peptide.

355. The method of claim 353, further comprising:

(c) prior to step (a), contacting said chimeric anti HER2 antibody peptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said chimeric anti HER2 antibody peptide.

356. The method of claim 353, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

357. The method of claim 353, wherein

a, c, and i are members independently selected from 0 and 1;

e, g, r, and t are 1;

b, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

q and z are 1.

358. The method of claim 353, wherein

i is 0 or 1;

q and z are 1; and

a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x, and y are 0.

359. The method of claim 353, wherein

e, g, i, r, and t are members independently selected from 0 and 1;

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and

q and z are 1.

360. An anti HER2 antibody peptide conjugate formed by the method of claim 353.

361. A method of forming a conjugate between an anti-RSV F peptide and a modifying group, wherein said modifying group is covalently attached to said anti-RSV F peptide through an intact glycosyl linking group, said anti-RSV F peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, j, k, l, m, p, q, r, s, t, u, and z are members independently selected from 0 and 1;

e, f, g and h are members independently selected from the integers from 0 to 4;

n, v, w, x and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from H and a glycosyl residue, a glycoconjugate, and a modifying group

said method comprising:

(a) contacting said anti-RSV F peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said

modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

362. The method of claim 361, further comprising:

(b) prior to step (a), contacting said anti-RSV F peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said anti-RSV F peptide.

363. The method of claim 362, further comprising:

(c) prior to step (b), contacting said anti-RSV F peptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said anti-RSV F peptide.

364. The method of claim 361, wherein

a, c, e, g and i are members independently selected from 0 and 1;

r and t are 1;

b, d, f, h, j, k, l, m, n, s, u, v, w, x and y are 0; and

z is 1.

365. The method of claim 361, wherein

a, b, c, d, e, f, g, h, j, k, l, m, r, s, t, u, v, w, x, y are 0;

i and p are independently selected from 0 or 1;

q and z are 1; and

n is 0.

366. The method of claim 361, wherein

e, g, i, r and t are members independently selected from 0 and 1;

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x and y are 0; and

q and z are 1.

367. The method of claim 361, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

368. An anti RSV F peptide conjugate formed by the method of claim 361.

369. A method of forming a conjugate between an anti-CD20 antibody peptide and a modifying group, wherein said modifying group is covalently attached to said anti-CD20 antibody peptide through an intact glycosyl linking group, said anti-CD20 antibody peptide having a glycosyl subunit comprising the formula:



wherein ,

a, b, c, d, i, j, k, l, m q, r, s, t, u and z are integers independently selected from 0 and 1;

e, f, g, and h are independently selected from the integers from 0 to 4;

n, v, w, x, and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from H, a glycosyl residue, a glycoconjugate or a modifying group,

said method comprising:

(a) contacting said anti-CD20 antibody peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

370. The method of claim 369, said method further comprising:

(b) prior to step (a), contacting said anti-CD20 antibody peptide with a galactosyltransferase and a galactosyl donor under conditions appropriate for the transfer of said galactosyl donor to said anti-CD20 antibody peptide.

371. The method of claim 370, further comprising:

(c) prior to step (b), contacting said anti-CD20 antibody peptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said anti-CD20 antibody peptide.

372. The method of claim 371, further comprising:

(d) prior to step (a), contacting said anti-CD20 antibody peptide with a mannosidase under conditions appropriate to remove mannose from said anti-CD20 antibody peptide.

373. The method of claim 369, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

374. The method of claim 369, wherein said glycosyltransferase is galactosyltransferase and said modified glycosyl donor is a modified galactosyl donor.

375. The method of claim 369, wherein

a, c, e, g and i are members independently selected from 0 and 1;

r, t, q and z are 1; and

b, d, f, h, j, k, l, m, n, s, u, v, w, x and y are 0.

376. The method of claim 369, wherein

a, c, e, g, i, q, r, and t are members independently selected from 0 and 1;

b, d, f, h, j, k, l, m, s, u, v, w, x, y are 0; and

z is 1.

377. The method of claim 369, wherein

e, g, i, q, r, and t are members independently selected from 0 and 1;

a, b, c, d, f, h, j, k, l, m, n, s, u, v, w, x, and y are 0; and
z is 1.

378. The method of claim 369, wherein
i is 0 or 1;
q and z are 1; and
a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x and y are 0.

379. The method of claim 369, wherein
e, g, i, r, t, v, x and z are members independently selected from 0 and 1;
a, b, c, d, f, h, j, k, l, m, n, s, u, w and y are 0; and
z is 1.

380. The method of claim 369, wherein
a, b, c, d, e, f, g, h, j, k, l, m, r, s, t, u, v, w, x and y are 0;
n and q are 1; and
i is 0 or 1.

381. An anti-CD20 antibody peptide conjugate formed by the method of claim 369.

382. A method of forming a conjugate between a recombinant DNase peptide and a modifying group, wherein said modifying group is covalently attached to said recombinant DNase peptide through an intact glycosyl linking group, said recombinant DNase peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, p q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 100;

v, w, x, and y are 0; and

R is a member selected from polymer, a glycoconjugate, a mannose, an oligomannose and a modifying group.

said method comprising:

(a) contacting said recombinant DNase peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

383. The method of claim 382, further comprising:

(b) prior to step (a), contacting said recombinant DNase peptide with a sialidase under conditions appropriate to remove sialic acid from said recombinant DNase peptide.

384. The method of claim 382, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

385. The method of claim 382, further comprising:

(d) prior to step (a), contacting said recombinant DNase peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said recombinant DNase peptide.

386. The method of claim 382, further comprising:

(e) prior to step (a) contacting said recombinant DNase peptide with a combination of a glycosidase and a sialidase.

387. The method of claim 382, further comprising:

(f) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

388. The method of claim 382, further comprising:

(g) prior to step (a), contacting said recombinant DNase peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said recombinant DNase peptide.

389. The method of claim 382, further comprising:

(h) prior to step (a), contacting said recombinant DNase peptide with an endoglycanase under conditions appropriate to cleave a glycosyl moiety from said recombinant DNase peptide.

390. The method of claim 382, wherein

a, b, c, d, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, h and p are 1; and

n, v, w, x, and y are 0.

391. The method of claim 382, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, q, r, s, t, and u are members independently selected from 0 and 1;

p is 1; and

n, v, w, x, and y are 0.

392. The method of claim 382, wherein

a, b, c, d, f, h, j, k, l, m, s, u, v, w, x, and y are 0; and

e, g, i, q, r, and t are members independently selected from 0 and 1; and

p is 1.

393. The method of claim 382, wherein

a, b, c, d, e, f, g, h, j, k, l, m, n, r, s, t, u, v, w, x, and y are 0;

i is 0 or 1; and

p is 1.

394. The method of claim 382, wherein

a, b, c, d, e, f, g, h, j, k, l and m are 0;

i, q, r, s, t, u, v, x and y are independently selected from 0 or 1;

p is 1; and

R is mannose or oligomannose.

395. A recombinant DNase peptide conjugate formed by the method of claim 382.

396. A method of forming a conjugate between an anti-tumor necrosis factor (TNF) alpha peptide and a modifying group, wherein said modifying group is covalently attached to said anti-TNF alpha peptide through an intact glycosyl linking group, said anti-TNF alpha peptide comprising a glycosyl residue having the formula:



wherein

a, b, c, d, i, n, o, p, q, r, s, t, u and z are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

j, k, l, and m are members independently selected from the integers between 0 and 20;

n, v, w, x and y are 0; and

R is a modifying group, a mannose or an oligomannose;

R' is a glycoconjugate or a modifying group;

said method comprising:

(a) contacting said anti-TNF alpha peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

397. The method of claim 396, further comprising:

(b) prior to step (a), contacting said anti-TNF alpha peptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said anti-TNF alpha peptide.

398. The method of claim 396, further comprising:

(c) prior to step (a), contacting said anti-TNF alpha peptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said anti-TNF alpha peptide.

399. The method of claim 396, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

400. The method of claim 396, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, o, p, q, r, s, t and u are members independently selected from 0 and 1;

n is 1; and

v, w, x, y, and z are 0.

401. The method of claim 396, wherein

a, c, e, g and i are members independently selected from 0 and 1;

r and t are 1;

b, d, f, h, j, k, l, m, n, s, u, v, w, x and y; and

q and z are 1.

402. An anti-TNF alpha peptide conjugate formed by the method of claim 396.

403. A method of forming a conjugate between an insulin peptide and a modifying group, wherein said modifying group is covalently attached to said glycopeptide through an intact glycosyl linking group, said glycopeptide comprising a glycosyl residue having a formula which is a member selected from:



; and



wherein

a, b, c, d, i, j, k, l, m, r, s, t, u, z, aa, bb, cc, and ee are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integer between 0 and 4;

dd, n, v, w, x and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from H, a glycosyl residue, a modifying group and a glycoconjugate,

said method comprising:

(a) contacting said glycopeptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

404. The method of claim 403, further comprising:

(b) prior to step (a), contacting said glycopeptide with a sialidase under conditions appropriate to remove sialic acid from said glycopeptide.

405. The method of claim 403, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

406. The method of claim 403, further comprising:

(d) prior to step (a), contacting said glycopeptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said glycopeptide.

407. The method of claim 403, further comprising:

(e) prior to step (a), contacting said glycopeptide with Endo-H under conditions appropriate to cleave a glycosyl moiety from said glycopeptide.

408. The method of claim 403, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety and a glycoconjugate.

409. The method of claim 403, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;

n, v, w, x, and y are 0; and

z is 1.

410. The method of claim 403, wherein

a, b, c, d, e, f, g, h, j, k, l, m, n, s, t, u, v, w, x, and y are 0;

i and r are members independently selected from 0 and 1; and

z is 1.

411. The method of claim 403, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, and n are 0;

r, s, t, u, v, w, x, and y are members independently selected from 0 and 1; and

z is 1.

412. The method of claim 403, wherein
aa, bb, cc, and ee are members independently selected from 0 and 1; and
dd is 0.

413. The method of claim 403, wherein
aa and ee are members independently selected from 0 and 1; and
bb, cc, and dd are 0.

414. The method of claim 403, wherein
aa, bb, cc, dd, and ee are 0.

415. An insulin peptide conjugate formed by the method of claim 403.

416. A method of forming a conjugate between a hepatitis B surface antigen (HbsAg) peptide and a modifying group, wherein said modifying group is covalently attached to said HBsAg peptide through an intact glycosyl linking group, said HBsAg peptide comprising a glycosyl residue having a formula which is a member selected from:



; and



wherein

aa, bb, a, b, c, d, i, n, q, r, s, t, and u are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 6;

o, p, j, k, l, and m are members independently selected from the integers between 0 and 100;

cc, v, w, x, and y are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is H or a glycosyl residue, a glycoconjugate, or a modifying group,

said method comprising:

(a) contacting said HBsAg peptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

417. The method of claim 416, further comprising:

(b) prior to step (a), contacting said HBsAg peptide with a sialidase under conditions appropriate to remove sialic acid from said HBsAg peptide.

418. The method of claim 416, further comprising:

(c) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

419. The method of claim 416, further comprising:

(d) prior to step (a), contacting said HBsAg peptide with a galactosidase under conditions appropriate to cleave a glycosyl residue from said HBsAg peptide.

420. The method of claim 416, further comprising:

(e) prior to step (a), contacting said HBsAg peptide with a galactosyl transferase and a

galactose donor under conditions appropriate to transfer said galactose to said HBsAg peptide.

421. The method according to claim 88, further comprising:

(f) contacting the product of step (d) with ST3Gal3 and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

422. The method of claim 416, further comprising:

(g) contacting the product from step (a) with a moiety that reacts with said modifying group, thereby forming a conjugate between said intact glycosyl linking group and said moiety.

423. The method of claim 416, further comprising:

(h) prior to step (a), contacting said HBsAg peptide with N-acetylglucosamine transferase and a GlcNAc donor under conditions appropriate to transfer GlcNAc to said HBsAg peptide.

424. The method of claim 416, further comprising:

(i) prior to step (a), contacting said HBsAg peptide with a mannosidase under conditions appropriate to cleave mannose from said HBsAg peptide.

425. The method according claim 1, further comprising:

(j) prior to step (a), contacting said HBsAg peptide with endoglycanase under conditions sufficient to cleave a glycosyl group from said HBsAg peptide.

426. The method of claim 416, wherein said modifying group is a member selected from a polymer, a toxin, a radioisotope, a therapeutic moiety, an adjuvant and a glycoconjugate.

427. The method of claim 416, wherein

a, b, c, d, i, j, k, l, m, o, p, q, r, s, t, u, and aa are members independently selected from 0 and 1;

bb, e, f, g, h, and n are 1; and

cc, v, w, x, y, and z are 0.

428. The method of claim 416, wherein

a, b, c, d, i, j, k, l, m, n, o, p, q, r, s, t, u, and aa are members independently selected from 0 and 1;

e, f, g, and h are independently selected from 0, 1, 2, 3, or 4;

cc, v, w, x, y, and z are 0; and

bb is 1.

429. The method of claim 416, wherein

cc, a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, v, w, x, y and z are 0; and

q, r, s, t, u, v, w, x, y, and aa are members independently selected from 0 and 1; and

bb is 1.

430. The method of claim 416, wherein

a, b, c, d, i, j, k, l, m, o, q, r, s, t, u, and aa are members independently selected from 0 and 1;

bb, e, f, g, h, and n are 1; and

n, p cc, v, w, x, y, and z are 0.

431. The method of claim 416, wherein

bb, a, b, c, d, e, f, g, h, i, j, k, l, m, o, p, q, r, s, t, u, v, w, x, y, and z are members independently selected from 0 and 1;

cc is 1; and

n is 0 or 1.

432. The method of claim 416, wherein

a, b, c, d, f, h, j, k, l, m, o, p, s, u, v, w, x, y, z, and cc are 0;

bb is 1;

e, g, i, n, q, r, t, and aa are members independently selected from 0 and 1.

433. The method of claim 416, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, z, and cc are 0;

q, r, s, t, u, v, w, x, y, and aa are members independently selected from 0 and 1; and

bb is 1.

434. A HBsAg peptide conjugate formed by the method of claim 416.

435. A method of forming a conjugate between a human growth hormone (HGH) peptide and a modifying group, wherein said modifying group is covalently attached to said glycopeptide through an intact glycosyl linking group, said glycopeptide comprising a glycosyl residue having a formula which is a member selected from:



; and



wherein

a, b, c, d, i, j, k, l, m, r, s, t, u, z, aa, bb, cc, and ee are members independently selected from 0 and 1;

e, f, g, and h are members independently selected from the integers between 0 and 4;

n, v, w, x, y, and dd are 0;

R is a modifying group, a mannose or an oligomannose; and

R' is a member selected from H, a glycosyl residue, a modifying group and a glycoconjugate,

said method comprising:

(a) contacting said glycopeptide with a glycosyltransferase and a modified glycosyl donor, comprising a glycosyl moiety which is a substrate for said glycosyltransferase covalently bound to said modifying group, under conditions appropriate for the formation of said intact glycosyl linking group.

436. The method of claim 435, further comprising:

(b) prior to step (a), contacting said glycopeptide with a sialidase under conditions appropriate to remove sialic acid from said glycopeptide.

437. The method of claim 435, further comprising:

(c) prior to step (a), contacting said glycopeptide with endoglycanase under conditions appropriate to cleave a glycosyl moiety from said glycopeptide.

438. The method of claim 435, further comprising:

(c) prior to step (a), contacting said glycopeptide with a galactosyl transferase and a galactose donor under conditions appropriate to transfer said galactose to said glycopeptide.

439. The method of claim 435, further comprising:

(d) contacting the product of step (a) with a sialyltransferase and a sialic acid donor under conditions appropriate to transfer sialic acid to said product.

440. The method of claim 435, further comprising:

(d) prior to step (a), contacting said glycopeptide with a galactosidase under conditions appropriate to cleave a glycosyl residue from said glycopeptide.

441. The method of claim 435, wherein

a, b, c, d, e, f, g, h, i, j, k, l, m, r, s, t, and u are members independently selected from 0 and 1;

n, v, w, x, and y are 0; and
z is 1.

442. The method of claim 435, wherein
a, b, c, d, e, f, g, h, j, k, l, m, n, s, t, u, v, w, x, and y are 0;
i and r are members independently selected from 0 and 1; and
z is1.

443. The method of claim 435, wherein
a, b, c, d, e, f, g, h, i, j, k, l, m, and n are 0;
r, s, t, u, v, w, x and y are members independently selected from 0 and 1; and
z is 1.

444. The method of claim 435, wherein
aa and ee are members independently selected from 0 and 1; and
bb, cc, and dd are 0.

445. The method of claim 435, wherein
aa, bb, cc, dd, and ee are 0.

446. The method of claim 435, wherein
aa, bb, cc, dd, ee, and n are 0.

447. A HGH peptide conjugate formed by the method of claim 435.

12AP1/E5 -- Viventia Biotech
1964 -- Aventis
20K growth hormone -- AMUR
28P6/E6 -- Viventia Biotech
3-Hydroxyphthaloyl-beta-lactoglobulin --
4-IBB ligand gene therapy --
64-Cu MAb conjugate TETA-1A3 -- Mallinckrodt Institute of Radiology
64-Cu MAb conjugate TETA-cT84.66
64-Cu Trastuzumab TETA conjugate -- Genentech
A 200 -- Amgen
A10255 -- Eli Lilly
A1PDX -- Hedral THerapeutics
A6 -- Angstrom
aaAT-III -- Genzyme
Abciximab -- Centocor
ABI.001 -- Atlantic BioPharmaceuticals
ABT-828 -- Abbott
Accutin
Actinohivin
activin -- Biotech Australia, Human Therapeutics
activin -- Curis
AD 439 -- Tanox
AD 519 -- Tanox
Adalimumab -- Cambridge Antibody Tech.
Adenocarcinoma vaccine -- Biomira -- NIS
Adenosine A2B receptor antagonists -- Adenosine Therapeutics
ADP-001 -- Axis Genetics
AF 13948 -- Affymax
Afelimomab -- Knoll
AFP-SCAN -- Immunomedics
AG 2195 -- Corixa
agalsidase alfa -- Transkaryotic Therapies
agalsidase beta -- Genzyme
AGENT-- Antisoma
AI 300 -- AutoImmune
AI-101 -- Teva
AI-102 -- Teva
AI-201 -- AutoImmune
AI-301 -- AutoImmune
AIDS vaccine -- ANRS, CIBG, Hesed Biomed, Hollis-Eden, Rome, United Biomedical, American Home Products, Maxygen
airway receptor ligand -- IC Innovations
AJvW 2 -- Ajinomoto
AK 30 NGF -- Alkermes
Albuferon -- Human Genome Sciences
albumin -- Biogen, DSM Anti-Infectives, Genzyme Transgenics, PPL Therapeutics, TranXenoGen, Welfide Corp.
aldesleukin -- Chiron
alefacept -- Biogen
Alemtuzumab --
Allergy therapy -- ALK-Abello/Maxygen, ALK-Abello/RP Scherer
allergy vaccines -- Allergy Therapeutics
Alnidofibatide -- Aventis Pasteur
Alnorine -- SRC VB VECTOR
ALP 242 -- Gruenenthal
Alpha antitrypsin -- Arriva/Hyland Immuno/ProMetic/Protease Sciences
Alpha-1 antitrypsin -- Cutter, Bayer, PPL Therapeutics, Profile, ZymoGenetics, Arriva
Alpha-1 protease inhibitor -- Genzyme Transgenics, Welfide Corp.
Alpha-galactose fusion protein -- Immunomedics
Alpha-galactosidase A -- Research Corporation Technologies
Alpha-glucosidase -- Genzyme, Novazyme
Alpha-lactalbumin
Alpha-L-iduronidase -- Transkaryotic Therapies, BioMarin
alteplase -- Genentech
alvircept sudotox -- NIH
ALX1-11 --sNPS Pharmaceuticals
Alzheimer's disease gene therapy --

FIG. 1A

AM-133 -- AMRAD
Amb a 1 immunostim conj. -- Dynavax
AMD 3100 -- AnorMED -- NIS
AMD 3465 -- AnorMED -- NIS
AMD 3465 -- AnorMED -- NIS
AMD Fab -- Genentech
Amediplase -- Menarini, Novartis
AM-F9
Amoebiasis vaccine
Amphiregulin -- Octagene
anakinra -- Amgen
analgesic -- Nobex
ancestim -- Amgen
AnergiX.RA -- Corixa, Organon
Angiocidin -- InKine
angiogenesis inhibitors -- ILEX
AngioMab -- Antisoma
Angiopoietins -- Regeneron/Procter & Gamble
angiostatin -- EntreMed
Angiostatin/endostatin gene therapy -- Genetix Pharmaceuticals
angiotensin-II, topical -- Maret
Anthrax -- EluSys Therapeutics/US Army Medical Research Institute
Anthrax vaccine
Anti platelet-derived growth factor D human monoclonal antibodies -- CuraGen
Anti-17-1A MAb 3622W94 -- GlaxoSmithKline
Anti-2C4 MAb -- Genentech
anti-4-1BB monoclonal antibodies -- Bristol-Myers Squibb
Anti-Adhesion Platform Tech. -- Cytovax
Anti-adipocyte MAb -- Cambridge Antibody Tech./ObeSys
antiallergics -- Maxygen
antiallergy vaccine -- Acambis
Anti-alpha-4-integrin MAb
Anti-angiogenesis monoclonal antibodies -- KS Biomedix/Schering AG
Anti-B4 MAb-DC1 conjugate -- ImmunoGen
Anti-B7 antibody PRIMATIZED -- IDEC
Anti-B7-1 MAb 16-10A1
Anti-B7-1 MAb 1G10
Anti-B7-2 MAb GL-1
Anti-B7-2-gelonin immunotoxin --
Antibacterials/antifungals -- Diversa/IntraBiotics
Anti-beta-amyloid monoclonal antibodies -- Cambridge Antibody Tech., Wyeth-Ayerst
Anti-BLyS antibodies -- Cambridge Antibody Tech. /Human Genome Sciences
Antibody-drug conjugates -- Seattle Genetics/Eos
Anti-C5 MAb BB5-1 -- Alexion
Anti-C5 MAb N19-8 -- Alexion
Anti-C8 MAb
anticancer cytokines -- BioPulse
anticancer matrix -- Telios Integra
Anticancer monoclonal antibodies -- ARIUS, Immunex
anticancer peptides -- Maxygen, Micrologix
Anticancer prodrug Tech. -- Alexion Antibody Technologies
anticancer Troy-Bodies -- Affite -- Affitech
anticancer vaccine -- NIH
anticancers -- Epimmune
Anti-CCR5/CXCR4 sheep MAb -- KS Biomedix Holdings
Anti-CD11a MAb KBA --
Anti-CD11a MAb M17
Anti-CD11a MAb TA-3 --
Anti-CD11a MAb WT.1 --
Anti-CD11b MAb -- Pharmacia
Anti-CD11b MAb LM2
Anti-CD154 MAb -- Biogen
Anti-CD16-anti-CD30 MAb -- Biotest
Anti-CD18 MAb -- Pharmacia
Anti-CD19 MAb B43 --
Anti-CD19 MAb -liposomal sodium butyrate conjugate --

FIG. 1B

Anti-CD19 MAb-saporin conjugate –
Anti-CD19-dsFv-PE38-immunotoxin –
Anti-CD2 MAb 12-15 –
Anti-CD2 MAb B-E2 – Diaclone
Anti-CD2 MAb OX34 –
Anti-CD2 MAb OX54 –
Anti-CD2 MAb OX55 –
Anti-CD2 MAb RM2-1
Anti-CD2 MAb RM2-2
Anti-CD2 MAb RM2-4
Anti-CD20 MAb BCA B20
Anti-CD20-anti-Fc alpha RI bispecific MAb – Medarex, Tenovus
Anti-CD22 MAb-saporin-6 complex –
Anti-CD3 immunotoxin –
Anti-CD3 MAb 145-2C11 – Pharming
Anti-CD3 MAb CD4IgG conjugate – Genentech
Anti-CD3 MAb humanised – Protein Design, RW Johnson
Anti-CD3 MAb WT32
Anti-CD3 MAb-ricin-chain-A conjugate –
Anti-CD3 MAb-xanthine-oxidase conjugate –
Anti-CD30 MAb BerH2 – Medac
Anti-CD30 MAb-saporin conjugate
Anti-CD30-scFv-ETA'-immunotoxin
Anti-CD38 MAb AT13/5
Anti-CD38 MAb-saporin conjugate
Anti-CD3-anti-CD19 bispecific MAb
Anti-CD3-anti-EGFR MAb
Anti-CD3-anti-interleukin-2-receptor MAb
Anti-CD3-anti-MOv18 MAb – Centocor
Anti-CD3-anti-SCLC bispecific MAb
Anti-CD4 idiotype vaccine
Anti-CD4 MAb – Centocor, IDEC Pharmaceuticals, Xenova Group
Anti-CD4 MAb 16H5
Anti-CD4 MAb 4162W94 – GlaxoSmithKline
Anti-CD4 MAb B-F5 – Diaclone
Anti-CD4 MAb GK1-5
Anti-CD4 MAb KT6
Anti-CD4 MAb OX38
Anti-CD4 MAb PAP conjugate – Bristol-Myers Squibb
Anti-CD4 MAb RIB 5-2
Anti-CD4 MAb W3/25
Anti-CD4 MAb YTA 3.1.2
Anti-CD4 MAb YTS 177-9
Anti-CD40 ligand MAb 5c8 – Biogen
Anti-CD40 MAb
Anti-CD40 MAb 5D12 – Tanox
Anti-CD44 MAb A3D8
Anti-CD44 MAb GKWA3
Anti-CD44 MAb IM7
Anti-CD44 MAb KM81
Anti-CD44 variant monoclonal antibodies – Corixa/Hebrew University
Anti-CD45 MAb BC8-I-131
Anti-CD45RB MAb
Anti-CD48 MAb HuLy-m3
Anti-CD48 MAb WM-63
Anti-CD5 MAb – Becton Dickinson
Anti-CD5 MAb OX19
Anti-CD6 MAb
Anti-CD7 MAb-PAP conjugate
Anti-CD7 MAb-ricin-chain-A conjugate
Anti-CD8 MAb – Amerimmune, Cytodyn, Becton Dickinson
Anti-CD8 MAb 2-43
Anti-CD8 MAb OX8
Anti-CD80 MAb P16C10 – IDEC
Anti-CD80 MAb P7C10 – ID Vaccine
Anti-CD8-idarubicin conjugate
Anti-CEA MAb CE-25
Anti-CEA MAb MN 14 – Immunomedics
Anti-CEA MAb MN14-PE40 conjugate – Immunomedics
Anti-CEA MAb T84.66-interleukin-2 conjugate
Anti-CEA sheep MAb – KS Biomedix Holdings

FIG. 1C

Anti-cell surface monoclonal antibodies -- Cambridge Antibody Tech. /Pharmacia
Anti-c-erbB2-anti-CD3 bifunctional MAb -- Otsuka
Anti-CMV MAb -- Scotgen
Anti-CTLA-4 MAb
Anti-EGFR catalytic antibody -- Hesed Biomed
anti-EGFR immunotoxin -- IVAX
Anti-EGFR MAb -- Abgenix
Anti-EGFR MAb 528
Anti-EGFR MAb KSB 107 -- KS Biomedix
Anti-EGFR MAb-DM1 conjugate -- ImmunoGen
Anti-EGFR MAb-LA1 --
Anti-EGFR sheep MAb -- KS Biomedix
Anti-FAP MAb F19-I-131
Anti-Fas IgM MAb CH11
Anti-Fas MAb Jo2
Anti-Fas MAb RK-8
Anti-Flt-1 monoclonal antibodies -- ImClone
Anti-fungal peptides -- State University of New York
antifungal tripeptides -- BTG
Anti-ganglioside GD2 antibody-interleukin-2 fusion protein -- Lexigen
Anti-GM2 MAb -- Kyowa
Anti-GM-CSF receptor monoclonal antibodies -- AMRAD
Anti-gp130 MAb -- Tosoh
Anti-HCA monoclonal antibodies -- AltaRex/Epigen
Anti-hCG antibodies -- Abgenix/AVI BioPharma
Anti-heparanase human monoclonal antibodies -- Oxford Glycosciences/Medarex
Anti-hepatitis C virus human monoclonal antibodies -- XTL Biopharmaceuticals
Anti-HER-2 antibody gene therapy
Anti-herpes antibody -- Epicyte
Anti-HIV antibody -- Epicyte
anti-HIV catalytic antibody -- Hesed Biomed
anti-HIV fusion protein -- Idun
anti-HIV proteins -- Cangene
Anti-HM1-24 MAb -- Chugai
Anti-hR3 MAb
Anti-Human-Carcinoma-Antigen MAb -- Epicyte
Anti-ICAM-1 MAb -- Boehringer Ingelheim
Anti-ICAM-1 MAb 1A-29 -- Pharmacia
Anti-ICAM-1 MAb HA58
Anti-ICAM-1 MAb YN1/1.7.4
Anti-ICAM-3 MAb ICM3 -- ICOS
Anti-idiotype breast cancer vaccine 11D10
Anti-idiotype breast cancer vaccine ACA14C5 --
Anti-idiotype cancer vaccine -- ImClone Systems/Merck KGaA ImClone, Viventia Biotech
Anti-idiotype cancer vaccine 1A7 -- Titan
Anti-idiotype cancer vaccine 3H1 -- Titan
Anti-idiotype cancer vaccine TriAb -- Titan
Anti-idiotype Chlamydia trachomatis vaccine
Anti-idiotype colorectal cancer vaccine -- Novartis
Anti-idiotype colorectal cancer vaccine -- Onyvax
Anti-idiotype melanoma vaccine -- IDEC Pharmaceuticals
Anti-idiotype ovarian cancer vaccine ACA 125
Anti-idiotype ovarian cancer vaccine AR54 -- AltaRex
Anti-idiotype ovarian cancer vaccine CA-125 -- AltaRex, Biomira
Anti-IgE catalytic antibody -- Hesed Biomed
Anti-IgE MAb E26 -- Genentech
Anti-IGF-1 MAb
anti-inflammatory -- GeneMax
anti-inflammatory peptide -- BTG

FIG. 1D

anti-integrin peptides -- Burnha
Anti-interferon-alpha-receptor MAb 64G12 -- Pharma Pacific Management
Anti-interferon-gamma MAb -- Protein Design Labs
Anti-interferon-gamma polyclonal antibody -- Advanced Biotherapy
Anti-interleukin-10 MAb --
Anti-interleukin-12 MAb --
Anti-interleukin-1-beta polyclonal antibody -- R&D Systems
Anti-interleukin-2 receptor MAb 2A3
Anti-interleukin-2 receptor MAb 33B3-1 -- Immunotech
Anti-interleukin-2 receptor MAb ART-18
Anti-interleukin-2 receptor MAb LO-Tact-1
Anti-interleukin-2 receptor MAb Mikbeta1
Anti-interleukin-2 receptor MAb NDS61
Anti-interleukin-4 MAb 11B11
Anti-interleukin-5 MAb -- Wallace Laboratories
Anti-interleukin-6 MAb -- Centocor, Diaclone, Pharmadigm
Anti-interleukin-8 MAb -- Xenotech
Anti-JL1 MAb
Anti-Klebsiella sheep MAb -- KS Biomedix Holdings
Anti-Laminin receptor MAb-liposomal doxorubicin conjugate
Anti-LCG MAb -- Cytoclonal
Anti-lipopolysaccharide MAb -- VitaResc
Anti-L-selectin monoclonal antibodies -- Protein Design Labs, Abgenix, Stanford University
Anti-MBL monoclonal antibodies -- Alexion/Brigham and Women's Hospital
Anti-MHC monoclonal antibodies
Anti-MIF antibody humanised -- IDEC, Cytokine PharmaSciences
Anti-MRSA/VRSA sheep MAb -- KS Biomedix Holdings
Anti-mu MAb -- Novartis
Anti-MUC-1 MAb
Anti-Nogo-A MAb IN1
Anti-nuclear autoantibodies -- Procyon
Anti-ovarian cancer monoclonal antibodies -- Dompe
Anti-p185 monoclonal antibodies
Anti-p43 MAb
Antiparasitic vaccines
Anti-PDGF/bFGF sheep MAb -- KS Biomedix
Anti-properdin monoclonal antibodies -- Abgenix/Gliatech
Anti-PSMA MAb J591 -- BZL Biologics
Anti-Rev MAb gene therapy --
Anti-RSV antibodies -- Epicyte, Intracell
Anti-RSV monoclonal antibodies -- Medarex/MedImmune, Applied Molecular Evolution/MedImmune
Anti-RSV MAb, inhalation -- Alkermes/MedImmune
Anti-RT gene therapy
Antisense K-ras RNA gene therapy
Anti-SF-25 MAb
Anti-sperm antibody -- Epicyte
Anti-Tac(Fv)-PE38 conjugate
Anti-TAPA/CD81 MAb AMP1
Anti-tat gene therapy
Anti-TCR-alphabeta MAb H57-597
Anti-TCR-alphabeta MAb R73
Anti-tenascin MAb BC-4-I-131
Anti-TGF-beta human monoclonal antibodies -- Cambridge Antibody Tech., Genzyme
Anti-TGF-beta MAb 2G7 -- Genentech
Antithrombin III -- Genzyme Transgenics, Aventis, Bayer, Behringwerke, CSL, Myriad
Anti-Thy1 MAb
Anti-Thy1.1 MAb

FIG. 1E

Anti-tissue factor/factor VIIA sheep MAb -- KS Biomedix
Anti-TNF monoclonal antibodies -- Centocor, Chiron, Peptech, Pharacia, Serono
Anti-TNF sheep MAb -- KS Biomedix Holdings
Anti-TNFalpha MAb -- Genzyme
Anti-TNFalpha MAb B-C7 -- Diaclone
Anti-tooth decay MAb -- Planet BioTech.
antitumour RNases -- NIH
Anti-VCAM MAb 2A2 -- Alexion
Anti-VCAM MAb 3F4 -- Alexion
Anti-VCAM-1 MAb
Anti-VEC MAb -- ImClone
Anti-VEGF MAb -- Genentech
Anti-VEGF MAb 2C3
Anti-VEGF sheep MAb -- KS Biomedix Holdings
Anti-VLA-4 MAb HP1/2 -- Biogen
Anti-VLA-4 MAb PS/2
Anti-VLA-4 MAb R1-2
Anti-VLA-4 MAb TA-2
Anti-VRE sheep MAb -- KS Biomedix Holdings
ANUP -- TranXenoGen
ANUP-1 -- Pharis
AOP-RANTES -- Senetek
Apan-CH -- Praecis Pharmaceuticals
APC-8024 -- Demegen
ApoA-1 -- Milano, Pharmacia
Apogen -- Alexion
apolipoprotein A1 -- Avanir
Apolipoprotein E -- Bio-Tech. General
Applaggin -- Biogen
aprotinin -- ProdiGene
APT-070C -- AdProTech
AR 177 -- Aronex Pharmaceuticals
AR 209 -- Aronex Pharmaceuticals, Antigenics
AR545C
ARGENT gene delivery systems -- ARIAD
Arresten
ART-123 -- Asahi Kasei
arylsulfatase B -- BioMarin
Arylsulfatase B, Recombinant human -- BioMarin
AS 1051 -- Ajinomoto
ASI-BCL -- Intracell
ATL-101 -- Alizyme
atrial natriuretic peptide -- Pharis
Aurintricarboxylic acid-high molecular weight
autoimmune disorders -- GPC Biotech/MorphoSys
Autoimmune disorders and transplant rejection -- Bristol-Myers Squibb/Genzyme Tra
Autoimmune disorders/cancer -- Abgenix/Chiron, /CuraGen
Autotaxin
Avicidin -- NeoRx
axogenesis factor-1 -- Boston Life Sciences
Axokine -- Regeneron
B cell lymphoma vaccine -- Biomira
B7-1 gene therapy --
BABS proteins -- Chiron
BAM-002 -- Novelos Therapeutics
Bay-16-9996 -- Bayer
Bay-39-9437 -- Bayer
Bay-50-4798 -- Bayer
BB-10153 -- British Biotech
BBT-001 -- Bolder BioTech.
BBT-002 -- Bolder BioTech.
BBT-003 -- Bolder BioTech.
BBT-004 -- Bolder BioTech.
BBT-005 -- Bolder BioTech.
BBT-006 -- Bolder BioTech.
BBT-007 -- Bolder BioTech.
BCH-2763 -- Shire
BCSF -- Millenium Biologix
BDNF -- Regeneron -- Amgen

FIG. 1F

Becaplermin -- Johnson & Johnson, Chiron
Bectumomab – Immunomedics
Beta-adrenergic receptor gene therapy – University of Arkansas
BI 51013 -- Behringwerke AG
BIBH 1 -- Boehringer Ingelheim
BIM-23190 -- Beaufour-Ipsen
birch pollen immunotherapy -- Pharmacia
bispecific fusion proteins -- NIH
Bispecific MAb 2B1 -- Chiron
Bitistatin
BIWA 4 -- Boehringer Ingelheim
blood substitute – Northfield, Baxter Intl.
BLP-25 -- Biomira
BLS-0597 -- Boston Life Sciences
BLyS -- Human Genome Sciences
BLyS radiolabelled -- Human Genome Sciences
BM 06021 -- Boehringer Mannheim
BM-202 -- BioMarin
BM-301 -- BioMarin
BM-301 -- BioMarin
BM-302 -- BioMarin
BMP 2 -- Genetics Institute/Medtronic-Sofamor Danek, Genetics Institute/ Collagenesis, Genetics Institute/Yamanouch
BMP 2 gene therapy
BMP 52 -- Aventis Pasteur, Biopharm
BMP-2 -- Genetics Institute
BMS 182248 -- Bristol-Myers Squibb
BMS 202448 -- Bristol-Myers Squibb
bone growth factors -- IsoTis
BPC-15 -- Pfizer
brain natriuretic peptide –
Breast cancer -- Oxford GlycoSciences/Medarex
Breast cancer vaccine -- Therion Biologics, Oregon
BSSL -- PPL Therapeutics
BST-2001 – BioStratum
BST-3002 -- BioStratum
BTI 322 –
butyrylcholinesterase -- Shire
C 6822 -- COR Therapeutics
C1 esterase inhibitor -- Pharming
C3d adjuvant – AdProTech
CAB-2.1 -- Millennium
calcitonin – Inhale Therapeutics Systems, Aventis, Genetronics, TranXenoGen, Unigene, Rhone Poulenc Rohrer
calcitonin -- oral – Nobex, Emisphere, Pharmaceutical Discovery
Calcitonin gene-related peptide -- Asahi Kasei -- Unigene
calcitonin, human -- Suntory
calcitonin, nasal – Novartis, Unigene
calcitonin, Panoderm -- Elan
calcitonin, Peptitrol -- Shire
calcitonin, salmon -- Therapicon
calin -- Biopharm
Calphobindin I
calphobindin I -- Kowa
calreticulin -- NYU
Campath-1G
Campath-1M
cancer therapy -- Cangene
cancer vaccine – Aixlie, Aventis Pasteur, Center of Molecular Immunology ,YM BioSciences, Cytos, Genzyme, Transgenics, GlobeImmune, Igeneon, ImClone, Virogenetics, InterCell, Iomai, Jenner Biotherapies, Memorial Sloan-Kettering Cancer Center, Sydney Kimmel Cancer Center, Novavax, Protein Sciences, Argonex, SIGA
Cancer vaccine ALVAC-CEA B7.1 -- Aventis Pasteur/Therion Biologics
Cancer vaccine CEA-TRICOM -- Aventis Pasteur/Therion Biologics
Cancer vaccine gene therapy -- Cantab Pharmaceuticals

FIG. 1G

Cancer vaccine HER-2/neu -- Corixa
Cancer vaccine THERATOPE -- Biomira
cancer vaccine, PolyMASC -- Valentis
Candida vaccine -- Corixa, Inhibitex
Canstatin -- ILEX
CAP-18 -- Panorama
Cardiovascular gene therapy -- Collateral Therapeutics
carperitide -- Suntory
Casocidin-1 -- Pharis
CAT 152 -- Cambridge Antibody Tech.
CAT 192 -- Cambridge Antibody Tech.
CAT 213 -- Cambridge Antibody Tech.
Catalase-- Enzon
Cat-PAD -- Circassia
CB 0006 -- Celltech
CCK(27-32)-- Akzo Nobel
CCR2-641 -- NIH
CD, Procept -- Paligent
CD154 gene therapy
CD39 -- Immunex
CD39-L2 -- Hyseq
CD39-L4 -- Hyseq
CD4 fusion toxin -- Senetek
CD4 IgG -- Genentech
CD4 receptor antagonists -- Pharmacopeia/Progenics
CD4 soluble -- Progenics
CD4, soluble -- Genzyme Transgenics
CD40 ligand -- Immunex
CD4-ricin chain A -- Genentech
CD59 gene therapy -- Alexion
CD8 TIL cell therapy -- Aventis Pasteur
CD8, soluble -- Avidex
CD95 ligand -- Roche
CDP 571 -- Celltech
CDP 850 -- Celltech
CDP 870 -- Celltech
CDS-1 -- Ernest Orlando
Cedelizumab -- Ortho-McNeil
Cetermin -- Insmed
CETP vaccine -- Avant
Cetrorelix
Cetuximab
CGH 400 -- Novartis
CGP 42934 -- Novartis
CGP 51901 -- Tanox
CGRP -- Unigene
CGS 27913 -- Novartis
CGS 32359 -- Novartis
Chagas disease vaccine -- Corixa
chemokines -- Immune Response
CHH 380 -- Novartis
chitinase -- Genzyme, ICOS
Chlamydia pneumoniae vaccine -- Antex Biologics
Chlamydia trachomatis vaccine -- Antex Biologics
Chlamydia vaccine -- GlaxoSmithKline
Cholera vaccine CVD 103-HgR -- Swiss Serum and Vaccine Institute Berne
Cholera vaccine CVD 112 -- Swiss Serum and Vaccine Institute Berne
Cholera vaccine inactivated oral -- SBL Vaccin
Chrysalin -- Chrysalis BioTech.
CI-782 -- Hitachi Kase
Ciliary neurotrophic factor -- Fidia, Roche
CIM project -- Active Biotech
CL 329753 -- Wyeth-Ayerst
CL22, Cobra -- ML Laboratories
Clenoliximab -- IDEC
Clostridium difficile antibodies -- Epicyte
clotting factors -- Octagene
CMB 401 -- Celltech
CNTF -- Sigma-Tau
Cocaine abuse vaccine -- Cantab, ImmuLogic, Scripps
coccidiomycosis vaccine -- Arizo
collagen -- Type I -- Pharming
Collagen formation inhibitors -- FibroGen

FIG. 1H

Collagen/hydroxyapatite/bone growth factor -- Aventis Pasteur, Biopharm, Orquest
collagenase -- BioSpecifics
Colorectal cancer vaccine -- Wistar Institute
Component B, Recombinant -- Serono
Connective tissue growth factor inhibitors -- FibroGen/Taisho
Contortrostatin
contraceptive vaccine -- Zonagen
Contraceptive vaccine hCG
Contraceptive vaccine male reversible -- IMMUCON
Contraceptive vaccine zona pellucida -- Zonagen
Copper-64 labelled MAb TETA-1A3 -- NCI
Coralyne
Corsevin M
C-peptide analogues -- Schwarz
CPI-1500 -- Consensus
CRF -- Neurobiological Tech.
cRGDfV pentapeptide --
CRL 1095 -- CytRx
CRL 1336 -- CytRx
CRL 1605 -- CytRx
CS-560 -- Sankyo
CSF -- ZymoGenetics
CSF-G -- Hangzhou, Dong-A, Hanmi
CSF-GM -- Cangene, Hunan, LG Chem
CSF-M -- Zarix
CT 1579 -- Merck Frosst
CT 1786 -- Merck Frosst
CT-112^ -- BTG
CTB-134L -- Xenova
CTC-111 -- Kaketsuken
CTGF -- FibroGen
CTLA4-Ig -- Bristol-Myers Squibb
CTLA4-Ig gene therapy --
CTP-37 -- AVI BioPharma
C-type natriuretic peptide -- Suntory
CVS 995 -- Corvas Intl.
CX 397 -- Nikko Kyodo
CY 1747 -- Epimmune
CY 1748 -- Epimmune
Cyanovirin-N
Cystic fibrosis therapy -- CBR/IVAX
CYT 351
cytokine Traps -- Regeneron
cytokines -- Enzon, Cytoclonal
Cytomegalovirus glycoprotein vaccine -- Chiron, Aquila Biopharmaceuticals, Aventis Pasteur, Virogenetics
Cytomegalovirus vaccine live -- Aventis Pasteur
Cytosine deaminase gene therapy -- GlaxoSmithKline
DA-3003 -- Dong-A
DAB389interleukin-6 -- Senetek
DAB389interleukin-7
DAMP^ -- Incyte Genomics
Daniplestim -- Pharmacia
darbepoetin alfa -- Amgen
DBI-3019 -- Diabetogen
DCC -- Genzyme
DDF -- Hyseq
decorin -- Integra, Telios
defensins -- Large Scale Biology
DEGR-VIIa
Delmmunised antibody 3B6/22 AGEN
Deimmunised anti-cancer antibodies -- Biovation/Viragen
Dendroamide A
Dengue vaccine -- Bavarian Nordic, Merck
denileukin diftitox -- Ligand
DES-1101 -- Desmos
desirudin -- Novartis
desmopressin -- Unigene
Desmoteplase -- Merck, Schering AG
Destabilase
Diabetes gene therapy -- DeveloGen, Pfizer
Diabetes therapy -- Crucell
Diabetes type 1 vaccine -- Diamyd Therapeutics

FIG. 1I

DiaCIM – YM BioSciences
dialytic oligopeptides -- Research Corp
Diamyd -- Diamyd Therapeutics
DiaPep227-- Pepgen
DiavaX -- Corixa
Diphtheria tetanus pertussis-hepatitis B vaccine -- GlaxoSmithKline
DIR therapy -- Solis Therapeutics –
DNase -- Genentech
Dornase alfa -- Genentech
Dornase alfa, inhalation -- Genentech
Doxorubicin-anti-CEA MAb conjugate – Immunomedics
DP-107 – Trimeris
drotrecogin alfa -- Eli Lilly
DTctGMCSF
DTP-polio vaccine -- Aventis Pasteur
DU 257-KM231 antibody conjugate -- Kyowa
dural graft matrix -- Integra
Duteplase – Baxter Intl.
DWP-401 – Daewoong
DWP-404 – Daewoong
DWP-408 – Daewoong
E coli O157 vaccine -- NIH
E21-R – BresaGen
Eastern equine encephalitis virus vaccine –
Echicetin –
Echinhibin 1 –
Echistatin -- Merck
Echitamine –
EC-SOD – PPL Therapeutics
EDF – Ajinomoto
EDN derivative -- NIH
EDNA – NIH
Edobacomab -- XOMA
Edrecolomab – Centocor
EF 5077
Efalizumab -- Genentech
EGF fusion toxin – Seragen, Ligand
EGF-P64k vaccine -- Center of Molecular Immunology
EL 246 – LigoCyte
elastase inhibitor – Synergen
elcatonin -- Therapicon
EMD 72000 – Merck KGaA
Emdogain – BIORA
emfilermin – AMRAD
Emoctakin – Novartis
enamel matrix protein -- BIORA
Endo III – NYU
endostatin – EntreMed, Pharis
Enhancins -- Micrologix
Enlimomab -- Isis Pharm.
Enoxaparin sodium -- Pharmuka
enzyme linked antibody nutrient depletion therapy -- KS Biomedix Holdings
Eosinophil-derived neutralizing agent –
EP-51216 -- Asta Medica
EP-51389 – Asta Medica
EPH family ligands -- Regeneron
Epidermal growth factor – Hitachi Kasei, Johnson & Johnson
Epidermal growth factor fusion toxin -- Senetek
Epidermal growth factor-genistein –
EPI-HNE-4 – Dyax
EPI-KAL2 – Dyax
Epoetin-alfa – Amgen, Dragon Pharmaceuticals, Nanjing Huaxin
Epratuzumab – Immunomedics
Epstein-Barr virus vaccine -- Aviron/SmithKline Beecham, Bioresearch
Eptacog alfa – Novo Nordisk
Eptifibatide -- COR Therapeutics
erb-38 –
Erlizumab – Genentech

FIG. 1J

erythropoietin -- Alkermes, ProLease, Dong-A, Elanex, Genetics Institute, LG Chem, Protein Sciences, Serono, Snow Brand, SRC VB VECTOR, Transkaryotic Therapies
Erythropoietin Beta -- Hoffman La Roche
Erythropoietin/Epoetin alfa -- Chugai
Escherichia coli vaccine -- North American Vaccine, SBL Vaccin, Swiss Serum and Vaccine Institute Berne
etanercept -- Immunex
examorelin -- Mediolanum
exonuclease VII
F 105 -- Centocor
F-992 -- Fornix
Factor IX -- Alpha Therapeutics, Welfide Corp., CSL, enetics Institute/AHP, Pharmacia, PPL Therapeutics
Factor IX gene therapy -- Cell Genesys
Factor VII -- Novo Nordisk, Bayer, Baxter Intl.
Factor VIIa -- PPL Therapeutics, ZymoGenetics
Factor VIII -- Bayer Genentech, Beaufour-Ipsen, CLB, Inex, Octagen, Pharmacia, Pharming
Factor VIII -- PEGylated -- Bayer
Factor VIII fragments -- Pharmacia
Factor VIII gene therapy -- Targeted Genetics
Factor VIII sucrose formulation -- Bayer, Genentech
Factor VIII-2 -- Bayer
Factor VIII-3 -- Bayer
Factor Xa inhibitors -- Merck, Novo Nordisk, Mochida
Factor XIII -- ZymoGenetics
Factors VIII and IX gene therapy -- Genetics Institute/Targeted Genetics
Famoxin -- Genset
Fas (delta) TM protein -- LXR BioTech.
Fas TR -- Human Genome Sciences
Felvizumab -- Scotgen
FFR-VIIa -- Novo Nordisk
FG-001 -- F-Gene
FG-002 -- F-Gene
FG-004 -- F-Gene
FG-005 -- F-Gene
FGF + fibrin -- Repair
Fibrimage -- Bio-Tech. General
fibrin-binding peptides -- ISIS Innovation
fibrinogen -- PPL Therapeutics, Pharming
fibroblast growth factor -- Chiron, NYU, Ramot, ZymoGenetics
fibrolase conjugate -- Schering AG
Filgrastim -- Amgen
filgrastim -- PDA modified -- Xencor
FLT-3 ligand -- Immunex
FN18 CRM9 --
follistatin -- Biotech Australia, Human Therapeutics
follitropin alfa -- Alkermes, ProLease, PowderJect, Serono, Akzo Nobel
Follitropin Beta -- Bayer, Organon
FP 59
FSH -- Ferring
FSH + LH -- Ferring
F-spondin -- CeNeS
fusion protein delivery system -- UAB Research Foundation
fusion toxins -- Boston Life Sciences
G 5598 -- Genentech
GA-II -- Transkaryotic Therapies
Gamma-interferon analogues -- SRC VB VECTOR
Ganirelix -- Roche
gastric lipase -- Meristem
Gavilimomab --
G-CSF -- Amgen, SRC VB VECTOR
GDF-1 -- CeNeS
GDF-5 -- Biopharm
GDNF -- Amgen

FIG. 1K

gelsolin -- Biogen
Gemtuzumab ozogamicin -- Celltech
Gene-activated epoetin-alfa -- Aventis Pharma -- Transkaryotic Therapies
Glanzmann thrombasthenia gene therapy -- Healthcare
Glatiramer acetate -- Yeda
glial growth factor 2 -- CeNeS
GLP-1 -- Amylin, Suntory, TheraTech, Watson
GLP-1 peptide analogues -- Zealand Pharaceuticals
glucagon -- Eli Lilly, ZymoGenetics
Glucagon-like peptide-1 7-36 amide -- Suntory
Glucocerebrosidase -- Genzyme
glutamate decarboxylase -- Genzyme Transgenics
Glycoprotein S3 -- Kureha
GM-CSF -- Immunex
GM-CSF tumour vaccine -- PowderJect
GnRH immunotherapeutic -- Protherics
gp75 antigen -- ImClone
gp96 -- Antigenics
GPI 0100 -- Galenica
GR 4991W93 -- GlaxoSmithKline
Granulocyte colony-stimulating factor -- Dong-A
Granulocyte colony-stimulating factor conjugate
grass allergy therapy -- Dynavax
GRF1-44 -- ICN
Growth Factor -- Chiron, Atrigel, Atrix, Innogenetics, ZymoGenetics, Novo
growth factor peptides -- Biotherapeutics
growth hormone -- LG Chem
growth hormone, Recombinant human -- Serono
GT 4086 -- Gliatech
GW 353430 -- GlaxoSmithKline
GW-278884 -- GlaxoSmithKline
H 11 -- Viventia Biotech
H5N1 influenza A virus vaccine -- Protein Sciences
haemoglobin -- Biopure
haemoglobin 3011, Recombinant -- Baxter Healthcare
haemoglobin crosfumaril -- Baxter Intl.
haemoglobin stabilized -- Ajinomoto
haemoglobin, recombinant -- Apex
HAF -- Immune Response
Hantavirus vaccine
HB 19
HBNF -- Regeneron
HCC-1 -- Pharis
hCG -- Milkhaus
hCG vaccine -- Zonagen
HE-317 -- Hollis-Eden Pharmaceuticals
Heat shock protein cancer and influenza vaccines -- StressGen
Helicobacter pylori vaccine -- Acambis, AstraZeneca/CSL, Chiron, Provalis
Helistat-G -- GalaGen
Hemolink -- Hemosol
hepapoietin -- Snow Brand
heparanase -- InSight
heparinase I -- Ibex
heparinase III -- Ibex
Hepatitis A vaccine -- American Biogenetic Sciences
Hepatitis A vaccine inactivated
Hepatitis A vaccine Nothav -- Chiron
Hepatitis A-hepatitis B vaccine -- GlaxoSmithKline
hepatitis B therapy -- Tripep
Hepatitis B vaccine -- Amgen, Chiron SpA, Meiji Milk, NIS, Prodeva, PowderJect, Rhein Biotech
Hepatitis B vaccine recombinant -- Evans Vaccines, Epitec Combiotech, Genentech, MedImmune, Merck Sharp & Dohme, Rhein Biotech, Shantha Biotechnics, Vector, Yeda

FIG. 1L

Hepatitis B vaccine recombinant TGP 943 – Takeda
Hepatitis C vaccine – Bavarian Nordic, Chiron, Innogenetics Acambis,
Hepatitis D vaccine – Chiron Vaccines
Hepatitis E vaccine recombinant – Genelabs/GlaxoSmithKline, Novavax
hepatocyte growth factor – Panorama, Sosei
hepatocyte growth factor kringle fragments - - EntreMed
Her-2/Neu peptides -- Corixa
Herpes simplex glycoprotein DNA vaccine – Merck, Wyeth-Lederle Vaccines-Malvern, Genentech, GlaxoSmithKline, Chiron, Takeda
Herpes simplex vaccine – Cantab Pharmaceuticals, CEL-SCI, Henderson Morley
Herpes simplex vaccine live – ImClone Systems/Wyeth-Lederle, Aventis Pasteur
HGF derivatives – Dompe
hIAPP vaccine – Crucell
Hib-hepatitis B vaccine – Aventis Pasteur
HIC 1
HIP– Altachem
Hirudins – Biopharma, Cangene, Dongkook, Japan Energy Corporation, Pharmacia Corporation, SIR International, Sanofi-Synthelabo, Sotragene, Rhein Biotech
HIV edible vaccine – ProdiGene
HIV gp120 vaccine – Chiron, Ajinomoto, GlaxoSmithKline, ID Vaccine, Progenics, VaxGen
HIV gp120 vaccine gene therapy –
HIV gp160 DNA vaccine – PowderJect, Aventis Pasteur, Oncogen, Hyland Immuno, Protein Sciences
HIV gp41 vaccine – Panacos
HIV HGP-30W vaccine – CEL-SCI
HIV immune globulin – Abbott, Chiron
HIV peptides – American Home Products
HIV vaccine – Applied bioTech., Axis Genetics, Biogen, Bristol-Myers Squibb, Genentech, Korea Green Cross, NIS, Oncogen, Protein Sciences Corporation, Terumo, Tonen Corporation, Wyeth-Ayerst, Wyeth-Lederle Vaccines-Malvern, Advanced BioScience Laboratories, Bavarian Nordic, Bavarian Nordic/Statens Serum Institute, GeneCure, Immune Response, Progenics, Therion Biologics, United Biomedical, Chiron
HIV vaccine vCP1433 – Aventis Pasteur
HIV vaccine vCP1452 – Aventis Pasteur
HIV vaccine vCP205 – Aventis Pasteur
HL-9 – American BioScience
HM-9239 – Cytran
HML-103 – Hemosol
HML-104 – Hemosol
HML-105 – Hemosol
HML-109 – Hemosol
HML-110 – Hemosol
HML-121 – Hemosol
hNLP – Pharis
Hookworm vaccine
host-vector vaccines – Henogen
HPM 1 – Chugai
HPV vaccine – MediGene
HSA – Meristem
HSF – StressGen
HSP carriers –Weizmann, Yeda, Peptor
HSPPC-70 – Antigenics
HSPPC-96 – pathogen-derived – Antigenics
HSV 863 – Novartis
HTLV-I DNA vaccine
HTLV-I vaccine
HTLV-II vaccine – Access
HU 901 – Tanox
Hu23F2G – ICOS
HuHMFG1

FIG. 1M

HumaLYM -- Intracell
Human krebs statika -- Yamanouchi
human monoclonal antibodies -- Abgenix/Biogen, Abgenix/ Corixa, Abgenix/Immunex, Abgenix/Lexicon, Abgenix/ Pfizer, Athersys/Medarex, Biogen/MorphoSys, CAT/Searle, Centocor/Medarex, Corixa/Kirin Brewery, Corixa/Medarex, Eos BioTech./Medarex, Eos/Xenerex, Exelixis/Protein Design Labs, ImmunoGen/ Raven, Medarex/B.Twelve, MorphoSys/ImmunoGen, XTL Biopharmaceuticals/Dyax,
Human monoclonal antibodies -- Medarex/Northwest Biotherapeutics, Medarex/Seattle Genetics
human netrin-1 -- Exelixis
human papillomavirus antibodies -- Epicyte
Human papillomavirus vaccine -- Biotech Australia, IDEC, StressGen
Human papillomavirus vaccine MEDI 501 -- MedImmune/GlaxoSmithKline
Human papillomavirus vaccine MEDI 503/MEDI 504 -- MedImmune/GlaxoSmithKline
Human papillomavirus vaccine TA-CIN -- Cantab Pharmaceuticals
Human papillomavirus vaccine TA-HPV -- Cantab Pharmaceuticals
Human papillomavirus vaccine TH-GW -- Cantab/GlaxoSmithKline
human polyclonal antibodies -- Biosite/Eos BioTech./ Medarex
human type II anti factor VIII monoclonal antibodies -- ThromboGenics
humanised anti glycoprotein Ib murine monoclonal antibodies -- ThromboGenics
HumaRAD -- Intracell
HuMax EGFR -- Genmab
HuMax-CD4 -- Medarex
HuMax-IL15 -- Genmab
HYB 190 -- Hybridon
HYB 676 -- Hybridon
I-125 MAb A33 -- Celltech
Ibritumomab tiuxetan -- IDEC
IBT-9401 -- Ibex
IBT-9402 -- Ibex
IC 14 -- ICOS
Idarubicin anti-Ly-2.1 --
IDEC 114 -- IDEC
IDEC 131 -- IDEC
IDEC 152 -- IDEC
IDM 1 -- IDM
IDPS -- Hollis-Eden Pharmaceuticals
iduronate-2-sulfatase -- Transkaryotic Therapies
IGF/IBP-2-13 -- Pharis
IGN-101 -- Igeneon
IK HIR02 -- Iketon
IL-11 -- Genetics Institute/AHP
IL-13-PE38 -- NeoPharm
IL-17 receptor -- Immunex
IL-18BP -- Yeda
IL-1Hy1 -- Hyseq
IL-1ß -- Celltech
IL-1ß adjuvant -- Celltech
IL-2 -- Chiron
IL-2 + IL-12 -- Hoffman La-Roche
IL-6/sIL-6R fusion -- Hadasit
IL-6R derivative -- Tosoh
IL-7-Dap 389 fusion toxin -- Ligand
IM-862 -- Cytran
IMC-1C11 -- ImClone
imiglucerase -- Genzyme
Immune globulin intravenous (human) -- Hoffman La Roche
immune privilege factor -- Proneuron
Immunocal -- Immunotec
Immunogene therapy -- Briana Bio-Tech
Immunoliposomal 5-fluorodeoxyuridine-dipalmitate --

FIG. 1N

immunosuppressant vaccine -- Aixlie
immunotoxin -- Antisoma, NIH
ImmuRAIT-Re-188 -- Immunomedics
imreg-1 -- Imreg
infertility -- Johnson & Johnson, E-TRANS
Influenza virus vaccine -- Aventis Pasteur, Protein Sciences
inhibin -- Biotech Australia, Human Therapeutics
Inhibitory G protein gene therapy
INKP-2001 -- InKine
Inolimomab -- Diaclone
insulin -- AutoImmune, Altea, Biobras, BioSante, Bio-Tech. General, Chong Kun Dang, Emisphere, Flamel, Provalis, Rhein Biotech, TranXenoGen
insulin (bovine) -- Novartis
insulin analogue -- Eli Lilly
Insulin Aspart -- Novo Nordisk
insulin detemir -- Novo Nordisk
insulin glargine -- Aventis
insulin inhaled -- Inhale Therapeutics Systems, Alkermes
insulin oral -- Inovax
insulin, AeroDose -- AeroGen
insulin, AERx -- Aradigm
insulin, BEODAS -- Elan
insulin, Biphasix -- Helix
insulin, buccal -- Generex
insulin, I2R -- Flemington
insulin, intranasal -- Bentley
insulin, oral -- Nobex, Unigene
insulin, Orasome -- Endorex
insulin, ProMaxx -- Epic
insulin, Quadrant -- Elan
insulin, recombinant -- Aventis
insulin, Spiros -- Elan
insulin, Transfersome -- IDEA
insulin, Zymo, recombinant -- Novo Nordisk
insulinotropin -- Scios
Insulysin gene therapy --
integrin antagonists -- Merck
interferon (Alpha2) -- SRC VB VECTOR, Viragen, Dong-A, Hoffman La-Roche, Genentech
interferon -- BioMedicines, Human Genome Sciences
interferon (Alfa-n3)—Interferon Sciences Intl.
interferon (Alpha), Biphasix -- Helix
interferon (Alpha)—Amgen, BioNative, Novartis, Genzyme Transgenics, Hayashibara, Inhale Therapeutics Systems, Medusa, Flamel, Dong-A, GeneTrol, Nastech, Shantha, Wassermann, LG Chem, Sumitomo, Aventis, Behring EGIS, Pepgen, Servier, Rhein Biotech,
interferon (Alpha2A)
interferon (Alpha2B) -- Enzon, Schering-Plough, Biogen, IDEA
interferon (Alpha-N1) -- GlaxoSmithKline
interferon (beta) -- Rentschler, GeneTrol, Meristem, Rhein Biotech, Toray, Yeda, Daiichi, Mochida
interferon (Beta1A) -- Serono, Biogen
interferon (beta1A),inhale -- Biogen
interferon (ß1b)-- Chiron
interferon (tau)-- Pepgen
Interferon alfacon-1 -- Amgen
Interferon alpha-2a vaccine
Interferon Beta 1b -- Schering/Chiron, InterMune
Interferon Gamma -- Boehringer Ingelheim, Sheffield, Rentschler, Hayashibara
interferon receptor , Type I -- Serono
interferon(Gamma1B) -- Genentech
Interferon-alpha-2b + ribavirin -- Biogen, ICN
Interferon-alpha-2b gene therapy -- Schering-Plough
Interferon-con1 gene therapy --

FIG. 10

interleukin-1 antagonists -- Dompe
Interleukin-1 receptor antagonist -- Abbott Bioresearch, Pharmacia
Interleukin-1 receptor type I -- Immunex
interleukin-1 receptor Type II -- Immunex
Interleukin-10 -- DNAX, Schering-Plough
Interleukin-10 gene therapy --
interleukin-12 -- Genetics Institute, Hoffman La-Roche
interleukin-13 -- Sanofi
interleukin-13 antagonists -- AMRAD
Interleukin-13-PE38QQR
interleukin-15 -- Immunex
interleukin-16 -- Research Corp
interleukin-18 -- GlaxoSmithKline
Interleukin-1-alpha -- Immunex/Roche
interleukin-2 -- SRC VB VECTOR, Ajinomoto, Biomira
Interleukin-3 -- Cangene
Interleukin-4 -- Immunology Ventures, Sanofi Winthrop, Schering-Plough, Immunex/ Sanofi Winthrop, Bayer, Ono
interleukin-4 + TNF-Alpha -- NIH
interleukin-4 agonist -- Bayer
interleukin-4 fusion toxin -- Ligand
Interleukin-4 receptor -- Immunex, Immun
Interleukin-6 -- Ajinomoto, Cangene, Yeda, Genetics Institute, Novartis
interleukin-6 fusion protein --
interleukin-6 fusion toxin -- Ligand, Serono
interleukin-7 -- IC Innovations
interleukin-7 receptor -- Immunex
interleukin-8 antagonists -- Kyowa Hakko/Millennium/Pfizer
interleukin-9 antagonists -- Genaera
interleukins -- Cel-Sci
Iodine I 131 tositumomab -- Corixa
ior EPOCIM -- Center of Molecular Immunology
Ior-P3 -- Center of Molecular Immunology
IP-10 -- NIH
IPF -- Metabolex
IR-501 -- Immune Response
ISIS 9125 -- Isis Pharmaceuticals
ISURF No. 1554 -- Millennium
ISURF No. 1866 -- Iowa State Univer.
ITF-1697 -- Italfarmaco
IxC 162 -- Ixion
J 695 -- Cambridge Antibody Tech., Genetics Inst., Knoll
Jagged + FGF -- Repair
JKC-362 -- Phoenix Pharmaceuticals
JTP-2942 -- Japan Tobacce
Juman monoclonal antibodies -- Medarex/Raven
K02 -- Axys Pharmaceuticals
Keliximab -- IDEC
Keyhole limpet haemocyanin
KGF -- Amgen
KM 871 -- Kyowa
KPI 135 -- Scios
KPI-022 -- Scios
Kringle 5
KSB 304
KSB-201 -- KS Biomedix
L 696418 -- Merck
L 703801 -- Merck
L1 -- Acorda
L-761191 -- Merck
lactoferrin -- Meristem, Pharming, Agennix
lactoferrin cardio -- Pharming
LAG-3 -- Serono
LAIT -- GEMMA
LAK cell cytotoxin -- Arizona
lamellarins -- PharmaMar/University of Malaga
laminin A peptides -- NIH
lanoteplase -- Genetics Institute
laronidase -- BioMarin
Lassa fever vaccine
LCAT -- NIH
LDP 01 -- Millennium

FIG. 1P

LDP 02 -- Millennium
Lecithinized superoxide dismutase -- Seikagaku
LelF adjuvant -- Corixa
leishmaniasis vaccine -- Corixa
lenercept -- Hoffman La-Roche
Lenograstim -- Aventis, Chugai
lepirudin -- Aventis
leptin -- Amgen, IC Innovations
Leptin gene therapy -- Chiron Corporation
leptin, 2nd-generation -- Amgen
leridistim -- Pharmacia
leuprolide, ProMaxx -- Epic
leuprorelin, oral -- Unigene
LeuTech -- Papatin
LEX 032 -- SuperGen
LiDEPT -- Novartis
lipase -- Altus Biologics
lipid A vaccine -- EntreMed
lipid-linked anchor Tech. -- ICRT, ID Biomedical
liposome-CD4 Tech. -- Sheffield
Listeria monocytogenes vaccine
LMB 1
LMB 7
LMB 9 -- Battelle Memorial Institute, NIH
LM-CD45 -- Cantab Pharmaceuticals
lovastatin -- Merck
LSA-3
LT-ß receptor -- Biogen
lung cancer vaccine -- Corixa
lusupultide -- Scios
L-Vax -- AVAX
LY 355455 -- Eli Lilly
LY 366405 -- Eli Lilly
LY-355101 -- Eli Lilly
Lyme disease DNA vaccine -- Vical/Aventis Pasteur
Lyme disease vaccine -- Aquila Biopharmaceuticals, Aventis, Pasteur, Symbicom, GlaxoSmithKline, Hyland Immuno, MedImmune
Lymphocytic choriomeningitis virus vaccine
lymphoma vaccine -- Biomira, Genitope
LYP18
lys plasminogen, recombinant
Lysosomal storage disease gene therapy -- Avigen
lysostaphin -- Nutrition 21
M 23 -- Gruenenthal
M1 monoclonal antibodies -- Acorda Therapeutics
MA 16N7C2 -- Corvas Intl.
malaria vaccine -- GlaxoSmithKline, AdProTech, Antigenics, Apovia, Aventis Pasteur, Axis Genetics, Behringwerke, CDCP, Chiron Vaccines, Genzyme Transgenics, Hawaii, MedImmune, NIH, NYU, Oxxon, Roche/Saramane, Biotech Australia, Rx Tech
Malaria vaccine CDC/NIIMALVAC-1
malaria vaccine,multicomponent
mammaglobin -- Corixa
mammastatin -- Biotherapeutics
mannan-binding lectin -- NatImmu
mannan-MUC1 -- Psiron
MAP 30
Marinovir -- Phytera
MARstem -- Maret
MB-015 -- Mochida
MBP -- ImmuLogic
MCI-028 -- Mitsubishi-Tokyo
MCIF -- Human Genome Sciences
MDC -- Advanced BioScience -- Akzo Nobel, ICOS
MDX 11 -- Medarex
MDX 210 -- Medarex
MDX 22 -- Medarex
MDX 22

FIG. 1Q

MDX 240 – Medarex
MDX 33
MDX 44 – Medarex
MDX 447 – Medarex
MDX H210 – Medarex
MDX RA – Houston BioTech., Medarex
ME-104 – Pharmexa
Measles vaccine
Mecasermin – Cephalon/Chiron, Chiron
MEDI 488 – MedImmune
MEDI 500
MEDI 507 – BioTransplant
melanin concentrating hormone – Neurocrine Biosciences
melanocortins – OMRF
Melanoma monoclonal antibodies – Viragen
melanoma vaccine – GlaxoSmithKline, Akzo Nobel, Avant, Aventis Pasteur, Bavarian Nordic, Biovector, CancerVax, Genzyme Molecular Oncology, Humbolt, ImClone Systems, Memorial, NYU, Oxxon
Melanoma vaccine Magevac – Therion
memory enhancers – Scios
meningococcal B vaccine – Chiron
meningococcal vaccine – CAMR
Meningococcal vaccine group B conjugate - - North American Vaccine
Meningococcal vaccine group B recombinant – BioChem Vaccines, Microscience
Meningococcal vaccine group Y conjugate - - North American Vaccine
Meningococcal vaccine groups A B and C conjugate – North American Vaccine
Mepolizumab – GlaxoSmithKline
Metastatin – EntreMed, Takeda
Met-CkB7 – Human Genome Sciences
met-enkephalin – TNI
METH-1 – Human Genome Sciences
methioninase – AntiCancer
Methionine lyase gene therapy – AntiCancer
Met-RANTES – Genexa Biomedical, Serono
Metreleptin
MGDF – Kirin
MGV – Progenics
micrin – Endocrine
microplasmin – ThromboGenics
MIF – Genetics Institute
migration inhibitory factor – NIH
Mim CD4.1 – Xycte Therapies
mirostipen – Human Genome Sciences
MK 852 – Merck
Mobenakin – NIS
molgramostim – Genetics Institute, Novartis
monoclonal antibodies – Abgenix/Celltech, Immusol/ Medarex, Viragen/ Roslin Institute, Cambridge Antibody Tech./Elan
MAb 108 –
MAb 10D5 –
MAb 14.18-interleukin-2 immunocytokine – Lexigen
MAb 14G2a –
MAb 15A10 –
MAb 170 – Biomira
MAb 177Lu CC49 –
MAb 17F9
MAb 1D7
MAb 1F7 – Immune Network
MAb 1H10-doxorubicin conjugate
MAb 26-2F
MAb 2A11
MAb 2E1 – RW Johnson
MAb 2F5
MAb 31.1 – International BioImmune Systems
MAb 32 – Cambridge Antibody Tech., Peptech
MAb 323A3 – Centocor
MAb 3C5

FIG. 1R

MAb 3F12
MAb 3F8
MAb 42/6
MAb 425 -- Merck KGaA
MAb 447-52D -- Merck Sharp & Dohme
MAb 45-2D9- -- haematoporphyrin conjugate
MAb 4B4
MAb 4E3-CPA conjugate -- BCM Oncologia
MAb 4E3-daunorubicin conjugate
MAb 50-6
MAb 50-61A -- Institut Pasteur
MAb 5A8 -- Biogen
MAb 791T/36-methotrexate conjugate
MAb 7c11.e8
MAb 7E11 C5-selenocystamine conjugate
MAb 93KA9 -- Novartis
MAb A5B7-cisplatin conjugate -- Biodynamics Research, Pharmacia
MAb A5B7-I-131
MAb A7
MAb A717 -- Exocell
MAb A7-zinostatin conjugate
MAb ABX-RB2 -- Abgenix
MAb ACA 11
MAb AFP-I-131 -- Immunomedics
MAb AP1
MAb AZ1
MAb B3-LysPE40 conjugate
MAb B4 -- United Biomedical
MAb B43 Genistein-conjugate
MAb B43.13-Tc-99m -- Biomira
MAb B43-PAP conjugate
MAb B4G7-gelonin conjugate
MAb BCM 43-daunorubicin conjugate -- BCM Oncologia
MAb BIS-1
MAb BMS 181170 -- Bristol-Myers Squibb
MAb BR55-2
MAb BW494
MAb C 242-DM1 conjugate -- ImmunoGen
MAb C242-PE conjugate
MAb c30-6
MAb CA208-cytorhodin-S conjugate -- Hoechst Japan
MAb CC49 -- Enzon
MAb ch14.18 --
MAb CH14.18-GM-CSF fusion protein -- Lexigen
MAb chCE7
MAb CI-137 -- AMRAD
MAb cisplatin conjugate
MAb CLB-CD19
MAb CLB-CD19v
MAb CLL-1 -- Peregrine
MAb CLL-1-GM-CSF conjugate
MAb CLL-1-IL-2 conjugate -- Peregrine
MAb CLN IgG -- doxorubicin conjugates
MAb conjugates -- Tanox
MAb D612
MAb Dal B02
MAb DC101 -- ImClone
MAb EA 1 --
MAb EC708 -- Biovation
MAb EP-5C7 -- Protein Design Labs
MAb ERIC-1 -- ICRT
MAb F105 gene therapy
MAb FC 2.15
MAb G250 -- Centocor
MAb GA6
MAb GA733
MAb Gliomab-H -- Viventia Biotech
MAb HB2-saporin conjugate
MAb HD 37 --
MAb HD37-ricin chain-A conjugate
MAb HNK20 -- Acambis
MAb huN901-DM1 conjugate -- ImmunoGen
MAb I-131 CC49 -- Corixa
MAb ICO25
MAb ICR12-CPG2 conjugate
MAb ICR-62

FIG. 1S

MAb IRac-ricin A conjugate
MAb K1
MAb KS1-4-methotrexate conjugate
MAb L6 -- Bristol-Myers Squibb, Oncogen
MAb LiCO 16-88
MAb LL2-I-131 -- Immunomedics
MAb LL2-Y-90
MAb LS2D617 -- Hybritech
MAb LYM-1-gelonin conjugate
MAb LYM-1-I-131
MAb LYM-1-Y-90
MAb LYM-2 -- Peregrine
MAb M195
MAb M195-bismuth 213 conjugate -- Protein Design Labs
MAb M195-gelonin conjugate
MAb M195-I-131
MAb M195-Y-90
MAb MA 33H1 -- Sanofi
MAb MAD11
MAb MGb2
MAb MINT5
MAb MK2-23
MAb MOC31 ETA(252-613) conjugate
MAb MOC-31-In-111
MAb MOC-31-PE conjugate
MAb MR6 --
MAb MRK-16 -- Aventis Pasteur
MAb MS11G6
MAb MX-DTPA BrE-3
MAb MY9
MAb Nd2 -- Tosoh
MAb NG-1 -- Hygeia
MAb NM01 -- Nissin Food
MAb OC 125
MAb OC 125-CMA conjugate
MAb OKI-1 -- Ortho-McNeil
MAb OX52 -- Bioproducts for Science
MAb PMA5
MAb PR1
MAb prost 30
MAb R-24
MAb R-24 α Human GD3 -- Celltech
MAb RFB4-ricin chain A conjugate
MAb RFT5-ricin chain A conjugate
MAb SC 1
MAb SM-3 -- ICRT
MAb SMART 1D10 -- Protein Design Labs
MAb SMART ABL 364 -- Novartis
MAb SN6f
MAb SN6f-deglycosylated ricin A chain conjugate --
MAb SN6j
MAb SN7-ricin chain A conjugate
MAb T101-Y-90 conjugate -- Hybritech
MAb T-88 -- Chiron
MAb TB94 -- Cancer ImmunoBiology
MAb TEC 11
MAb TES-23 -- Chugai
MAb TM31 -- Avant
MAb TNT-1 -- Cambridge Antibody Tech., Peregrine
MAb TNT-3
MAb TNT-3 -- IL2 fusion protein --
MAb TP3-At-211
MAb TP3-PAP conjugate --
MAb UJ13A -- ICRT
MAb UN3
MAb ZME-018-gelonin conjugate
MAb-BC2 -- GlaxoSmithKline
MAb-DM1 conjugate -- ImmunoGen
MAb-ricin-chain-A conjugate -- XOMA
MAb-temoporfin conjugates
Monopharm C -- Viventia Biotech
monteplase -- Eisai
montirelin hydrate -- Gruenenthal
moroctocog alfa -- Genetics Institute
Moroctocog-alfa -- Pharmacia
MP 4
MP-121 -- Biopharm
MP-52 -- Biopharm
MRA -- Chugai

FIG. 1T

MS 28168 -- Mitsui Chemicals, Nihon Schering
MSH fusion toxin -- Ligand
MSI-99 -- Genaera
MT 201 -- Micromet
Muc-1 vaccine -- Corixa
mucosal tolerance -- Aberdeen
mullerian inhibiting subst
muplestim -- Genetics Institute, Novartis, DSM Anti-Infectives
murine MAb -- KS Biomedix
Mutant somatropin -- JCR Pharmaceutical
MV 833 -- Toagosei
Mycoplasma pulmonis vaccine
Mycoprex -- XOMA
myeloperoxidase -- Henogen
myostatin -- Genetics Institute
Nacolomab tafenatox -- Pharmacia
nagrestipen -- British Biotech
NAP-5 -- Corvas Intl.
NAPc2 -- Corvas Intl.
nartograstim -- Kyowa
Natalizumab -- Protein Design Labs
Nateplase -- NIH, Nihon Schering
nateplase -- Schering AG
NBI-3001 -- Neurocrine Biosci.
NBI-5788 -- Neurocrine Biosci.
NBI-6024 -- Neurocrine Biosci.
Nef inhibitors -- BRI
Neisseria gonorrhoea vaccine -- Antex Biologics
Neomycin B-arginine conjugate
Nerelimomab -- Chiron
Nerve growth factor -- Amgen -- Chiron, Genentech
Nerve growth factor gene therapy
nesiritide citrate -- Scios
neuregulin-2 -- CeNeS
neurocan -- NYU
neuronal delivery system -- CAMR
Neuroprotective vaccine -- University of Auckland
neurotrophic chimaeras -- Regeneron
neurotrophic factor -- NsGene, CereMedix
NeuroVax -- Immune Response
neurturin -- Genentech
neutral endopeptidase -- Genentech
NGF enhancers -- NeuroSearch
NHL vaccine -- Large Scale Biology
NIP45 -- Boston Life Sciences
NKI-B20
NM 01 -- Nissin Food
NMI-139 -- NitroMed
NMMP -- Genetics Institute
NN-2211 -- Novo Nordisk
Noggin -- Regeneron
Nonacog alfa
Norelin -- Biostar
Norwalk virus vaccine
NRLU 10 -- NeoRx
NRLU 10 PE -- NeoRx
NT-3 -- Regeneron
NT-4/5 -- Genentech
NU 3056
NU 3076
NX 1838 -- Gilead Sciences
NY ESO-1/CAG-3 antigen -- NIH
NYVAC-7 -- Aventis Pasteur
NZ-1002 -- Novazyme
obesity therapy -- Nobex
OC 10426 -- Ontogen
OC 144093 -- Ontogen
OCIF -- Sankyo
Oct-43 -- Otsuka
OK PSA - liposomal
OKT3-gamma-1-ala-ala
OM 991
OM 992
Omalizumab -- Genentech
oncoimmunin-L -- NIH
Oncolysin B -- ImmunoGen

FIG. 1U

Oncolysin CD6 -- ImmunoGen
Oncolysin M -- ImmunoGen
Oncolysin S -- ImmunoGen
Oncophage -- Antigenics
Oncostatin M -- Bristol-Myers Squibb
OncoVax-CL -- Jenner Biotherapies
OncoVax-P -- Jenner Biotherapies
onercept -- Yeda
onychomycosis vaccine -- Boehringer Ingelheim
opebecan -- XOMA
opioids -- Arizona
Oprelvekin -- Genetics Institute
Org-33408 b-- Akzo Nobel
Orolip DP -- EpiCept
oryzacystatin
OSA peptides -- GenSci Regeneration
osteoblast-cadherin GF -- Pharis
Osteocalcin-thymidine kinase gene therapy
osteogenic protein -- Curis
osteopontin -- OraPharma
osteoporosis peptides -- Integra, Telios
osteoprotegerin -- Amgen, SnowBrand
otitis media vaccines -- Antex Biologics
ovarian cancer -- University of Alabama
OX40-IgG fusion protein -- Cantab, Xenova
P 246 -- Diatide
P 30 -- Alfacell
p1025 -- Active Biotech
P-113^ -- Demegen
P-16 peptide -- Transition Therapeutics
p43 -- Ramot
P-50 peptide -- Transition Therapeutics
p53 + RAS vaccine -- NIH, NCI
PACAP(1-27) analogue
paediatric vaccines -- Chiron
Pafase -- ICOS
PAGE-4 plasmid DNA -- IDEC
PAI-2 -- Biotech Australia, Human Therapeutics
Palivizumab -- MedImmune
PAM 4 -- Merck
pamiteplase -- Yamanouchi
pancreatin, Minitabs -- Eurand
Pangen -- Fournier
Pantarin -- Selective Genetics
Parainfluenza virus vaccine -- Pharmacia, Pierre Fabre
paraoxanase -- Esperion
parathyroid hormone -- Abiogen, Korea Green Cross
Parathyroid hormone (1-34) -- Chugai/Suntory
Parkinson's disease gene therapy -- Cell Genesys/ Ceregene
Parvovirus vaccine -- MedImmune
PCP-Scan -- Immunomedics
PDGF cocktail -- Theratechnologies
peanut allergy therapy -- Dynavax
PEG anti-ICAM MAb -- Boehringer Ingelheim
PEG asparaginase -- Enzon
PEG glucocerebrosidase
PEG hirudin -- Knoll
PEG interferon-alpha-2a -- Roche
PEG interferon-alpha-2b + ribavirin -- Biogen, Enzon, ICN Pharmaceuticals, Schering-Plough
PEG MAb A5B7 --
Pegacaristim -- Amgen -- Kirin Brewery -- ZymoGenetics
Pegaldesleukin -- Research Corp
pegaspargase -- Enzon
pegfilgrastim -- Amgen
PEG-interferon Alpha -- Viragen
PEG-interferon Alpha 2A -- Hoffman La-Roche
PEG-interferon Alpha 2B -- Schering-Plough
PEG-r-hirudin -- Abbott
PEG-uricase -- Mountain View
Pegvisomant -- Genentech

FIG. 1V

PEGylated proteins, PolyMASC -- Valentis
PEGylated recombinant native human leptin -- Roche
Pemtumomab
Penetratin -- Cyclacel
Pepscan -- Antisoma
peptide G -- Peptech, ICRT
peptide vaccine -- NIH ,NCI
Pexelizumab
pexiganan acetate -- Genaera
Pharmaprojects No. 3179 -- NYU
Pharmaprojects No. 3390 -- Ernest Orlando
Pharmaprojects No. 3417 -- Sumitomo
Pharmaprojects No. 3777 -- Acambis
Pharmaprojects No. 4209 -- XOMA
Pharmaprojects No. 4349 -- Baxter Intl.
Pharmaprojects No. 4651
Pharmaprojects No. 4915 -- Avanir
Pharmaprojects No. 5156 -- Rhizogenics
Pharmaprojects No. 5200 -- Pfizer
Pharmaprojects No. 5215 -- Origene
Pharmaprojects No. 5216 -- Origene
Pharmaprojects No. 5218 -- Origene
Pharmaprojects No. 5267 -- ML Laboratories
Pharmaprojects No. 5373 -- MorphoSys
Pharmaprojects No. 5493 -- Metabolex
Pharmaprojects No. 5707 -- Genentech
Pharmaprojects No. 5728 -- Autogen
Pharmaprojects No. 5733 -- BioMarin
Pharmaprojects No. 5757 -- NIH
Pharmaprojects No. 5765 -- Gryphon
Pharmaprojects No. 5830 -- AntiCancer
Pharmaprojects No. 5839 -- Dyax
Pharmaprojects No. 5849 -- Johnson & Johnson
Pharmaprojects No. 5860 -- Mitsubishi-Tokyo
Pharmaprojects No. 5869 -- Oxford GlycoSciences
Pharmaprojects No. 5883 -- Asahi Brewery
Pharmaprojects No. 5947 -- StressGen
Pharmaprojects No. 5961 -- Theratechnologies
Pharmaprojects No. 5962 -- NIH
Pharmaprojects No. 5966 -- NIH
Pharmaprojects No. 5994 -- Pharming
Pharmaprojects No. 5995 -- Pharming
Pharmaprojects No. 6023 -- IMMUCON
Pharmaprojects No. 6063 -- Cytoclonal
Pharmaprojects No. 6073 -- SIDDCO
Pharmaprojects No. 6115 -- Genzyme
Pharmaprojects No. 6227 -- NIH
Pharmaprojects No. 6230 -- NIH
Pharmaprojects No. 6236 -- NIH
Pharmaprojects No. 6243 -- NIH
Pharmaprojects No. 6244 -- NIH
Pharmaprojects No. 6281 -- Senetek
Pharmaprojects No. 6365 -- NIH
Pharmaprojects No. 6368 -- NIH
Pharmaprojects No. 6373 -- NIH
Pharmaprojects No. 6408 -- Pan Pacific
Pharmaprojects No. 6410 -- Athersys
Pharmaprojects No. 6421 -- Oxford GlycoSciences
Pharmaprojects No. 6522 -- Maxygen
Pharmaprojects No. 6523 -- Pharis
Pharmaprojects No. 6538 -- Maxygen
Pharmaprojects No. 6554 -- APALEXO
Pharmaprojects No. 6560 -- Ardana
Pharmaprojects No. 6562 -- Bayer
Pharmaprojects No. 6569 -- Eos
Phenoxazine
Phenylase -- Ibex
Pigment epithelium derived factor -- plasminogen activator inhibitor-1, recombinant -- DuPont Pharmaceuticals

FIG. 1W

Plasminogen activators -- Abbott Laboratories, American Home Products, Boehringer Mannheim, Chiron Corporation, DuPont Pharmaceuticals, Eli Lilly, Shionogi, Genentech, Genetics Institute, GlaxoSmithKline, Hemispherx Biopharma, Merck & Co, Novartis, Pharmacia Corporation, Wakamoto, Yeda
plasminogen-related peptides -- Bio-Tech. General/MGH
platelet factor 4 -- RepliGen
Platelet-derived growth factor -- Amgen -- ZymoGenetics
plusonermin-- Hayashibara
PMD-2850 -- Protherics
Pneumococcal vaccine -- Antex Biologics, Aventis Pasteur
Pneumococcal vaccine intranasal -- BioChem Vaccines/Biovector
PR1A3
PR-39
pralmorelin -- Kaken
Pretarget-Lymphoma -- NeoRx
Priliximab -- Centocor
PRO 140 -- Progenics
PRO 2000 -- Procept
PRO 367 -- Progenics
PRO 542 -- Progenics
pro-Apo A-I -- Esperion
prolactin -- Genzyme
Prosaptide TX14(A) -- Bio-Tech. General
prostate cancer antbodies -- Immunex, UroCor
prostate cancer antibody therapy -- Genentech/UroGenesys, Genotherapeutics
prostate cancer immunotherapeutics -- The PSMA Development Company
prostate cancer vaccine -- Aventis Pasteur, Zonagen, Corixa, Dendreon, Jenner Biotherapies, Therion Biologics
prostate-specific antigen -- EntreMed
protein A -- RepliGen
protein adhesives -- Enzon
protein C -- Baxter Intl., PPL Therapeutics, ZymoGenetics
protein C activator -- Gilead Sciences
protein kinase R antags -- NIH
protirelin -- Takeda
protocadherin 2 -- Caprion
Pro-urokinase -- Abbott, Bristol-Myers Squibb, Dainippon, Tosoh -- Welfide
P-selectin glycoprotein ligand-1 -- Genetics Institute
pseudomonal infections -- InterMune
Pseudomonas vaccine -- Cytovax
PSGL-Ig -- American Home Products
PSP-94 -- Procyon
PTH 1-34 -- Nobex
Quilimmune-M -- Antigenics
R 101933
R 125224 -- Sankyo
RA therapy -- Cardion
Rabies vaccine recombinant -- Aventis Pasteur, BioChem Vaccines, Kaketsuken Pharmaceuticals
RadioTheraCIM -- YM BioSciences
Ramot project No. 1315 -- Ramot
Ramot project No. K-734A -- Ramot
Ramot project No. K-734B -- Ramot
RANK -- Immunex
ranpirnase -- Alfacell
ranpirnase-anti-CD22 MAb -- Alfacell
RANTES inhibitor -- Milan
RAPID drug delivery systems -- ARIAD
rasburicase -- Sanofi
rBPI-21, topical -- XOMA
RC 529 -- Corixa
rCFTR -- Genzyme Transgenics
RD 62198
rDnase -- Genentech
RDP-58 -- SangStat

FIG. 1X

RecepTox-Fce -- Keryx
RecepTox-GnRH – Keryx, MTR Technologies
RecepTox-MBP – Keryx, MTR Technologies
recFSH -- Akzo Nobel, Organon
REGA 3G12
Regavirumab -- Teijin
relaxin -- Connetics Corp
Renal cancer vaccine -- Macropharm
repifermin -- Human Genome Sciences
Respiratory syncytial virus PFP-2 vaccine – Wyeth-Lederle
Respiratory syncytial virus vaccine – GlaxoSmithKline, Pharmacia, Pierre Fabre
Respiratory syncytial virus vaccine inactivated
Respiratory syncytial virus-parainfluenza virus vaccine -- Aventis Pasteur, Pharmacia
Reteplase -- Boehringer Mannheim, Hoffman La-Roche
Retropep -- Retroscreen
RFB4 (dsFv) PE38
RFI 641 -- American Home Products
RFTS -- UAB Research Foundation
RG 12986 -- Aventis Pasteur
RG 83852 -- Aventis Pasteur
RG-1059 -- RepliGen
rGCR -- NIH
rGLP-1 -- Restoragen
rGRF -- Restoragen
rh Insulin – Eli Lilly
RHAMM targeting peptides -- Cangene
rHb1.1 – Baxter Intl.
rhCC10 -- Claragen
rhCG -- Serono
Rheumatoid arthritis gene therapy
Rheumatoid arthritis vaccine -- Veterans Affairs Medical Center
rhLH -- Serono
Ribozyme gene therapy -- Genset
Rickettsial vaccine recombinant
RIGScan CR -- Neoprobe
RIP-3 -- Rigel
RK-0202 -- RxKinetix
RLT peptide -- Esperion
rM/NEI -- IVAX
rmCRP -- Immtech
RN-1001 -- Renovo
RN-3 -- Renovo
RNAse conjugate – Immunomedics
RO 631908 -- Roche
Rotavirus vaccine -- Merck
RP 431 -- DuPont Pharmaceuticals
RP-128 -- Resolution
RPE65 gene therapy –
RPR 110173 -- Aventis Pasteur
RPR 115135 -- Aventis Pasteur
RPR 116258A – Aventis Pasteur
rPSGL-Ig -- American Home Products
r-SPC surfactant – Byk Gulden
rV-HER-2/neu -- Therion Biologics
SA 1042 – Sankyo
sacrosidase – Orphan Medical
Sant 7
Sargramostim – Immunex
saruplase -- Gruenenthal
Satumomab -- Cytogen
SB 1 -- COR Therapeutics
SB 207448 -- GlaxoSmithKline
SB 208651 -- GlaxoSmithKline
SB 240683 -- GlaxoSmithKline
SB 249415 -- GlaxoSmithKline
SB 249417 -- GlaxoSmithKline
SB 6 -- COR Therapeutics
SB RA 31012 –
SC 56929 -- Pharmacia
SCA binding proteins – Curis, Enzon
scFv(14E1)-ETA Berlex Laboratories, Schering AG
ScFv(FRP5)-ETA –

FIG. 1Y

ScFv6C6-PE40 –
SCH 55700 -- Celltech
Schistosomiasis vaccine -- Glaxo Wellcome/Medeva, Brazil
SCPF -- Advanced Tissue Sciences
scuPA-suPAR complex -- Hadasit
SD-9427 -- Pharmacia
SDF-1 -- Ono
SDZ 215918 -- Novartis
SDZ 280125 -- Novartis
SDZ 89104 -- Novartis
SDZ ABL 364 -- Novartis
SDZ MMA 383 -- Novartis
serine protease inhibs -- Pharis
sermorelin acetate -- Serono
SERP-1 -- Viron
sertenef -- Dainippon
serum albumin, Recombinant human -- Aventis Behring
serum-derived factor -- Hadasit
Sevirumab -- Novartis
SGN 14 -- Seatle Genetics
SGN 15 -- Seatle Genetics
SGN 17/19 -- Seatle Genetics
SGN 30 -- Seatle Genetics
SGN-10 -- Seatle Genetics
SGN-11 -- Seatle Genetics
SH 306 -- DuPont Pharmaceuticals
Shanvac-B -- Shantha
Shigella flexneri vaccine -- Avant, Acambis, Novavax
Shigella sonnei vaccine –
sICAM-1 -- Boehringer Ingelheim
Silteplase -- Genzyme
SIV vaccine -- Endocon, Institut Pasteur
SK 896 -- Sanwa Kagaku Kenkyusho
SK-827 -- Sanwa Kagaku Kenkyusho
Skeletex -- CellFactors
SKF 106160 -- GlaxoSmithKline
S-nitroso-AR545C –
SNTP -- Active Biotech
somatomedin-1 – GroPep, Mitsubishi-Tokyo, NIH
somatomedin-1 carrier protein -- Insmed
somatostatin -- Ferring
Somatotropin/
Human Growth Hormone -- Bio-Tech. General, Eli Lilly
somatropin -- Bio-Tech. General, Alkermes, ProLease, Aventis Behring, Biovector, Cangene, Dong-A, Eli Lilly, Emisphere, Enact, Genentech, Genzyme Transgenics, Grandis/InfiMed, CSL, InfiMed, MacroMed, Novartis, Novo Nordisk, Pharmacia Serono, TranXenoGen
somatropin derivative -- Schering AG
somatropin, AIR -- Eli Lilly
Somatropin, inhaled -- Eli Lilly/Alkermes
somatropin, Kabi -- Pharmacia
somatropin, Orasome -- Novo Nordisk
Sonermin -- Dainippon Pharmaceutical
SP(V5.2)C -- Supertek
SPf66
sphingomyelinase -- Genzyme
SR 29001 -- Sanofi
SR 41476 -- Sanofi
SR-29001 -- Sanofi
SS1(dsFV)-PE38 -- NeoPharm
ß2 microglobulin -- Avidex
ß2-microglobulin fusion proteins -- NIH
ß-amyloid peptides -- CeNeS
ß-defensin -- Pharis
Staphylococcus aureus infections -- Inhibitex/ZLB
Staphylococcus aureus vaccine conjugate -- Nabi
Staphylococcus therapy -- Tripep
Staphylokinase – Biovation, Prothera, Thrombogenetics
Streptococcal A vaccine -- M6 Pharmaceuticals, North American Vaccine
Streptococcal B vaccine -- Microscience

FIG. 1Z

Streptococcal B vaccine recombinant -- Biochem Vaccines
Streptococcus pyogenes vaccine
STRL-33 -- NIH
Subalin -- SRC VB VECTOR
SUIS -- United Biomedical
SUIS-LHRH -- United Biomedical
SUN-E3001 -- Suntory
super high affinity monoclonal antibodies -- YM BioSciences
Superoxide dismutase -- Chiron, Enzon, Ube Industries, Bio-Tech, Yeda
superoxide dismutase-2 -- OXIS
suppressin -- UAB Research Foundation
SY-161-P5 -- ThromboGenics
SY-162 -- ThromboGenics
Systemic lupus erythematosus vaccine -- MedClone/VivoRx
T cell receptor peptide vaccine
T4N5 liposomes -- AGI Dermatics
TACI, soluble -- ZymoGenetics
targeted apoptosis -- Antisoma
tasonermin -- Boehringer Ingelheim
TASP
TASP-V
Tat peptide analogues -- NIH
TBP I -- Yeda
TBP II
TBV25H -- NIH
Tc 99m ior cea1 -- Center of Molecular Immunology
Tc 99m P 748 -- Diatide
Tc 99m votumumab -- Intracell
Tc-99m rh-Annexin V -- Theseus Imaging
teceleukin -- Biogen
tenecteplase -- Genentech
Teriparatide -- Armour Pharmaceuticals, Asahi Kasei, Eli Lilly
terlipressin -- Ferring
testisin -- AMRAD
Tetrafibricin -- Roche
TFPI -- EntreMed
tgD-IL-2 -- Takeda
TGF-Alpha -- ZymoGenetics
TGF-ß -- Kolon
TGF-ß2 -- Insmed
TGF-ß3 -- OSI
Thalassaemia gene therapy -- Crucell
TheraCIM-h-R3 -- Center of Molecular Immunology, YM BioSciences
Theradigm-HBV -- Epimmune
Theradigm-HPV -- Epimmune
Theradigm-malaria -- Epimmune
Theradigm-melanoma -- Epimmune
TheraFab -- Antisoma
ThGRF 1-29 -- Theratechnologies
ThGRF 1-44 -- Theratechnologies
thrombomodulin -- Iowa, Novocastra
Thrombopoietin -- Dragon Pharmaceuticals, Genentech
thrombopoietin, Pliva -- Receptron
Thrombospondin 2 --
thrombostatin -- Thromgen
thymalfasin -- SciClone
thymocartin -- Gedeon Richter
thymosin Alpha1 -- NIH
thyroid stimulating hormone -- Genzyme
tICAM-1 -- Bayer
Tick anticoagulant peptide -- Merck
TIF -- Xoma
Tifacogin -- Chiron, NIS, Pharmacia
Tissue factor -- Genentech
Tissue factor pathway inhibitor
TJN-135 -- Tsumura
TM 27 -- Avant
TM 29 -- Avant
TMC-151 -- Tanabe Seiyaku
TNF tumour necrosis factor -- Asahi Kasei
TNF Alpha -- Cytlmmune
TNF antibody -- Johnson & Johnson
TNF binding protein -- Amgen
TNF degradation product -- Oncotech

FIG. 1AA

TNF receptor -- Immunex
TNF receptor 1, soluble -- Amgen
TNF Tumour necrosis factor-alpha -- Asahi Kasei, Genetech, Mochida
TNF-Alpha inhibitor -- Tripep
TNFR:Fc gene therapy -- Targeted Genetics
TNF-SAM2
ToleriMab -- Innogenetics
Toxoplasma gondii vaccine -- GlaxoSmithKline
TP 9201 -- Telios
TP10 -- Avant
TP20 -- Avant
tPA -- Centocor
trafermin -- Scios
TRAIL/Apo2L -- Immunex
transferrin-binding proteins -- CAMR
Transforming growth factor-beta-1 -- Genentech
transport protein -- Genesis
TRH -- Ferring
Triabin -- Schering AG
Triconal
Triflavin
troponin I -- Boston Life Sciences
TRP-2^ -- NIH
trypsin inhibitor -- Mochida
TSP-1 gene therapy --
TT-232
TTS-CD2 -- Active Biotech
Tuberculosis vaccine -- Aventis Pasteur, Genesis
Tumor Targeted Superantigens -- Active Biotech -- Pharmacia
tumour vaccines -- PhotoCure
tumour-activated prodrug antibody conjugates -- Millennium/ImmunoGen
tumstatin -- ILEX
Tuvirumab -- Novartis
TV-4710 -- Teva
TWEAK receptor -- Immunex
TXU-PAP
TY-10721 -- TOA Eiyo
Type I diabetes vaccine -- Research Corp
Typhoid vaccine CVD 908
U 143677 -- Pharmacia
U 81749 -- Pharmacia
UA 1248 -- Arizona
UGIF -- Sheffield
UIC 2
UK 101
UK-279276 -- Corvas Intl.
urodilatin -- Pharis
urofollitrophin -- Serono
uteroferrin-- Pepgen
V 20 -- GLYCODesign
V2 vasopressin receptor gene therapy
vaccines -- Active Biotech
Varicella zoster glycoprotein vaccine -- Research Corporation Technologies
Varicella zoster virus vaccine live -- Cantab Pharmaceuticals
Vascular endothelial growth factor -- Genentech, University of California
Vascular endothelial growth factors -- R&D Systems
vascular targeting agents -- Peregrine
vasopermeation enhancement agents -- Peregrine
vasostatin -- NIH
VCL -- Bio-Tech. General
VEGF -- Genentech, Scios
VEGF inhibitor -- Chugai
VEGF-2 -- Human Genome Sciences
VEGF-Trap -- Regeneron
viscumin, recombinant -- Madaus
Vitaxin
Vitrase -- ISTA Pharmaceuticals
West Nile virus vaccine -- Bavarian Nordic
WP 652
WT1 vaccine -- Corixa
WX-293 -- Wilex BioTech.

FIG. 1BB

WX-360 -- Wilex BioTech.
WX-UK1 -- Wilex BioTech.
XMP-500 -- XOMA
XomaZyme-791 -- XOMA
XTL 001 -- XTL Biopharmaceuticals
XTL 002 -- XTL Biopharmaceuticals
yeast delivery system -- GlobeImmune
Yersinia pestis vaccine
YIGSR-Stealth -- Johnson & Johnson
Yissum Project No. D-0460 -- Yissum
YM 207 -- Yamanouchi
YM 337 -- Protein Design Labs
Yttrium-90 labelled biotin
Yttrium-90-labeled anti-CEA MAb T84.66 -
ZD 0490 -- AstraZeneca
ziconotide -- Elan
ZK 157138 -- Berlex Laboratories
Zolimomab aritox
Zorcell -- Immune Response
ZRXL peptides -- Novartis

FIG. 1CC

GlcNAc
β2
GlcNAc
β2
Man
α6
Man
β4
Man
α3
Man
α6
Man
α3
Man
β4
GlcNAc
β4
GlcNAc
GnT-I
GnT-II
GnT-III
UDP-GlcNAc
Trimannosyl core
Trimannosyl core with
Bisecting GlcNAc

FIG. 2


After Neuraminidase
After Beta-Galactosidase
After Beta-N-Acetyl-Glucosaminidase
GnT1
GnT2
GnT3
GalT
ST
β4
α3/6
β2

FIG. 3

GlcNAc
β2
GlcNAc
β2
Man
β4
α3
Man
α6
β4
GlcNAc
β4
GlcNAc
Gal-T
Gal
β4
GlcNAc
β2
Man
β4
α3
Man
α6
β4
GlcNAc
β4
GlcNAc
NeuAc-T
NeuAc
α3(6)
Gal
β4
GlcNAc
β2
Man
β4
α3
Man
α6
β4
GlcNAc
β4
GlcNAc
NeuAc
α3(6)
Gal
β4
GlcNAc
β2
Man
β4
α6
Man
β4
GlcNAc
β4
GlcNAc

FIG. 4


Mannosidase 1
Mannosidase 3
Microbial
Mannosidases
Man
GlcNAc
α2
α3
α6
β4

FIG. 5


(GlcNAc)
β2
Man
α3
(GlcNAc)
β2
Man
α6
Xyl
β2
Man
β4
GlcNAc
β4
α3
Fuc
GlcNAc

FIG. 6



FIG. 7


Mannosidase 1
GnT1
Mannosidase 2
α1,3FT/ β1,4XylT
β2
β
M9Gn2
GnM5Gn2
GnM3Gn2
Gn2M3Gn2
M5Gn2
GnT1
Mannosidase 3
GnT2
Microbial Mannosidase(s)
M3Gn2

FIG. 8


α3/6
α3/6
β4
β4
ST
ST
ST
ST
GalT
GalT
GalT
Gal-T
β4
β4
β2
β2
β6
GnT3
GnT2
GnT5
GnT4
β2
β4 β4
α3
α6
GnT1

FIG. 9

This page is not part of

the document!

US2002032263 / 2003-031464

5/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH


β4 β4
α3
α6
GnT1
β2
FT
α6
β2
GnT2
β2
β1,3GalT
β3
β3
α 2,3ST
α3
α3
α1,4FucT
α4
α4
SLe^a
α4
α4
Le^a
β2
β1,4GalT
FucT6
Le^x
α3
α3
α 2,3ST
α3
α3
SLe^x
FucT6/7

FIG. 10


Man
Ser/Thr
Man transferase
GlcNR"
Ser/Thr
GlcNAc transferase
Gal
GlcNAc
Ser/Thr
GlcNAc transferase;
Gal transferase
SA
Gal
GlcNAc
Ser/Thr
GlcNAc transferase;
Gal transferase
sialytranferase
Fuc
Ser/Thr
fucosyltransferase
GalNR"
Ser/Thr
SA
GalNAc
Ser/Thr
Glc
Ser/Thr
Glc transferase
Ser/Thr
GalNAc transferase
Gal transferase
sialytransferases
SA
SA
Gal
GalNAc*
SA
a
Ser/Thr
GalNAc transferase;
Gal transferase;
sialytransferase
GalNAc transferase
Gal transferase
SA
Gal
GalNAc*
SA
a
Ser/Thr

FIG. 11


Core 1
Galβ1→4GlcNAcβ1→6
Galβ1→3GlcNAcβ1→3
Galβ1→3Galβ1→4GlcNAcβ1→3Galβ1→3GalNAc→Ser (Thr)
Core 2
Galβ1→4(GlcNAcβ1→3Galβ1→4)n GlcNAcβ1→6 Galβ1→3 GalNAc→Ser (Thr)
n = 0 ~ 2
Galβ1→3(4)[GlcNAcβ1→6Galβ1→4]n GlcNAcβ1→6 Galβ1→3 GalNAc→Ser (Thr)
n = 0 ~ 3
Galβ1→4GlcNAcβ1→6
Galβ1→3GlcNAcβ1→3
Galβ1→4 GlcNAcβ1→6 Galβ1→4GlcNAcβ1→3 Galβ1→3 GalNAc→Ser (Thr)
Core 3
Galβ1→4GlcNAcβ1→6
Galβ1→4GlcNAcβ1→3
Galβ1→4 GlcNAcβ1→3GalNAc→Ser (Thr)
Core 4
Galβ1→4 GlcNAcβ1→6
Galβ1→4 GlcNAcβ1→3
GalNAc→Ser (Thr)

FIG. 12

FIG. 13A

Glycoprotein-Complex or Hybrid N-glycans
glycosidases
hydrolytic enzymes (as necessary, i.e. mannosidases, phosphatases, galactosidases, etc.)
HIGH MANNOSE
GNT-1
GNT-1 and 2
GNT-1; Gal Transferase
GNT-1; GNT-2; Gal Transferase
GNT-1; GNT-2; Gal transferase; sialyltranferase
Sugar
WSP
Gal
GlcNAc
Man
Asn
Fuc
SA

WSP
SA
b
α2,3/6
Gal
GlcNAc
Man
α1,3
α1,6
β1,4
GlcNAc
(Fuc)a
Asn
c
[SA]
sialyltransferase(s)
GNT-1 or 2
Gal Transferase
sialyltransferase
glycosidases
Glycoprotein-Complex or Hybrid N-glycans

FIG. 13B


Glycoprotein-Complex or Hybrid N-glycans
glycosidases
hydrolytic enzymes (as necessary, i.e. α-mannosidases, phosphatases, galactosidases, xylosidase, etc
HIGH MANNOSE
1. GlcNAc Transferase
2. Gal Transferase
3. Sialyltransferase
1. GlcNAc Transferase
2. Gal Transferase
GlcNAc Transferase
Sialyl Transferase

FIG. 14


Glycoprotein-Complex
or Hybrid N-glycans
glycosidases
hydrolytic enzymes
(as necessary; ie.
a and b-mannosidases,
phosphatases,
galactosidases,
xylosidase, etc.)
HIGH MANNOSE
Gal transferase;
fucosyltransferase
Gal transferase;
sialyltransferase
sialyltransferase
Gal transferase
Gal transferase;
sialyltransferase
Asn

FIG. 15


Glycoprotein-Complex or Hybrid N-glycans
endo-glycosidase
GlcNAc — (Fuc)a
Asn
1. endo-glycanase
2. fucosidase (if required)
HIGH MANNOSE
Sugar
Gal transferase; sialyltransferase sialyltransferase
Gal transferase
GlcNAc transferase
Gal transferase; sialyltransferase
WSP
SA
Gal
GlcNAc
Man
R
S
α1,2
α1,3
α1,6
β1,4

FIG. 16

HIGH MANNOSE
Sugar
GlcNAc
Man
Asn
Gal
WSP
hydrolytic enzymes (as necessary, i.e. mannosidases, phosphatases, galactosidases, etc.)
GNT-1,2,5
GNT-1,2,4
GNT-1,2,5 Gal Transferase
GNT-1,2,4 Gal transferase
GNT-1,2,4,5 Gal transferase

FIG. 17A

Glycoprotein-Complex or
Hybrid N-glycans
with or without prior treatment
with sialidase, galactosidase and/or
other glycosidase
Gal transferase
Gal transferase
Gal transferase
GNT-5
GNT-4
WSP
Gal
GlcNAc
Man
Asn
α1,3
α1,6
β1,4
GlcNAc—(Fuc)a

FIG. 17B


Glycoprotein-Complex or Hybrid N-glycans
glycosidase(s)
1. hydrolytic enzymes (as necessary)
(ie. mannosidases, phosphatases,
galactosidases, etc.)
HIGH MANNOSE
GNT-1,2,5;
Gal transferase,
sialyltransferase
GNT-1,2,4;
Gal transferase,
sialyltransferase
GNT-1,2,4,5;
Gal transferase,
sialyltransferase
Man
Sugar
GlcNAc
Gal
Asn
WSP
SA
b

FIG. 18A


Glycoprotein-Complex or Hybrid N-glycans with or without prior treatment with sialidase,and/or other glycosidase
Sialyltransferase
Sialyltransferase
Sialyltransferase
Sialyltransferase
Asn
GlcNAc
Man
Gal
GlcNAc
Sia
WSP

FIG. 18B


Glycoprotein-Complex or Hybrid N-glycans
glycosidase(s)
hydrolytic enzymes (as necessary, i.e. mannosidases, phosphatases, galactosidases, etc.)
HIGH MANNOSE
GNT-1,2,5; Gal transferase, sialyltransferases
GNT-1,2,4; Gal transferase, sialyltransferases
GNT-1,2,4,5; Gal transferase, sialyltransferases
sialyltransferase
sialyltransferase
sialyltransferase
Glycoprotein-Complex or Hybrid N-glycans with or without prior treatment with glycosidase

FIG. 19


O-LINKED OLIGOSACCHARIDES
[Man]b [Man]c
Man
Ser/Thr
R
S—Man b
R
Man—S c
Man
Ser/Thr
hydrolytic enzymes (as necessary, i.e. mannosidases, phosphatases, galactosidases, etc.)
GlcNAc transferase
GlcNAc transferase; Gal transferase
WSP
GlcNAc
Man
[Man] c
Man
Ser/Thr
WSP
WSP
GlcNAc
GlcNAc
Man
Man
Man
Ser/Thr
WSP
Gal
GlcNAc
Man
[Man] c
Man
Ser/Thr
WSP
WSP
Gal
Gal
GlcNAc
GlcNAc
Man
Man
Man
Ser/Thr
GlcNAc transferase; Gal transferase; sialyltranferase
GlcNAc transferase; Gal transferase; sialyltranferase; sialyltransferase
WSP
SA
Gal
GlcNAc
Man
[Man] c
Man
Ser/Thr
WSP
SA
Gal
GlcNAc
Man
Man
Man
Ser/Thr
WSP
SA
Gal
GlcNAc
Man
[Man] c
Man
Ser/Thr
WSP
SA
SA
Gal
GlcNAc
Man
Man
Man
Ser/Thr

FIG. 20


R
S — Man b
R
Man—S c
Man
Ser/Thr
hydrolytic enzymes (as necessary, i.e. mannosidases, phosphatases, galactosidases, etc.)
Man
Ser/Thr
O-LINKED OLIGOSACCHARIDES
GlcNAc transferase
GlcNAc transferase; Gal transferase; sialyltranferase sialyltransferase
GlcNAc transferase; Gal Transferase
GlcNAc transferase; Gal transferase; sialyltranferase
WSP
GlcNAc
Man
Ser/Thr
WSP
Gal
GlcNAc
Man
Ser/Thr
WSP
SA
Gal
GlcNAc
Man
Ser/Thr
WSP
SA
SA
Gal
GlcNAc
Man
Ser/Thr

FIG. 21


Man-GlcNAc
GlcNAc-GlcNAc-Man
Man-GlcNAc
1. Galactosyltransferase,
UDP-Gal-PEG
2. CMP-SA, ST3Gal3
PEG
Man-GlcNAc-Gal-SA
GlcNAc-GlcNAc-Man
Man-GlcNAc-Gal-SA
PEG

FIG. 22A


Man
GlcNAc-GlcNAc-Man
Man
1. GNT-1,2,
UDP-GlcNAc-PEG
2. Galactosyltransferase,
UDP-Gal
3. CMP-SA-Man-6-Pi, ST3Gal3
PEG
Man-6-Pi
Man-GlcNAc-Gal-SA
GlcNAc-GlcNAc-Man
Man-GlcNAc-Gal-SA
PEG
Man-6-Pi

FIG. 22B


(N-linked)
(O-linked)
Man-GlcNAc-Gal
-GlcNAc-GlcNAc-Man
-GalNAc-Gal
Man-GlcNAc-Gal
1. CMP-SA-PEG, ST3Gal3
2. CMP-SA-BisP, ST3Gal1
PEG
Man-GlcNAc-Gal-SA
-GlcNAc-GlcNAc-Man
-GalNAc-Gal-SA-BisP
Man-GlcNAc-Gal-SA
PEG
BisP =Linker-HN-CH(PO3)2

FIG. 22C


Product Improvement
Mechanism
Method
Half-life improvement, e.g., low perfusion targets
Cover exposed galactosyl residues
Sialylation
Tissue targeting, e.g., bone
Add M-6-P conjugate to selected glycan structures
Sialylation and M-6-P conjugation
CNS targeting
Link enzyme to blood-brain barrier transporter
Transferrin conjugation

FIG. 23


R= Transferrin
(R)
Cross Blood Brain Barrier
R= M6P
(R) (R)
(R) (R)
Target Tissues
R= M6P
(R)
Target MΦ and Tissues
(R)
(R)
(R)
(R) (R)

FIG. 24


Current Process
Sialidase
β-gal'ase
β-hexamin'ase
New Process
Sialidase
New step
CMPSia-M6P
NeuAcT'ase

FIG. 25



FIG. 26





a-c, e (independently selected) = 0 or 1;
d = 0;
R = modifying group, mannose, oligo-mannose

FIG. 27A



FIG. 27B



FIG. 27C



FIG. 27D



FIG. 27E



FIG. 27F



FIG. 27G







a-d, i, n-u (independently selected) = 0 or 1.
aa, bb, cc, dd, ee (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 20.
v-z = 0; R = modifying group, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 28A



FIG. 28B



FIG. 28C


Yeast expressed interferon alpha-14C.
a-q, cc, dd, ee, v-z = 0;
r-y (independently selected) = 0 to 1;
aa, bb = 1;
R (branched or linear) = Man, oligomannose or polysaccharide.
1. Endo-H
2. Galactosyltransferase, UDP-Gal
3.. CMP-SA-PEG, ST3Gal3
a-z, bb = 0; aa = 1; R' = -Gal-Sia-PEG.

FIG. 28D





a-d, i, r-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1.
R = polymer; R' = sugar, glycoconjugate.

FIG. 28E



FIG. 28F



FIG. 28G



FIG. 28H



FIG. 28I



FIG. 28J



FIG. 28K



FIG. 28L



FIG. 28M


Insect cell or fungi expressed interferon alpha-14C.
a-d, f, h, j-n, s, u, v-y = 0;
e, g, i, r, t (independently selected) = 0 or 1; z = 1.
1. endoglycanase
2. Galactosyltransferase,
UDP-Gal-linker-SA-CMP
3. ST3Gal3, transferrin
i (independently selected) = 0 or 1;
a-h, j-m, r-z = 0;
n = 1; R' = -Gal-linker-transferrin.

FIG. 28N





a-c, e, f (independently selected) = 0 or 1;
d, g = 0; R = polymer, glycoconjugate.

FIG. 28O



FIG. 28P



FIG. 28Q



FIG. 28R



FIG. 28S



FIG. 28T



FIG. 28U



FIG. 28V



FIG. 28W









a-c, e (independently selected) = 0 or 1;
d = 0; R = polymer, glycoconjugate.

FIG. 28X



FIG. 28Y



FIG. 28Z


E. coli expressed interferon alpha-mucin fusion protein.
a-e = 0.
1. GalNAc Transferase, UDP-GalNAc
2. CMP-SA-PEG, sialyltransferase
c, d, e (independently selected) = 0 or 1;
a, b = 0; R = PEG.

FIG. 28AA











a-c, e (independently selected) = 0 or 1;
d = 0; R = polymer, linker.

FIG. 28BB



FIG. 28CC



FIG. 28DD


E. coli expressed Interferon alpha (no fusion).
a-e, n = 0.
1. NHS-CO-linker-SA-CMP
2. ST3Gal3, transferrin
a-e = 0; n = 1; R' = linker-transferrin.

FIG. 28EE



a-d, i, r-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1; R = polymer

FIG. 29A



FIG. 29B



FIG. 29C



FIG. 29D



FIG. 29E



FIG. 29F



FIG. 29G



FIG. 29H



FIG. 29I



FIG. 29J



FIG. 29K



FIG. 29L



FIG. 29M



FIG. 29N



FIG. 29O





a-d, i, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = modifying group;
R' = H, glycosyl group, modifying group, glycoconjugate.

FIG. 29P



FIG. 29Q



FIG. 29R

CHO, BHK, 293 cells, Vero expressed Ifn-beta.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.

1. CMP-SA-linker-SA-CMP, ST3Gal3
2. ST3Gal3, desialylated transferrin.
3. CMP-SA, ST3Gal3

a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0;
v-y (independently selected) = 0 or 1;
R = linker-transferrin.

FIG. 29S


A
145
SS
SS
SS



FIG. 30B



FIG. 30C


NSO expressed Factor VII or VIIa
a--u (independently selected) = 0 or 1;
v-y = 0; n = 0-4;
Sia (independently selected) = Sia or Gal.
1. Sialidase and α-galactosidase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA-PEG, ST3Gal3
a-m, o-u (independently selected) = 0 or 1;
n = 0-4; v-y (independently selected) = 1,
when j-m (independently selected) is 1;
Sia = Sia; R = PEG.

FIG. 30D





a-d, i, n-u (independently selected) = 0 or 1.
bb, cc, dd, ee, ff, gg (independently selected) = 0 or 1.
e-h, aa (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 20.
v-z = 0; R = modifying group, mannose, oligo-mannose.

FIG. 31A



FIG. 31B



FIG. 31C

CHO, BHK, 293 cells, Vero expressed Factor IX
a-d, n, q, bb, cc, dd, ff = 1; e-h, aa = 1 to 4; ee, j-m, i, o, p, r-u (independently selected) = 0 or 1; v-z, gg = 0.

1. sialidase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA, ST3Gal3
4. CMP-SA-PEG, ST3Gal1

a-d, n, q = 1; e-h = 1 to 4;
aa, bb, cc, dd, ee, ff, i, r-u (independently selected) = 0 or 1; R = PEG;
o, v-y, gg = 0;
j-m, p, ee (independently selected) = 0 or 1, but when p = 1, z = 1.

FIG. 31D

CHO, BHK, 293 cells, Vero expressed Factor IX
a-d, q = 1; e-h = 1 to 4;
aa, bb, cc, dd, ee, ff, j-m, i, n, o, p, r-u (independently selected) = 0 or 1;
v-z, gg = 0.

CMP-SA-PEG, ST3Gal3

a-d, q = 1; e-h = 1 to 4;
aa, bb, cc, dd, ee, ff, i, n, r-u (independently selected) = 0 or 1; R = PEG;
o, p, z = 0; j-m, ee, v-y, gg (independently selected) = 0 or 1.

FIG. 31E



FIG. 31F



FIG. 31G







a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose.

FIG. 32A



FIG. 32B



FIG. 32C



FIG. 32D



FIG. 32E



FIG. 32F



FIG. 32G

This page is not part of

the document!

US2002032263 / 2003-031464

6/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH



FIG. 32H



FIG. 32I

CHO, BHK, 293 cells, Vero expressed FSH.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.

1. CMP-SA-linker-SA-CMP, ST3Gal3
2. ST3Gal1, desialylated chorionic gonadrophin (CG) produced in CHO.
3. CMP-SA, ST3Gal3, ST3Gal1

a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0;
v-y (independently selected) = 0 or 1;
R = linker-CG.

FIG. 32J







a-d, i, n-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 to 20.
v-z = 0;
R = modifying group, mannose, oligo-mannose.

FIG. 33A



FIG. 33B



FIG. 33C



FIG. 33D



FIG. 33E



FIG. 33F



FIG. 33G



FIG. 33H



FIG. 33I


CHO, BHK, 293 cells, Vero expressed NESP
a-g, n, q = 1; h = 1 to 3;
j-m, i, o, p (independently selected) = 0 or 1;
r-u (independently selected) = 0 to1; v-z = 0
1. CMP-SA, poly-α2,8-ST
a-g, n, q = 1; h = 1 to 3;
i, j-m, o, p, r-u, (independently selected) = 0 or 1;
v-z (independently selected) = 0-40; R = Sia.

FIG. 33J







a-d, i, n-u, aa (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer, glycoconjugate.

FIG. 34A



FIG. 34B



FIG. 34C



FIG. 34D



FIG. 34E



FIG. 34F



FIG. 34G







a-d, i, n-u, aa, bb, cc (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = modifying group, mannose, oligo-mannose.
R'= H, glycosyl residue, modifying group. glycoconjugate.

FIG. 34H



FIG. 34I



FIG. 34J


CHO, BHK, 293 cells, Vero expressed GM-CSF.
a--m, o-u, aa, bb (independently selected) = 0 or 1;
n, v-z, cc = 0.
1. sialidase
2. CMP-SA, ST3Gal3
2. CMP-SA-linker-SA-CMP, ST3Gal1
3. ST3Gal3, transferrin
a--m, p-u, z, aa (independently selected) = 0 or 1;
o, v-y, cc = 0; bb, n = 1; R = transferrin.

FIG. 34K





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 35A



FIG. 35B



FIG. 35C



FIG. 35D



FIG. 35E



FIG. 35F



FIG. 35G





a-d, i, n, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 35H



FIG. 35I



FIG. 35J



FIG. 35K



FIG. 35L



FIG. 35M



FIG. 35N





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 36A



FIG. 36B



FIG. 36C

NSO expressed α_1-antitrypsin.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0;
Sia (independently selected) = Sia or Gal.

1. Sialidase and α-galactosidase
2. α-Galactosyltransferase, UDP-Gal
3. CMP-SA-PEG, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1;
v-y (independently selected) = 1,
when j-m (independently selected) is 1;
R = PEG.

FIG. 36D

CHO, BHK, 293 cells, Vero or transgenic animal expressed alpha-1 antitrypsin.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.

1. Sialidase
2. CMP-SA-PEG (16 mol eq), ST3Gal3
3. CMP-SA, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 36E



FIG. 36F



FIG. 36G





a-d, i, n, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 36H

Insect or fungi cell expressed α_1-antitrypsin.
a-d, f, h, j-m, s, u, v-y = 0;
e, g, i, q, r, t (independently selected) = 0 or 1.

1. GNT's 1,2,4,5, UDP-GlcNAc
2. Galactosyltransferase, UDP-Gal-PEG

a-i, q-u (independently selected) = 0 or 1; j-m = 0;
v-y (independently selected) = 1,
when e-h (independently selected) is 1;
R = PEG.

FIG. 36I

Yeast expressed α_1-antitrypsin.
a-m = 0; q-y (independently selected) = 0 to 1;
p = 1; R (branched or linear) = Man, oligomannose.

1. Endoglycanase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA-PEG, ST3Gal3

a-m, p-y = 0; n (independently selected) = 0 or 1;
R' = -Gal-Sia-PEG.

FIG. 36J


CHO, BHK, 293 cells, Vero expressed α_1-antitrypsin.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.
1. CMP-SA-linker-Gal-UDP, ST3Gal3
2. Galactosyltransferase, transferrin treated with endoglycanase
a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0;
v-y (independently selected) = 0 or 1;
R = linker-transferrin.

FIG. 36K





a-d, i, n-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 to 20.
R = polymer;
R', R" (independently selected) = sugar, glycoconjugate.

FIG. 36L



FIG. 36M



FIG. 36N


CHO, BHK, 293 cells, Vero, transgenic animal expressed α_1 antitrypsin.
a-h, i-o, r-u (independently selected) = 0 or 1;
p, q, v-y = 0.
1. CMP-SA-PEG, ST3Gal3
a-h, i-o, r-u (independently selected) = 0 or 1;
p, q = 0; v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 360





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 37A



FIG. 37B



FIG. 37C

NSO expressed Cerezyme.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0;
Sia (independently selected) = Sia or Gal.

1. Sialidase and α-galactosidase
2. α-Galactosyltransferase, UDP-Gal
3. CMP-SA-M-6-P, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y (independently selected) = 1,
when j-m (independently selected) is 1;
R = mannose-6 phosphate

FIG. 37D

CHO, BHK, 293 cells, Vero expressed Cerezyme.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.

1. Sialidase
2. CMP-SA-PEG (16 mol eq), ST3Gal3
3. CMP-SA, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y (independently selected) = 0 or 1;
R = Mannose-6-phosphate

FIG. 37E



FIG. 37F



FIG. 37G





a-d, i, n, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 37H



FIG. 37I



FIG. 37J


CHO, BHK, 293 cells, Vero expressed Cerezyme.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.
1. CMP-SA-linker-SA-CMP, ST3Gal3
2. ST3Gal3, desialylated transferrin.
3. CMP-SA, ST3Gal3
a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0; v-y (independently selected) = 0 or 1;
R = linker-transferrin.

FIG. 37K







a-d, i, n-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 to 20.
R = polymer; R' = sugar, glycoconjugate.

FIG. 38A



FIG. 38B



FIG. 38C



FIG. 38D



FIG. 38E



FIG. 38F



FIG. 38G







a-d, i, n-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 to 20.
R = polymer; R' = sugar, glycoconjugate.

FIG. 38H

NSO expressed tPA
A = B; a-m, r-u (independently selected) = 0 or 1;
n = 1; o, p, q, v-y = 0

↓
1. sialidase, alpha-galactosidase
2. CMP-SA-levulinate, ST3Gal3,
3. H_4N_2-PEG

A = B; a-m, r-y (independently selected) = 0 or 1;
n = 1; o, p, q = 0;
v-y (independently selected) = 1,
when j-m (independently selected) is 1;
R = PEG.

FIG. 38I

CHO, BHK, 293 cells, Vero expressed tPA
a-g, n, p = 1; h = 1 to 3;
j-m, i, (independently selected) = 0 or 1;
r-u (independently selected) = 0 to 1; q, o, v-y = 0.

↓
1. alpha and beta Mannosidases
2. CMP-SA, ST3Gal3
3. Galactosyltransferase, UDP-Gal-PEG

a-g, n = 1; h = 1 to 3;
i, r-u (independently selected) = 0 or 1; o = 1;
q, p, v-y = 0; j-m (independently selected) = 0 or 1;
R' = Gal-PEG

FIG. 38J


Plant expressed tPA
A = B; a-d, f, h, j- m, s, u , v-y = 0;
e, g, i, q, r, t (independently selected) = 0 or 1;
n =1; R' = xylose
1. hexosaminidase,
2. alpha mannosidase and xylosidase
3. GlcNAc transferase, UDP-GlcNAc-PEG
A = B; a-d, f, h, j-n, s, u , v-y = 0;
e, g, i, r, t (independently selected) = 0;
q = 1; R' = GlcNAc-PEG.

FIG. 38K





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 38L



FIG. 38M



FIG. 38N


NSO expressed TNK tPA
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0;
Sia (independently selected) = Sia or Gal.
1. Sialidase and α-galactosidase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA-PEG, ST3Gal3
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y (independently selected) = 1,
when j-m (independently selected) is 1;
R = PEG.

FIG. 380

156/345





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 38P



FIG. 38Q



FIG. 38R


CHO, BHK, 293 cells, Vero expressed TNK tPA
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.
1. CMP-SA, α2,8-ST
a-d, i, q-u (independently selected) = 0 or 1;
e-h = 1; j-m (independently selected) = 0-20;
v-y (independently selected) = 0.

FIG. 38S





a-d, i, n-y (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.
R" = glycosyl residue.

FIG. 38T



FIG. 38U



FIG. 38V


CHO, BHK, 293 cells, Vero expressed TNK tPA
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0.
1. CMP-SA-linker-Gal-UDP, ST3Gal3
2. Galactosyltransferase, anti-TNF IG chimera produced in CHO.
a-m, r-u (independently selected) = 0 or 1; p, q = 1;
n = 0; v-y (independently selected) = 0 or 1;
R = linker-anti-TNF IG chimera protein.

FIG. 38W





a-c, e (independently selected) = 0 or 1;
d = 0;
R = modifying group, mannose, oligo-mannose.

FIG. 39A



FIG. 39B



FIG. 39C



FIG. 39D



FIG. 39E



FIG. 39F



FIG. 39G

2 peptides
A and A' - N-linked sites
B - O-linked sites







Alternate structure for some N-linked structures of A.

a-d, i, n-u (independently selected) = 0 or 1.
aa, bb (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 20.
v-z = 0; R = polymer, glycoconjugate.

FIG. 40A

CHO, BHK, 293s cells, Vero, MDCK, HEKC expressed Factor VIII.
e-h = 1 to 4;
aa, bb, a-d, j-m, i, n-u (independently selected) = 0 or 1;
v-z = 0.

↓
1. Sialidase
2. CMP-SA-PEG, ST3Gal3

e-h = 1 to 4;
aa, bb, a-d, i, n, q-u (independently selected) = 0 or 1;
o, p, z = 0; j-m, v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 40B

CHO, BHK, 293S cells, Vero, MDCK, 293S, HEKC expressed Factor VIII.
e-h = 1 to 4;
aa, bb, a-d, j-m, i, n-u (independently selected) = 0 or 1;
v-z = 0.

↓
1. Sialidase
2. CMP-SA-PEG, ST3Gal3
3. ST3Gal1, CMP-SA

e-h = 1 to 4;
aa, bb, a-d, i, n, p-u (independently selected) = 0 or 1;
o, z = 0; j-m, v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 40C



FIG. 40D



FIG. 40E


CHO, BHK, 293S cells, Vero, MDCK, HEKC
expressed Factor VIII.
e-h = 1 to 4;
aa, bb, a-d, j-m, i, n-u (independently selected)=0 or 1;
v-z = 0.
1. CMP-SA-PEG, α2,8-ST
e-h = 1 to 4;
aa, bb, a-d, i, n-y (independently selected) = 0 or 1;
z = 0; j-m (independently selected) = 0 to 2;
v-y (independently selected) = 1,
when j-m (independently selected) is 2;
R = PEG.

FIG. 40F

2 peptides
A or A' - N-linked sites
B - O-linked sites







Alternate structure for some N-linked structures of A.

a-d, i, n-u, (independently selected) = 0 or 1.
aa, bb, cc, dd (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 20.
v-z = 0;
R = modifying group, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 40G

CHO, BHK, 293S cells, Vero, MDCK, HEKC
expressed Factor VIII.
e-h = 1 to 4;
aa, bb, cc, a-d, j-m, i, n-u (independently selected) = 0 or 1;
dd, v-z = 0.

↓ 1. CMP-SA-levulinate, ST3Gal3,
2. H_4N_2-PEG

e-h = 1 to 4;
aa, bb, cc, a-d, i, n-u (independently selected) = 0 or 1;
dd, z = 0; j-m, v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 40H

CHO, BHK, 293S cells, Vero, MDCK, HEKC
expressed Factor VIII.
e-h = 1 to 4;
aa, bb, cc, a-d, j-m, i, n-u (independently selected) = 0 or 1;
dd, v-z = 0.

↓ 1. endo-H
2. galactosyltransferase, UDP-Gal-PEG

e-h = 1 to 4;
aa, bb, dd, a-d, i, j-u (independently selected) = 0 or 1;
cc, v-z = 0; R' = -Gal-PEG.

FIG. 40I



FIG. 40J



FIG. 40K

CHO, BHK, 293S cells, Vero, MDCK, HEKC
expressed Factor VIII.
e-h = 1 to 4;
aa, bb, cc, a-d, j-m, i, n-u (independently selected) = 0 or 1;
dd, v-z = 0.

1. mannosidases
2. GNT-1,2, 4 & 5; UDP-GlcNAc
3. galactosyltransferase, UDP-Gal
4. ST3Gal3, CMP-SA

e-h = 1 to 4;
aa, bb, cc, a-d, i, j-q (independently selected) = 0 or 1;
dd, v-z = 0.

FIG. 40L

CHO, BHK, 293S cells, Vero, MDCK, HEKC
expressed Factor VIII.
e-h = 1 to 4;
aa, bb, cc, a-d, j-m, i, n-u (independently selected) = 0 or 1;
dd, v-z = 0.

1. mannosidases
2. GNT-1, UDP-GlcNAc-PEG

e-h = 0 to 4;
aa, a-d, i, j-y (independently selected) = 0 or 1;
bb, cc, dd, z = 0.

FIG. 40M

This page is not part of

the document!

US2002032263 / 2003-031464

7/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer.

FIG. 41A



FIG. 41B



FIG. 41C



FIG. 41D



FIG. 41E



FIG. 41F



FIG. 41G





a-d, i, n, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 41H



FIG. 41I



FIG. 41J

CHO, BHK, 293 cells, Vero expressed Urokinase.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; n, v-y = 0.

1. CMP-SA-linker-SA-CMP, ST3Gal3
2. ST3Gal1, desialylated Urokinase produced in CHO.
3. CMP-SA, ST3Gal3, ST3Gal1

a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0;
v-y (independently selected) = 0 or 1;
R = linker-Urokinase.

FIG. 41K

Isolated Urokinase.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; v-y = 0; n = 0;
Sia (independently selected) = Sia or SO_4;
Gal (independently selected) = Gal or GalNAc;
GlcNAc (independently selected) = GlcNAc or GlcNAc-Fuc.

1. sulfohydrolase
2. CMP-SA-PEG, sialyltransferase

a-d, i-m, q-u (independently selected) = 0 or 1;
n = 0; e-h = 1; Sia = Sia;
Gal (independently selected) = Gal or GalNAc;
GlcNAc (independently selected) = GlcNAc or GlcNAc-Fuc.
v-y (independently selected) = 0 or 1;
R = PEG.

FIG. 41L


Isolated Urokinase.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; n = 0; v-y = 0;
Sia (independently selected) = Sia or SO_4;
Gal (independently selected) = Gal or GalNAc;
GlcNAc (independently selected) = GlcNAc or GlcNAc-Fuc.
1. sulfohydrolase, hexosaminidase
2. UDP-Gal-PEG, galactosyltransferase
a-d, i, q-u (independently selected) = 0 or 1;
e-h = 1; j-n = 0; Gal (independently selected) = Gal;
GlcNAc (independently selected) = GlcNAc or GlcNAc-Fuc;
v-y (independently selected) = 0 or 1; R = PEG.

FIG. 41M





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer, glycoconjugate.

FIG. 42A



FIG. 42B



FIG. 42C



FIG. 42D



FIG. 42E



FIG. 42F



FIG. 42G





a-d, i, n, p-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 42H



FIG. 42I



FIG. 42J


CHO, BHK, 293 cells, Vero expressed DNase I.
a-d, i-m, q-u (independently selected) = 0 or 1;
e-h = 1; n, v-y = 0.
1. CMP-SA-linker-SA-CMP, ST3Gal3
2. ST3Gal1, desialylated alpha-1-
Proteinase inhibitor.
3. CMP-SA, ST3Gal3, ST3Gal1
a-m, q-u (independently selected) = 0 or 1;
p = 1; n = 0;
v-y (independently selected) = 0 or 1;
R = linker- alpha-1-Proteinase inhibitor.

FIG. 42K



a-d, i, r-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 43A



FIG. 43B



FIG. 43C


Yeast expressed Insulin.
a-n = 0; r-y (independently selected) = 0 to 1;
z = 1;
R (branched or linear) = Man, oligomannose or polysaccharide.
1. Endo-H
2. Galactosyltransferase, UDP-Gal-PEG
a-m, r-z= 0; n = 1; R' = -Gal-PEG.

FIG. 43D



a-c, e (independently selected) = 0 or 1;
d = 0; R = polymer

FIG. 43E



FIG. 43F



FIG. 43G


E. coli expressed Insulin-mucin fusion protein.
a-e = 0.
1. GalNAc Transferase, UDP-GalNAc
2. CMP-SA-PEG, sialyltransferase
c, d, e (independently selected) = 0 or 1;
a, b = 0; R = PEG.

FIG. 43H









a-c, e (independently selected) = 0 or 1;
d = 0; R = modifying group, mannose, oligo-mannose.

FIG. 43I



FIG. 43J



FIG. 43K


E. coli expressed Insulin (N)—no mucin peptide.
a-e, n = 0.
1. NHS-CO-linker-SA-CMP
2. ST3Gal3, asialo-transferrin
3. CMP-SA, ST3Gal3
a-e = 0; n = 1;
R' = linker-transferrin.

FIG. 43L





a-d, i, n-u, aa (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 100.
v-y = 0; R = polymer, glycoconjugate.

FIG. 44A



FIG. 44B



FIG. 44C



FIG. 44D



FIG. 44E



FIG. 44F



FIG. 44G







a-d, i, n, q-u, aa, bb, (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-p (independently selected) = 0 to 100.
Cc, v-y = 0;
R = modifying group, mannose, oligo-mannose.
R'= H, glycosyl residue, modifying group, glycoconjugate.

FIG. 44H



FIG. 44I



FIG. 44J


Yeast expressed M-antigen.
a-p, z, cc = 0;
q-y, aa (independently selected) = 0 to 1; bb = 1;
R (branched or linear) = Man, oligomannose;
GalNAc = Man.
1. mannosidases
2. GNT 1 & 2, UDP-GlcNAc
3. UDP-Gal, Galactosyltransferase,
4. CMP-SA, sialyltransferase
a, c, e, g, j, l, q, r, t, aa (independently selected) = 0 or 1;
b, d, f, h, k, m-p, s, u-z, cc = 0; bb = 1.

FIG. 44K



a-d, i, r-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 45A



FIG. 45B



FIG. 45C


Yeast expressed growth hormone.
a-n = 0; r-y (independently selected) = 0 to 1;
z = 1;
R (branched or linear) = Man, oligomannose or polysaccharide.
1. Endo-H
2. Galactosyltransferase, UDP-Gal-PEG
a-m, r-z= 0; n = 1; R' = -Gal-PEG.

FIG. 45D



a-c, e (independently selected) = 0 or 1;
d = 0;
R = modifying group, mannose, oligo-mannose.

FIG. 45E



FIG. 45F



FIG. 45G



FIG. 45H



FIG. 45I



FIG. 45J



FIG. 45K





a-d, i-m, q-u, w, z, nn, ww, zz (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
n, v-y = 0;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 46A



FIG. 46B



FIG. 46C



FIG. 46D



FIG. 46E

CHO, BHK, 293 cells, Vero or transgenic animals expressed TNF Receptor IgG Fusion.
a-m, o-u, aa (independently selected) = 0 or 1;
n = 1; v-z = 0.

↓ 1. CMP-SA-levulinate, ST3Gal1
2. H_4N_2-PEG

a-m, o-u, v-y, aa (independently selected) = 0 or 1;
n = 1; z = 0; R = PEG.

FIG. 46F

CHO, BHK, 293 cells, Vero expressed TNF Receptor IgG Fusion.
a-m, o-u, aa (independently selected) = 0 or 1;
n = 1; v-z = 0.

↓ 1. CMP-SA-PEG, α2,8-ST

a-i, o, q-u, v-z, aa (independently selected) = 0 or 1;
n = 1; j-m, p (independently selected) = 0 to 2;
v-z (independently selected) = 1,
when j-m, p (independently selected) is 2;
R = PEG.

FIG. 46G





a-d, i, l, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-k (independently selected) = 0 or 1.
M = 0 to 20.
n, v-y = 0; z = 0 or 1;
R = polymer, toxin, radioisotope-complex, drug, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 47A



FIG. 47B



FIG. 47C


Fungi expressed Herceptin.
e, g, i, r, t (independently selected) = 0 or 1;
a-d, f, h, j-m, n, s, u-y = 0; q, z = 1.
1. Endo-H
2. Galactosyltransferase, UDP-Gal
3.. CMP-SA-radioisotope complex, ST3Gal3
a-m, r-z= 0; q, n = 1;
R' = -Gal-Sia-radioisotope complex.

FIG. 47D



a-d, i, p-u, (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1;
R = polymer, toxin, radioisotope-complex, drug, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 48A



FIG. 48B



FIG. 48C


Fungi expressed Synagis.
e, g, i, r, t (independently selected) = 0 or 1;
a-d, f, h, j-m, n, s, u-y = 0; q, z = 1.
1. Endo-H
2. Galactosyltransferase, UDP-Gal
3.. CMP-SA-PEG, ST3Gal3
a-m, r-z= 0; q, n = 1; R' = -Gal-Sia-PEG.

FIG. 48D





a-d, i, q-u, w (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 6.
j-m (independently selected) = 0 to 20.
n, v-y = 0; z = 0 or 1;
R = polymer, toxin, radioisotope-complex, drug, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 49A



FIG. 49B



FIG. 49C

Fungi expressed Remicade.
e, g, i, r, t (independently selected) = 0 or 1;
a-d, f, h, j-m, n, s, u-y = 0; q, z = 1.

1. Endo-H
2. Galactosyltransferase, UDP-Gal
3.. CMP-SA-radioisotope complex, ST3Gal3

a-m, r-z= 0; q, n = 1;
R' = -Gal-Sia-radioisotope complex.

FIG. 49D





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1;
R = modifying group, mannose, oligo-mannose;
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 50A



FIG. 50B



FIG. 50C


Yeast expressed Reopro.
a-n = 0; r-y (independently selected) = 0 to 1;
z = 1;
R (branched or linear) = Man, oligomannose or polysaccharide.
1. Endo-H
2. Galactosyltransferase, UDP-Gal-PEG
a-m, r-z= 0; n = 1; R' = -Gal-PEG.

FIG. 50D



a-c, e (independently selected) = 0 or 1;
d = 0; R = polymer

FIG. 50E



FIG. 50F



FIG. 50G


E. coli expressed Reopro-mucin fusion protein.
a-e = 0.
1. GalNAc Transferase, UDP-GalNAc
2. CMP-SA-PEG, sialyltransferase
c, d, e (independently selected) = 0 or 1;
a, b = 0; R = PEG.

FIG. 50H



a-c, e (independently selected) = 0 or 1;
d = 0; R = polymer, linker.

FIG. 501



FIG. 50J



FIG. 50K


E. coli expressed Reopro(N)—no mucin peptide.
a-e, n = 0.
1. NHS-CO-linker-SA-CMP
2. ST3Gal3, asialo-transferrin
3. CMP-SA, ST3Gal3
a-e = 0; n = 1; R' = linker-transferrin.

FIG. 50L



a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1; R = polymer, toxin, radioisotope-complex, drug, glycoconjugate.
R' = H, sugar, glycoconjugate.

z

FIG. 51A

CHO, BHK, 293 cells, Vero or transgenic animal expressed Rituxan.
a, c, i (independently selected) = 0 or 1;
e, g, r, t = 1; b, d, f, h, j-m, n, s, u-y = 0; q, z = 1.

↓ 1. galactosyltransferase, UPD-Gal
2. CMP-SA-toxin, ST3Gal3

a, c, i, j, l (independently selected) = 0 or 1;
e, g, r, t = 1;
f, h, k, m, n, s, u-y = 0; q, z = 1;
v-y (independently selected) = 1,
when j, l (independently selected) is 1;
R = toxin.

FIG. 51B

CHO, BHK, 293 cells, Vero or fungal expressed Rituxan.
a, c, e, g, i, r, t (independently selected) = 0 or 1;
b, d, f, h, j-m, n, s, u-y = 0; q, z = 1.

↓ 1. galactosyltransferase, UPD-Gal-drug

a, c, i (independently selected) = 0 or 1;
e, g, r, t = 1; f, h, j-m, n, s, u-y = 0; q, z = 1;
v-y (independently selected) = 1,
when a, c (independently selected) is 1;
R = toxin.

FIG. 51C

Fungi expressed Rituxan.
e, g, i, r, t (independently selected) = 0 or 1;
a-d, f, h, j-m, n, s, u-y = 0; q, z = 1.

1. Endo-H
2. Galactosyltransferase, UDP-Gal
3. CMP-SA-radioisotope complex, ST3Gal3

a-m, r-z= 0; q, n = 1;
R' = -Gal-Sia-radioisotope complex.

FIG. 51D





a-d, i, q-u (independently selected) = 0 or 1.
e-h (independently selected) = 0 to 4.
j-m (independently selected) = 0 or 1.
n, v-y = 0; z = 0 or 1;
R = polymer, toxin, radioisotope-complex, drug, glycoconjugate, mannose, oligo-mannose.
R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 51E

CHO, BHK, 293 cells, Vero or transgenic animal expressed Rituxan.
a, c, i (independently selected) = 0 or 1;
e, g, r, t = 1; b, d, f, h, j-m, n, s, u-y = 0;
q, z = 1.

1. galactosyltransferase, UPD-Gal
2. CMP-SA-PEG, ST3Gal3

a, c, i, j, l (independently selected) = 0 or 1;
e, g, r, t = 1; f, h, k, m, n, s, u-y = 0;
q, z = 1; v-y (independently selected) = 1,
when j, l (independently selected) is 1;
R = PEG.

FIG. 51F

Fungi, yeast or CHO expressed Rituxan.
e, g, i, r, t, v, x (independently selected) = 0 or 1;
a-d, f, h, j-m, n, s, u, w, y = 0; q, z = 1;
R (independently selected) = mannose, oligomannose, polymannose.

1. mannosidases (alpha and beta)
2. GNT-I,II, UDP-GlcNAc
3. Galactosyltransferase, UDP-Gal-radioisotope

a-m, r-z= 0; q, n = 1;
R' = -Gal-radioisotope complex.

FIG. 51G

FIG. 52A

ACCCCCCTGGGCCCTGCCAGCTCCCTGCCCCAGAGCTTCCTGCTCAAT
GCTTAGAGCAAGTGAGGAAGATCCAGGGCGATGGCGCAGCGCTCCAG
GAGAAGCTGTGTGCCACCTACAAGCTGTGCCACCCCGAGGAGCTGGT
GCTGCTCGGACACTCTCTGGGCATCCCCTGGGCTCCCCTGAGCAGCTG
CCCCAGCCAGGCCCTGCAGCTGGCAGGCTGCTTGAGCCAACTCCATA
GCGGCCTTTTCCTCTACCAGGGGCTCCTGCAGGCCCTGGAAGGGATCT
CCCCCGAGTTGGGTCCCACCTTGGACACACTGCAGCTGGACGTCGCCG
ACTTTGCCACCACCATCTGGCAGCAGATGGAAGAACTGGGAATGGCC
CCTGCCCTGCAGCCCACCCAGGGTGCCATGCCGGCCTTCGCCTCTGCT
TTCCAGCGCCGGGCAGGAGGGGTCCTGGTTGCCTCCCATCTGCAGAG
CTTCCTGGAGGTGTCGTACCGCGTTCTACGCCACCTTGCCCAGCCCTG
A

FIG. 52B

Thr Pro Leu Gly Pro Ala Ser Ser Leu Pro Gln Ser Phe Leu Leu Lys Cys Leu Glu Gln Val Arg Lys Ile Gln Gly Asp Gly Ala Ala Leu Gln Glu Lys Leu Cys Ala Thr Tyr Lys Leu Cys His Pro Glu Glu Leu Val Leu Leu Gly His Ser Leu Gly Ile Pro Trp Ala Pro Leu Ser Ser Cys Pro Ser Gln Ala Leu Gln Leu Ala Gly Cys Leu Ser Gln Leu His Ser Gly Leu Phe Leu Tyr Gln Gly Leu Leu Gln Ala Leu Glu Gly Ile Ser Pro Glu Leu Gly Pro Thr Leu Asp Thr Leu Gln Leu Asp Val Ala Asp Phe Ala Thr Thr Ile Trp Gln Gln Met Glu Glu Leu Gly Met Ala Pro Ala Leu Gln Pro Thr Gln Gly Ala Met Pro Ala Phe Ala Ser Ala Phe Gln Arg Arg Ala Gly Gly Val Leu Val Ala Ser His Leu Gln Ser Phe Leu Glu Val Ser Tyr Arg Val Leu Arg His Leu Ala Gln Pro

FIG. 53A

GCGCCTCTTATGTACCCACAAAAATCTATTTTCAAAAAAGTTGCTCTA
AGAATATAGTTATCAAGTTAAGTAAAATGTCAATAGCCTTTTAATTTA
ATTTTTAATTGTTTTATCATTCTTTGCAATAATAAAACATTAACTTTAT
ACTTTTTAATTTAATGTATAGAATAGAGATATACATAGGATATGTAAA
TAGATACACAGTGTATATGTGATTAAAATATAATGGGAGATTCAATC
AGAAAAAAGTTTCTAAAAAGGCTCTGGGGTAAAAGAGGAAGGAAAC
AATAATGAAAAAAATGTGGTGAGAAAAACAGCTGAAAACCCATGTA
AAGAGTGTATAAAGAAAGCAAAAAGAGAAGTAGAAAGTAACACAGG
GGCATTTGGAAAATGTAAACGAGTATGTTCCCTATTTAAGGCTAGGC
ACAAAGCAAGGTCTTCAGAGAACCTGGAGCCTAAGGTTTAGGCTCAC
CCATTTCAACCAGTCTAGCAGCATCTGCAACATCTACAATGGCCTTGA
CCTTTGCTTTACTGGTGGCCCTCCTGGTGCTCAGCTGCAAGTCAAGCT
GCTCTGTGGGCTGTGATCTGCCTCAAACCCACAGCCTGGGTAGCAGG
AGGACCTTGATGCTCCTGGCACAGATGAGGAGAATCTCTCTTTTCTCC
TGCTTGAAGGACAGACATGACTTTGGATTTCCCCAGGAGGAGTTTGG
CAACCAGTTCCAAAAGGCTGAAACCATCCCTGTCCTCCATGAGATGA
TCCAGCAGATCTTCAATCTCTTCAGCACAAAGGACTCATCTGCTGCTT
GGGATGAGACCCTCCTAGACAAATTCTACACTGAACTCTACCAGCAG
CTGAATGACCTGGAAGCCTGTGTGATACAGGGGGTGGGGGTGACAGA
GACTCCCCTGATGAAGGAGGACTCCATTCTGGCTGTGAGGAAATACT
TCCAAAGAATCACTCTCTATCTGAAAGAGAAGAAATACAGCCCTTGT
GCCTGGGAGGTTGTCAGAGCAGAAATCATGAGATCTTTTTCTTTGTCA
ACAAACTTGCAAGAAAGTTTAAGAAGTAAGGAATGAAAACTGGTTCA
ACATGGAAATGATTTTCATTGATTCGTATGCCAGCTCACCTTTTTATG
ATCTGCCATTTCAAAGACTCATGTTTCTGCTATGACCATGACACGATT
TAAATCTTTTCAAATGTTTTTAGGAGTATTAATCAACATTGTATTCAG
CTCTTAAGGCACTAGTCCCTTACAGAGGACCATGCTGACTGATCCATT
ATCTATTTAAATATTTTTAAAATATTATTTATTTAACTATTTATAAAAC
AACTTATTTTTGTTCATATTATGTCATGTGCACCTTTGCACAGTGGTTA
ATGTAATAAAATGTGTTCTTTGTATTTGGTAAATTTATTTTGTGTTGTT
CATTGAACTTTTGCTATGGAACTTTTGTACTTGTTTATTCTTTAAAATG
AAATTCCAAGCCTAATTGTGCAACCTGATTACAGAATAACTGGTACA
CTTCATTTGTCCATCAATATTATATTCAAGATATAAGTAAAAATAAAC
TTTCTGTAAACCAAGTTGTATGTTGTACTCAAGATAACAGGGTGAACC
TAACAAATACAATTCTGCTCTCTTGTGTATTTGATTTTTGTATGAAAA
AAACTAAAAATGGTAATCATACTTAATTATCAGTTATGGTAAATGGT
ATGAAGAGAAGAAGGAACG

FIG. 53B

Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys Lys Ser Ser Cys Ser Val Gly Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser Leu Arg Ser Lys Glu

This page is not part of

the document!

US2002032263 / 2003-031464

8/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH

FIG. 54A

ATGACCAACAAGTGTCTCCTCCAAATTGCTCTCCTGTTGTGCTTCTCC
ACTACAGCTCTTTCCATGAGCTACAACTTGCTTGGATTCCTACAAAGA
AGCAGCAATTTTCAGTGTCAGAAGCTCCTGTGGCAATTGAATGGGAG
GCTTGAATATTGCCTCAAGGACAGGATGAACTTTGACATCCCTGAGG
AGATTAAGCAGCTGCAGCAGTTCCAGAAGGAGGACGCCGCATTGACC
ATCTATGAGATGCTCCAGAACATCTTTGCTATTTTCAGACAAGATTCA
TCTAGCACTGGCTGGAATGAGACTATTGTTGAGAACCTCCTGGCTAA
TGTCTATCATCAGATAAACCATCTGAAGACAGTCCTGGAAGAAAAAC
TGGAGAAAGAAGATTTTACCAGGGGAAAACTCATGAGCAGTCTGCAC
CTGAAAAGATATTATGGGAGGATTCTGCATTACCTGAAGGCCAAGGA
GTACAGTCACTGTGCCTGGACCATAGTCAGAGTGGAAATCCTAAGGA
ACTTTTACTTCATTAACAGACTTACAGGTTACCTCCGAAACTGAAGAT
CTCCTAGCCTGTCCCTCTGGGACTGGACAATTGCTTCAAGCATTCTTC
AACCAGCAGATGCTGTTTAAGTGACTGATGGCTAATGTACTGCAAAT
GAAAGGACACTAGAAGATTTTGAAATTTTTATTAAATTATGAGTTATT
TTTATTTAT TTAAATTTTATTTTGGAAAATAAATTATTTTTGGTGC

FIG. 54B

Met Thr Asn Lys Cys Leu Leu Gln Ile Ala Leu Leu Leu Cys Phe Ser Thr Thr Ala
Leu Ser Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly ArgLeu Glu Tyr Cys Leu Lys Asp
Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln Gln Phe Gln Lys Glu
Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln Asn Ile Phe Ala Ile Phe Arg Gln
Asp Ser Ser Ser Thr Gly Trp Asn Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val
Tyr His Gln Ile Asn His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp
Phe Thr Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg Ile
Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr Ile Val Arg Val
Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu Thr Gly Tyr Leu Arg Asn

FIG. 55A

ATGGTCTCCCAGGCCCTCAGGCTCCTCTGCCTTCTGCTTGGGCTTCAG
GGCTGCCTGGCTGCAGTCTTCGTAACCCAGGAGGAAGCCCACGGCGT
CCTGCACCGGCGCCGGCGCGCCAACGCGTTCCTGGAGGAGCTGCGGC
CGGGCTCCCTGGAGAGGGAGTGCAAGGAGGAGCAGTGCTCCTTCGA
GGAGGCCCGGGAGATCTTCAAGGACGCGGAGAGGACGAAGCTGTTC
TGGATTTCTTACAGTGATGGGGACCAGTGTGCCTCAAGTCCATGCCA
GAATGGGGGCTCCTGCAAGGACCAGCTCCAGTCCTATATCTGCTTCT
GCCTCCCTGCCTTCGAGGGCCGGAACTGTGAGACGCACAAGGATGAC
CAGCTGATCTGTGTGAACGAGAACGGCGGCTGTGAGCAGTACTGCAG
TGACCACACGGGCACCAAGCGCTCCTGTCGGTGCCACGAGGGGTACT
CTCTGCTGGCAGACGGGGTGTCCTGCACACCCACAGTTGAATATCCA
TGTGGAAAAATACCTATTCTAGAAAAAAGAAATGCCAGCAAACCCCA
AGGCCGAATTGTGGGGGGCAAGGTGTGCCCCAAAGGGGAGTGTCCA
TGGCAGGTCCTGTTGTTGGTGAATGGAGCTCAGTTGTGTGGGGGGAC
CCTGATCAACACCATCTGGGTGGTCTCCGCGGCCCACTGTTTCGACAA
AATCAAGAACTGGAGGAACCTGATCGCGGTGCTGGGCGAGCACGAC
CTCAGCGAGCACGACGGGGATGAGCAGAGCCGGCGGGTGGCGCAGG
TCATCATCCCCAGCACGTACGTCCCGGGCACCACCAACCACGACATC
GCGCTGCTCCGCCTGCACCAGCCCGTGGTCCTCACTGACCATGTGGTG
CCCCTCTGCCTGCCCGAACGGACGTTCTCTGAGAGGACGCTGGCCTTC
GTGCGCTTCTCATTGGTCAGCGGCTGGGGCCAGCTGCTGGACCGTGG
CGCCACGGCCCTGGAGCTCATGGTGCTCAACGTGCCCCGGCTGATGA
CCCAGGACTGCCTGCAGCAGTCACGGAAGGTGGGAGACTCCCCAAAT
ATCACGGAGTACATGTTCTGTGCCGGCTACTCGGATGGCAGCAAGGA
CTCCTGCAAGGGGGACAGTGGAGGCCCACATGCCACCCACTACCGGG
GCACGTGGTACCTGACGGGCATCGTCAGCTGGGGCCAGGGCTGCGCA
ACCGTGGGCCACTTTGGGGTGTACACCAGGGTCTCCCAGTACATCGA
GTGGCTGCAAAAGCTCATGCGCTCAGAGCCACGCCCAGGAGTCCTCC
TGCGAGCCCCATTTCCC

FIG. 55B

Met Val Ser Gln Ala Leu Arg Leu Leu Cys Leu Leu Leu Gly Leu Gln Gly Cys Leu Ala Ala Val Phe Val Thr Gln Glu Glu Ala His Gly Val Leu His Arg Arg Arg Arg Ala Asn Ala Phe Leu Glu Glu Leu Arg Pro Gly Ser Leu Glu Arg Glu Cys Lys Glu Glu Gln Cys Ser Phe Glu Glu Ala Arg Glu Ile Phe Lys Asp Ala Glu Arg Thr Lys Leu Phe Trp Ile Ser Tyr Ser Asp Gly Asp Gln Cys Ala Ser Ser Pro Cys Gln Asn Gly Gly Ser Cys Lys Asp Gln Leu Gln Ser Tyr Ile Cys Phe Cys Leu Pro Ala Phe Glu Gly Arg Asn Cys Glu Thr His Lys Asp Asp Gln Leu Ile Cys Val Asn Glu Asn Gly Gly Cys Glu Gln Tyr Cys Ser Asp His Thr Gly Thr Lys Arg Ser Cys Arg Cys His Glu Gly Tyr Ser Leu Leu Ala Asp Gly Val Ser Cys Thr Pro Thr Val Glu Tyr Pro Cys Gly Lys Ile Pro Ile Leu Glu Lys Arg Asn Ala Ser Lys Pro Gln Gly Arg Ile Val Gly Gly Lys Val Cys Pro Lys Gly Glu Cys Pro Trp Gln Val Leu Leu Leu Val Asn Gly Ala Gln Leu Cys Gly Gly Thr Leu Ile Asn Thr Ile Trp Val Val Ser Ala Ala His Cys Phe Asp Lys Ile Lys Asn Trp Arg Asn Leu Ile Ala Val Leu Gly Glu His Asp Leu Ser Glu His Asp Gly Asp Glu Gln Ser Arg Arg Val Ala Gln Val Ile Ile Pro Ser Thr Tyr Val Pro Gly Thr Thr Asn His Asp Ile Ala Leu Leu Arg Leu His Gln Pro Val Val Leu Thr Asp His Val Val Pro Leu Cys Leu Pro Glu Arg Thr Phe Ser Glu Arg Thr Leu Ala Phe Val Arg Phe Ser Leu Val Ser Gly Trp Gly Gln Leu Leu Asp Arg Gly Ala Thr Ala Leu Glu Leu Met Val Leu Asn Val Pro Arg Leu Met Thr Gln Asp Cys Leu Gln Gln Ser Arg Lys Val Gly Asp Ser Pro Asn Ile Thr Glu Tyr Met Phe Cys Ala Gly Tyr Ser Asp Gly Ser Lys Asp Ser Cys Lys Gly Asp Ser Gly Gly Pro His Ala Thr His Tyr Arg Gly Thr Trp Tyr Leu Thr Gly Ile Val Ser Trp Gly Gln Gly Cys Ala Thr Val Gly His Phe Gly Val Tyr Thr Arg Val Ser Gln Tyr Ile Glu Trp Leu Gln Lys Leu Met Arg Ser Glu Pro Arg Pro Gly Val Leu Leu Arg Ala Pro Phe Pro

FIG. 56A

ATGCAGCGCGTGAACATGATCATGGCAGAATCACCAAGCCTCATCAC
CATCTGCCTTTTAGGATATCTACTCAGTGCTGAATGTACAGTTTTTCTT
GATCATGAAAACGCCAACAAAATTCTGAATCGGCCAAAGAGGTATAA
TTCAGGTAAATTGGAAGAGTTTGTTCAAGGGAACCTTGAGAGAGAAT
GTATGGAAGAAAAGTGTAGTTTTGAAGAACCACGAGAAGTTTTTGAA
AACACTGAAAAGACAACTGAATTTTGGAAGCAGTATGTTGATGGAGA
TCAGTGTGAGTCCAATCCATGTTTAAATGGCGGCAGTTGCAAGGATG
ACATTAATTCCTATGAATGTTGGTGTCCCTTTGGATTTGAAGGAAAGA
ACTGTGAATTAGATGTAACATGTAACATTAAGAATGGCAGATGCGAG
CAGTTTTGTAAAAATAGTGCTGATAACAAGGTGGTTTGCTCCTGTACT
GAGGGATATCGACTTGCAGAAAACCAGAAGTCCTGTGAACCAGCAGT
GCCATTTCCATGTGGAAGAGTTTCTGTTTCACAAACTTCTAAGCTCAC
CCGTGCTGAGGCTGTTTTTCCTGATGTGGACTATGTAAATCCTACTGA
AGCTGAAACCATTTTGGATAACATCACTCAAGGCACCCAATCATTTA
ATGACTTCACTCGGGTTGTTGGTGGAGAAGATGCCAAACCAGGTCAA
TTCCCTTGGCAGGTTGTTTTGAATGGTAAAGTTGATGCATTCTGTGGA
GGCTCTATCGTTAATGAAAAATGGATTGTAACTGCTGCCCACTGTGTT
GAAACTGGTGTTAAAATTACAGTTGTCGCAGGTGAACATAATATTGA
GGAGACAGAACATACAGAGCAAAAGCGAAATGTGATTCGAGCAATT
ATTCCTCACCACAACTACAATGCAGCTATTAATAAGTACAACCATGA
CATTGCCCTTCTGGAACTGGACGAACCCTTAGTGCTAAACAGCTACG
TTACACCTATTTGCATTGCTGACAAGGAATACACGAACATCTTCCTCA
AATTTGGATCTGGCTATGTAAGTGGCTGGGCAAGAGTCTTCCACAAA
GGGAGATCAGCTTTAGTTCTTCAGTACCTTAGAGTTCCACTTGTTGAC
CGAGCCACATGTCTTCGATCTACAAAGTTCACCATCTATAACAACAT
GTTCTGTGCTGGCTTCCATGAAGGAGGTAGAGATTCATGTCAAGGAG
ATAGTGGGGGACCCCATGTTACTGAAGTGGAAGGGACCAGTTTCTTA
ACTGGAATTATTAGCTGGGGTGAAGAGTGTGCAATGAAAGGCAAATA
TGGAATATATACCAAGGTATCCCGGTATGTCAACTGGATTAAGGAAA
AAACAAAGCTCACTTAATGAAAGATGGATTTCCAAGGTTAATTCATT
GGAATTGAAAATTAACAG

FIG. 56B

Met Gln Arg Val Asn Met Ile Met Ala Glu Ser Pro Ser Leu Ile Thr Ile Cys Leu Leu Gly Tyr Leu Leu Ser Ala Glu Cys Thr Val Phe LeuAsp His Glu Asn Ala Asn Lys Ile Leu Asn Arg Pro Lys Arg Tyr Asn Ser Gly Lys Leu Glu Glu Phe Val Gln Gly Asn Leu Glu Arg Glu Cys Met Glu Glu Lys Cys Ser Phe Glu Glu Pro Arg Glu Val Phe Glu Asn Thr Glu Lys Thr Thr Glu Phe Trp Lys Gln Tyr Val Asp Gly Asp Gln Cys Glu Ser Asn Pro Cys Leu Asn Gly Gly Ser Cys Lys Asp Asp Ile Asn Ser Tyr Glu Cys Trp Cys Pro Phe Gly Phe Glu Gly Lys Asn Cys Glu Leu Asp Val Thr Cys Asn Ile Lys Asn Gly Arg Cys Glu Gln Phe Cys Lys Asn Ser Ala Asp Asn Lys Val Val Cys Ser Cys Thr Glu Gly Tyr Arg Leu Ala Glu Asn Gln Lys Ser Cys Glu Pro Ala Val Pro Phe Pro Cys Gly Arg Val Ser Val Ser Gln Thr Ser Lys Leu Thr Arg Ala Glu Ala Val Phe Pro Asp Val Asp Tyr Val Asn Pro Thr Glu Ala Glu Thr Ile Leu Asp Asn Ile Thr Gln Gly Thr Gln Ser Phe Asn Asp Phe Thr Arg Val Val Gly Gly Glu Asp Ala Lys Pro Gly Gln Phe Pro Trp Gln Val Val Leu Asn Gly Lys Val Asp Ala Phe Cys Gly Gly Ser Ile Val Asn Glu Lys Trp Ile Val Thr Ala Ala His Cys Val Glu Thr Gly Val Lys Ile Thr Val Val Ala Gly Glu His Asn Ile Glu Glu Thr Glu His Thr Glu Gln Lys Arg Asn Val Ile Arg Ala Ile Ile Pro His His Asn Tyr Asn Ala Ala Ile Asn Lys Tyr Asn His Asp Ile Ala Leu Leu Glu Leu Asp Glu Pro Leu Val Leu Asn Ser Tyr Val Thr Pro Ile Cys Ile Ala Asp Lys Glu Tyr Thr Asn Ile Phe Leu Lys Phe Gly Ser Gly Tyr Val Ser Gly Trp Ala Arg Val Phe His Lys Gly Arg Ser Ala Leu Val Leu Gln Tyr Leu Arg Val Pro Leu Val Asp Arg Ala Thr Cys Leu Arg Ser Thr Lys Phe Thr Ile Tyr Asn Asn Met Phe Cys Ala Gly Phe His Glu Gly Gly Arg Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro His Val Thr Glu Val Glu Gly Thr Ser Phe Leu Thr Gly Ile Ile Ser Trp Gly Glu Glu Cys Ala Met Lys Gly Lys Tyr Gly Ile Tyr Thr Lys Val Ser Arg Tyr Val Asn Trp Ile Lys Glu Lys Thr Lys Leu Thr

FIG. 57A

ATGGATTACTACAGAAAATATGCAGCTATCTTTCTGGTCACATTGTCG
GTGTTTCTGCATGTTCTCCATTCCGCTCCTGATGTGCAGGATTGCCCA
GAATGCACGCTACAGGAAAACCCATTCTTCTCCCAGCCGGGTGCCCC
AATACTTCAGTGCATGGGCTGCTGCTTCTCTAGAGCATATCCCACTCC
ACTAAGGTCCAAGAAGACGATGTTGGTCCAAAAGAACGTCACCTCAG
AGTCCACTTGCTGTGTAGCTAAATCATATAACAGGGTCACAGTAATG
GGGGGTTTCAAAGTGGAGAACCACACGGCGTGCCACTGCAGTACTTG
TTATTATCACAAATCTTAAATGTTTTACCAAGTGCTGTCTTGATGACT
GCTGATTTTCTGGAATGGAAAATTAAGTTGTTTAGTGTTTATGGCTTT
GTGAGATAAAACTCTCCTTTTCCTTACCATACCACTTTGACACGCTTC
AAGGATATACTGCAGCTTTACTGCCTTCCTCCTTATCCTACAGTACAA
TCAGCAGTCTAGTTCTTTTCATTTGGAATGAATACAGCATTAAGCTTG
TTCCACTGCAAATAAAGCCTTTTAAATCATC

FIG. 57B

Met Asp Tyr Tyr Arg Lys Tyr Ala Ala Ile Phe Leu Val Thr Leu Ser Val Phe Leu
His Val Leu His Ser Ala Pro Asp Val Gln Asp Cys Pro Glu Cys Thr Leu Gln Glu
Asn Pro Phe Phe Ser Gln Pro Gly Ala Pro Ile Leu Gln Cys Met Gly Cys Cys Phe
Ser Arg Ala Tyr Pro Thr Pro Leu Arg Ser Lys Lys Thr Met Leu Val Gln Lys Asn
Val Thr Ser Glu Ser Thr Cys Cys Val Ala Lys Ser Tyr Asn Arg Val Thr Val Met
Gly Gly Phe Lys Val Glu Asn His Thr Ala Cys His Cys Ser Thr Cys Tyr Tyr His
Lys Ser

FIG. 57C

ATGAAGACACTCCAGTTTTTCTTCCTTTTCTGTTGCTGGAAAGCAATC
TGCTGCAATAGCTGTGAGCTGACCAACATCACCATTGCAATAGAGAA
AGAAGAATGTCGTTTCTGCATAAGCATCAACACCACTTGGTGTGCTG
GCTACTGCTACACCAGGGATCTGGTGTATAAGGACCCAGCCAGGCCC
AAAATCCAGAAAACATGTACCTTCAAGGAACTGGTATATGAAACAGT
GAGAGTGCCCGGCTGTGCTCACCATGCAGATTCCTTGTATACATACCC
AGTGGCCACCCAGTGTCACTGTGGCAAGTGTGACAGCGACAGCACTG
ATTGTACTGTGCGAGGCCTGGGGCCCAGCTACTGCTCCTTTGGTGAAA
TGAAAGAATAA

FIG. 57D

Met Lys Thr Leu Gln Phe Phe Phe Leu Phe Cys Cys Trp Lys Ala Ile Cys Cys
Asn Ser Cys Glu Leu Thr Asn Ile Thr Ile Ala Ile Glu Lys Glu Glu Cys Arg Phe
Cys Ile Ser Ile Asn Thr Thr Trp Cys Ala Gly Tyr Cys Tyr Thr Arg Asp Leu Val
Tyr Lys Asp Pro Ala Arg Pro Lys Ile Gln Lys Thr Cys Thr Phe Lys Glu Leu Val
Tyr Glu Thr Val Arg Val Pro Gly Cys Ala His His Ala Asp Ser Leu Tyr Thr Tyr
Pro Val Ala Thr Gln Cys His Cys Gly Lys Cys Asp Ser Asp Ser Thr Asp Cys
Thr Val Arg Gly Leu Gly Pro Ser Tyr Cys Ser Phe Gly Glu Met Lys Glu

FIG. 58A

CCCGGAGCCGGACCGGGGCCACCGCGCCCGCTCTGCTCCGACACCGC
GCCCCCTGGACAGCCGCCCTCTCCTCCAGGCCCGTGGGGCTGGCCCT
GCACCGCCGAGCTTCCCGGGATGAGGGCCCCCGGTGTGGTCACCCGG
CGCGCCCCAGGTCGCTGAGGGACCCCGGCCAGGCGCGGAGATGGGG
GTGCACGAATGTCCTGCCTGGCTGTGGCTTCTCCTGTCCCTGCTGTCG
CTCCCTCTGGGCCTCCCAGTCCTGGGCGCCCCACCACGCCTCATCTGT
GACAGCCGAGTCCTGGAGAGGTACCTCTTGGAGGCCAAGGAGGCCG
AGAATATCACGACGGGCTGTGCTGAACACTGCAGCTTGAATGAGAAT
ATCACTGTCCCAGACACCAAAGTTAATTTCTATGCCTGGAAGAGGAT
GGAGGTCGGGCAGCAGGCCGTAGAAGTCTGGCAGGGCCTGGCCCTG
CTGTCGGAAGCTGTCCTGCGGGGCCAGGCCCTGTTGGTCAACTCTTCC
CAGCCGTGGGAGCCCCTGCAGCTGCATGTGGATAAAGCCGTCAGTGG
CCTTCGCAGCCTCACCACTCTGCTTCGGGCTCTGCGAGCCCAGAAGG
AAGCCATCTCCCCTCCAGATGCGGCCTCAGCTGCTCCACTCCGAACA
ATCACTGCTGACACTTTCCGCAAACTCTTCCGAGTCTACTCCAATTTC
CTCCGGGGAAAGCTGAAGCTGTACACAGGGGAGGCCTGCAGGACAG
GGGACAGATGACCAGGTGTGTCCACCTGGGCATATCCACCACCTCCC
TCACCAACATTGCTTGTGCCACACCCTCCCCCGCCACTCCTGAACCCC
GTCGAGGGGCTCTCAGCTCAGCGCCAGCCTGTCCCATGGACACTCCA
GTGCCAGCAATGACATCTCAGGGGCCAGAGGAACTGTCCAGAGAGC
AACTCTGAGATCTAAGGATGTCACAGGGCCAACTTGAGGGCCCAGAG
CAGGAAGCATTCAGAGAGCAGCTTTAAACTCAGGGACAGAGCCATG
CTGGGAAGACGCCTGAGCTCACTCGGCACCCTGCAAAATTTGATGCC
AGGACACGCTTTGGAGGCGATTTACCTGTTTTCGCACCTACCATCAGG
GACAGGATGACCTGGAGAACTTAGGTGGCAAGCTGTGACTTCTCCAG
GTCTCACGGGCATGGGCACTCCCTTGGTGGCAAGAGCCCCCTTGACA
CCGGGGTGGTGGGAACCATGAAGACAGGATGGGGGCTGGCCTCTGG
CTCTCATGGGGTCCAAGTTTTGTGTATTCTTCAACCTCATTGACAAGA
ACTGAAACCACCAAAAAAAAAAAAAA

FIG. 58B

Met Gly Val His Glu Cys Pro Ala Trp Leu Trp Leu Leu Leu Ser Leu Leu Ser Leu Pro Leu Gly Leu Pro Val Leu Gly Ala Pro Pro Arg Leu Ile Cys Asp Ser Arg Val Leu Glu Arg Tyr Leu Leu Glu Ala Lys Glu Ala Glu Asn Ile Thr Thr Gly Cys Ala Glu His Cys Ser Leu Asn Glu Asn Ile Thr Val Pro Asp Thr Lys Val Asn Phe Tyr Ala Trp Lys Arg Met Glu Val Gly Gln Gln Ala Val Glu Val Trp Gln Gly Leu Ala Leu Leu Ser Glu Ala Val Leu Arg Gly Gln Ala Leu Leu Val Asn Ser Ser Gln Pro Trp Glu Pro Leu Gln Leu His Val Asp Lys Ala Val Ser Gly Leu Arg Ser Leu Thr Thr Leu Leu Arg Ala Leu Arg Ala Gln Lys Glu Ala Ile Ser Pro Pro Asp Ala Ala Ser Ala Ala Pro Leu Arg Thr Ile Thr Ala Asp Thr Phe Arg Lys Leu Phe Arg Val Tyr Ser Asn Phe Leu Arg Gly Lys Leu Lys Leu Tyr Thr Gly Glu Ala Cys Arg Thr Gly Asp Arg

FIG. 59A

ATGTGGCTGCAGAGCCTGCTGCTCTTGGGCACTGTGGCCTGCAGCAT
CTCTGCACCCGCCCGCTCGCCCAGCCCCAGCACGCAGCCCTGGGAGC
ATGTGAATGCCATCCAGGAGGCCCGGCGTCTCCTGAACCTGAGTAGA
GACACTGCTGCTGAGATGAATGAAACAGTAGAAGTCATCTCAGAAAT
GTTTGACCTCCAGGAGCCGACCTGCCTACAGACCCGCCTGGAGCTGT
ACAAGCAGGGCCTGCGGGGCAGCCTCACCAAGCTCAAGGGCCCCTTG
ACCATGATGGCCAGCCACTACAAGCAGCACTGCCCTCCAACCCCGGA
AACTTCCTGTGCAACCCAGATTATCACCTTTGAAAGTTTCAAAGAGA
ACCTGAAGGACTTTCTGCTTGTCATCCCCTTTGACTGCTGGGAGCCAG
TCCAGGAGTGA

FIG. 59B

Met Trp Leu Gln Ser Leu Leu Leu Leu Gly Thr Val Ala Cys Ser Ile Ser Ala Pro
Ala Arg Ser Pro Ser Pro Ser Thr Gln Pro Trp Glu His Val Asn Ala Ile Gln Glu
Ala Arg Arg Leu Leu Asn Leu Ser Arg Asp Thr Ala Ala Glu Met Asn Glu Thr
Val Glu Val Ile Ser Glu Met Phe Asp Leu Gln Glu Pro Thr Cys Leu Gln Thr Arg
Leu Glu Leu Tyr Lys Gln Gly Leu Arg Gly Ser Leu Thr Lys Leu Lys Gly Pro
Leu Thr Met Met Ala Ser His Tyr Lys Gln His Cys Pro Pro Thr Pro Glu Thr Ser
Cys Ala Thr Gln Ile Ile Thr Phe Glu Ser Phe Lys Glu Asn Leu Lys Asp Phe Leu
Leu Val Ile Pro Phe Asp Cys Trp Glu Pro Val Gln Glu

FIG. 60A

ATGAAATATACAAGTTATATCTTGGCTTTTCAGCTCTGCATCGTTTTG
GGTTCTCTTGGCTGTTACTGCCAGGACCCATATGTAAAAGAAGCAGA
AAACCTTAAGAAATATTTTAATGCAGGTCATTCAGATGTAGCGGATA
ATGGAACTCTTTTCTTAGGCATTTTGAAGAATTGGAAAGAGGAGAGT
GACAGAAAAATAATGCAGAGCCAAATTGTCTCCTTTTACTTCAAACT
TTTTAAAAACTTTAAAGATGACCAGAGCATCCAAAAGAGTGTGGAGA
CCATCAAGGAAGACATGAATGTCAAGTTTTTCAATAGCAACAAAAAG
AAACGAGATGACTTCGAAAAGCTGACTAATTATTCGGTAACTGACTT
GAATGTCCAACGCAAAGCAATACATGAACTCATCCAAGTGATGGCTG
AACTGTCGCCAGCAGCTAAAACAGGGAAGCGAAAAAGGAGTCAGAT
GCTGTTTCGAGGTCGAAGAGCATCCCAGTAA

FIG. 60B

Met Lys Tyr Thr Ser Tyr Ile Leu Ala Phe Gln Leu Cys Ile Val Leu Gly Ser Leu
Gly Cys Tyr Cys Gln Asp Pro Tyr Val Lys Glu Ala Glu Asn Leu Lys Lys Tyr
Phe Asn Ala Gly His Ser Asp Val Ala Asp Asn Gly Thr Leu Phe Leu Gly Ile
Leu Lys Asn Trp Lys Glu Glu Ser Asp Arg Lys Ile Met Gln Ser Gln Ile Val Ser
Phe Tyr Phe Lys Leu Phe Lys Asn Phe Lys Asp Asp Gln Ser Ile Gln Lys Ser Val
Glu Thr Ile Lys Glu Asp Met Asn Val Lys Phe Phe Asn Ser Asn Lys Lys Lys
Arg Asp Asp Phe Glu Lys Leu Thr Asn Tyr Ser Val Thr Asp Leu Asn Val Gln
Arg Lys Ala Ile His Glu Leu Ile Gln Val Met Ala Glu Leu Ser Pro Ala Ala Lys
Thr Gly Lys Arg Lys Arg Ser Gln Met Leu Phe Arg Gly Arg Arg Ala Ser Gln

FIG. 61A

CTGGGACAGTGAATCGACAATGCCGTCTTCTGTCTCGTGGGGCATCCT
CCTGCTGGCAGGCCTGTGCTGCCTGGTCCCTGTCTCCCTGGCTGAGGA
TCCCCAGGGAGATGCTGCCCAGAAGACAGATACATCCCACCATGATC
AGGATCACCCAACCTTCAACAAGATCACCCCCAACCTGGCTGAGTTC
GCCTTCAGCCTATACCGCCAGCTGGCACACCAGTCCAACAGCACCAA
TATCTTCTTCTCCCCAGTGAGCATCGCTACAGCCTTTGCAATGCTCTC
CCTGGGGACCAAGGCTGACACTCACGATGAAATCCTGGAGGGCCTGA
ATTTCAACCTCACGGAGATTCCGGAGGCTCAGATCCATGAAGGCTTC
CAGGAACTCCTCCGTACCCTCAACCAGCCAGACAGCCAGCTCCAGCT
GACCACCGGCAATGGCCTGTTCCTCAGCGAGGGCCTGAAGCTAGTGG
ATAAGTTTTTGGAGGATGTTAAAAAGTTGTACCACTCAGAAGCCTTC
ACTGTCAACTTCGGGGACACCGAAGAGGCCAAGAAACAGATCAACG
ATTACGTGGAGAAGGGTACTCAAGGGAAAATTGTGGATTTGGTCAAG
GAGCTTGACAGAGACACAGTTTTTGCTCTGGTGAATTACATCTTCTTT
AAAGGCAAATGGGAGAGACCCTTTGAAGTCAAGGACACCGAGGAAG
AGGACTTCCACGTGGACCAGGTGACCACCGTGAAGGTGCCTATGATG
AAGCGTTTAGGCATGTTTAACATCCAGCACTGTAAGAAGCTGTCCAG
CTGGGTGCTGCTGATGAAATACCTGGGCAATGCCACCGCCATCTTCT
TCCTGCCTGATGAGGGGAAACTACAGCACCTGGAAAATGAACTCACC
CACGATATCATCACCAAGTTCCTGGAAAATGAAGACAGAAGGTCTGC
CAGCTTACATTTACCCAAACTGTCCATTACTGGAACCTATGATCTGAA
GAGCGTCCTGGGTCAACTGGGCATCACTAAGGTCTTCAGCAATGGGG
CTGACCTCTCCGGGGTCACAGAGGAGGCACCCCTGAAGCTCTCCAAG
GCCGTGCATAAGGCTGTGCTGACCATCGACGAGAAAGGGACTGAAGC
TGCTGGGGCCATGTTTTTAGAGGCCATACCCATGTCTATCCCCCCCGA
GGTCAAGTTCAACAAACCCTTTGTCTTCTTAATGATTGAACAAAATAC
CAAGTCTCCCCTCTTCATGGGAAAAGTGGTGAATCCCACCCAAAAAT
AACTGCCTCTCGCTCCTCAACCCCTCCCCTCCATCCCTGGCCCCCTCC
CTGGATGACATTAAAGAAGGGTTGAGCTGG

FIG. 61B

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu Ser Glu Gly Leu Lys Leu Val Asp Lys Phe Leu Glu Asp Val Lys Lys Leu Tyr His Ser Glu Ala Phe Thr Val Asn Phe Gly Asp Thr Glu Glu Ala Lys Lys Gln Ile Asn Asp Tyr Val Glu Lys Gly Thr Gln Gly Lys Ile Val Asp Leu Val Lys Glu Leu Asp Arg Asp Thr Val Phe Ala LeuVal Asn Tyr Ile Phe Phe Lys Gly Lys Trp Glu Arg Pro Phe Glu Val Lys Asp Thr Glu Glu Glu Asp Phe His Val Asp Gln Val Thr Thr Val Lys Val Pro Met Met Lys Arg Leu Gly Met Phe Asn Ile Gln His Cys Lys Lys Leu Ser Ser Trp Val Leu Leu Met Lys Tyr Leu Gly Asn Ala Thr Ala Ile Phe Phe Leu Pro Asp Glu Gly Lys Leu Gln His Leu Glu Asn Glu Leu Thr His Asp Ile Ile Thr Lys Phe Leu Glu Asn Glu AspArg Arg Ser Ala Ser Leu His Leu Pro Lys Leu Ser Ile Thr Gly Thr Tyr Asp Leu Lys Ser Val Leu Gly Gln Leu Gly Ile Thr Lys Val Phe Ser Asn Gly Ala Asp Leu Ser Gly Val Thr Glu Glu Ala Pro Leu Lys Leu Ser Lys Ala Val His Lys Ala Val Leu Thr Ile Asp Glu Lys Gly Thr Glu Ala Ala Gly Ala Met Phe Leu Glu Ala Ile Pro Met Ser Ile Pro Pro Glu Val Lys Phe Asn Lys Pro Phe Val Phe Leu Met Ile Glu Gln Asn Thr Lys Ser Pro Leu Phe Met Gly Lys Val Val Asn Pro Thr Gln Lys

FIG. 62A-1

GCTAACCTAGTGCCTATAGCTAAGGCAGGTACCTGCATCCTTGTTTTT
GTTTAGTGGATCCTCTATCCTTCAGAGACTCTGGAACCCCTGTGGTCT
TCTCTTCATCTAATGACCCTGAGGGGATGGAGTTTTCAAGTCCTTCCA
GAGAGGAATGTCCCAAGCCTTTGAGTAGGGTAAGCATCATGGCTGGC
AGCCTCACAGGTTTGCTTCTACTTCAGGCAGTGTCGTGGGCATCAGGT
GCCCGCCCCTGCATCCCTAAAAGCTTCGGCTACAGCTCGGTGGTGTGT
GTCTGCAATGCCACATACTGTGACTCCTTTGACCCCCCGACCTTTCCT
GCCCTTGGTACCTTCAGCCGCTATGAGAGTACACGCAGTGGGCGACG
GATGGAGCTGAGTATGGGGCCCATCCAGGCTAATCACACGGGCACAG
GCCTGCTACTGACCCTGCAGCCAGAACAGAAGTTCCAGAAAGTGAAG
GGATTTGGAGGGGCCATGACAGATGCTGCTGCTCTCAACATCCTTGCC
CTGTCACCCCCTGCCCAAAATTTGCTACTTAAATCGTACTTCTCTGAA
GAAGGAATCGGATATAACATCATCCGGGTACCCATGGCCAGCTGTGA
CTTCTCCATCCGCACCTACACCTATGCAGACACCCCTGATGATTTCCA
GTTGCACAACTTCAGCCTCCCAGAGGAAGATACCAAGCTCAAGATAC
CCCTGATTCACCGAGCCCTGCAGTTGGCCCAGCGTCCCGTTTCACTCC
TTGCCAGCCCCTGGACATCACCCACTTGGCTCAAGACCAATGGAGCG
GTGAATGGGAAGGGGTCACTCAAGGGACAGCCCGGAGACATCTACC
ACCAGACCTGGGCCAGATACTTTGTGAAGTTCCTGGATGCCTATGCTG
AGCACAAGTTACAGTTCTGGGCAGTGACAGCTGAAAATGAGCCTTCT
GCTGGGCTGTTGAGTGGATACCCCTTCCAGTGCCTGGGCTTCACCCCT
GAACATCAGCGAGACTTCATTGCCCGTGACCTAGGTCCTACCCTCGCC
AACAGTACTCACCACAATGTCCGCCTACTCATGCTGGATGACCAACGC
TTGCTGCTGCCCCACTGGGCAAAGGTGGTACTGACAGACCCAGAAGC
AGCTAAATATGTTCATGGCATTGCTGTACATTGGTACCTGGACTTTCT
GGCTCCAGCCAAAGCCACCCTAGGGGAGACACACCGCCTGTTCCCCA
ACACCATGCTCTTTGCCTCAGAGGCCTGTGTGGGCTCCAAGTTCTGGG
AGCAGAGTGTGCGGCTAGGCTCCTGGGATCGAGGGATGCAGTACAGC
CACAGCATCATCACGAACCTCCTGTACCATGTGGTCGGCTGGACCGAC
TGGAACCTTGCCCTGAACCCCGAAGGAGGACCCAATTGGGTGCGTAA
CTTTGTCGACAGTCCCATCATTGTAGACATCACCAAGGACACGTTTTA
CAAACAGCCCATGTTCTACCACCTTGGCCACTTCAGCAAGTTCATTCC
TGAGGGCTCCCAGAGAGTGGGGCTGGTTGCCAGTCAGAAGAACGACC
TGGACGCAGTGGCACTGATGCATCCCGATGGCTCTGCTGTTGTGGTCG
TGCTAAACCGCTCCTCTAAGGATGTGCCTCTTACCATCAAGGATCCTG
CTGTGGGCTTCCTGGAGACAATCTCACCTGGCTACTCCATTCACACCT
ACCTGTGGCATCGCCAGTGATGGAGCAGATACTCAAGGAGGCACTGG
GCTCAGCCTGGGCATTAAAGGGACAGAGTCAGCTCACACGCTGTCTG
TGACTAAAGAGGGCACAGCAGGGCCAGTGTGAGCTTACAGCGACGT

FIG. 62A-2

AAGCCCAGGGGCAATGGTTTGGGTGACTCACTTTCCCCTCTAGGTGGT
GCCCAGGGCTGGAGGCCCCTAGAAAAAGATCAGTAAGCCCCAGTGTC
CCCCCAGCCCCCATGCTTATGTGAACATGCGCTGTGTGCTGCTTGCTT
TGGAAACT

FIG. 62B

Met Glu Phe Ser Ser Pro Ser Arg Glu Glu Cys Pro Lys Pro Leu Ser Arg Val Ser
Ile Met Ala Gly Ser Leu Thr Gly Leu Leu Leu Leu Gln Ala Val Ser Trp Ala Ser
Gly Ala Arg Pro Cys Ile Pro Lys Ser Phe Gly Tyr Ser Ser Val Val Cys Val Cys
Asn Ala Thr Tyr Cys Asp Ser Phe Asp Pro Pro Thr Phe Pro Ala Leu Gly Thr
Phe Ser Arg Tyr Glu Ser Thr Arg Ser Gly Arg Arg Met Glu Leu Ser Met Gly
Pro Ile Gln Ala Asn His Thr Gly Thr Gly Leu Leu Leu Thr Leu Gln Pro Glu Gln
Lys Phe Gln Lys Val Lys Gly Phe Gly Gly Ala Met Thr Asp Ala Ala Ala Leu
Asn Ile Leu Ala Leu Ser Pro Pro Ala Gln Asn Leu Leu Leu Lys Ser Tyr Phe Ser
Glu Glu Gly Ile Gly Tyr Asn Ile Ile Arg Val Pro Met Ala Ser Cys Asp Phe Ser
Ile Arg Thr Tyr Thr Tyr Ala Asp Thr Pro Asp Asp Phe Gln Leu His Asn Phe Ser
Leu Pro Glu Glu Asp Thr Lys Leu Lys Ile Pro Leu Ile His Arg Ala Leu Gln Leu
Ala Gln Arg Pro Val Ser Leu Leu Ala Ser Pro Trp Thr Ser Pro Thr Trp Leu Lys
Thr Asn Gly Ala Val Asn Gly Lys Gly Ser Leu Lys Gly Gln Pro Gly Asp Ile
Tyr His Gln Thr Trp Ala Arg Tyr Phe Val Lys Phe Leu Asp Ala Tyr Ala Glu
His Lys Leu Gln Phe Trp Ala Val Thr Ala Glu Asn Glu Pro Ser Ala Gly Leu
Leu Ser Gly Tyr Pro Phe Gln Cys Leu Gly Phe Thr Pro Glu His Gln Arg Asp
Phe Ile Ala Arg Asp Leu Gly Pro Thr Leu Ala Asn Ser Thr His His Asn Val Arg
Leu Leu Met Leu Asp Asp Gln Arg Leu Leu Leu Pro His Trp Ala Lys Val Val
Leu Thr Asp Pro Glu Ala Ala Lys Tyr Val His Gly Ile Ala Val His Trp Tyr Leu
Asp Phe Leu Ala Pro Ala Lys Ala Thr Leu Gly Glu Thr His Arg Leu Phe Pro
Asn Thr Met Leu Phe Ala Ser Glu Ala Cys Val Gly Ser Lys Phe Trp Glu Gln Ser
Val Arg Leu Gly Ser Trp Asp Arg Gly Met Gln Tyr Ser His Ser Ile Ile Thr Asn
Leu Leu Tyr His Val Val Gly Trp Thr Asp Trp Asn Leu Ala Leu Asn Pro Glu
Gly Gly Pro Asn Trp Val Arg Asn Phe Val Asp Ser Pro Ile Ile Val Asp Ile Thr
Lys Asp Thr Phe Tyr Lys Gln Pro Met Phe Tyr His Leu Gly His Phe Ser Lys
Phe Ile Pro Glu Gly Ser Gln Arg Val Gly Leu Val Ala Ser Gln Lys Asn Asp Leu
Asp Ala Val Ala Leu Met His Pro Asp Gly Ser Ala Val Val Val Val Leu Asn
Arg Ser Ser Lys Asp Val Pro Leu Thr Ile Lys Asp Pro Ala Val Gly Phe Leu Glu
Thr Ile Ser Pro Gly Tyr Ser Ile His Thr Tyr Leu Trp His Arg Gln

FIG. 63A

ATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTCGTTTCGCCCAGCCAGGAAATCCATGCCCGATTCAGAA
GAGGAGCCAGATCTTACCAAGTGATCTGCAGAGATGAAAAAACGCA
GATGATATACCAGCAACATCAGTCATGGCTGCGCCCTGTGCTCAGAA
GCAACCGGGTGGAATATTGCTGGTGCAACAGTGGCAGGGCACAGTGC
CACTCAGTGCCTGTCAAAAGTTGCAGCGAGCCAAGGTGTTTCAACGG
GGGCACCTGCCAGCAGGCCCTGTACTTCTCAGATTTCGTGTGCCAGTG
CCCCGAAGGATTTGCTGGGAAGTGCTGTGAAATAGATACCAGGGCCA
CGTGCTACGAGGACCAGGGCATCAGCTACAGGGGCACGTGGAGCAC
AGCGGAGAGTGGCGCCGAGTGCACCAACTGGAACAGCAGCGCGTTG
GCCCAGAAGCCCTACAGCGGGCGGAGGCCAGACGCCATCAGGCTGG
GCCTGGGGAACCACAACTACTGCAGAAACCCAGATCGAGACTCAAA
GCCCTGGTGCTACGTCTTTAAGGCGGGGAAGTACAGCTCAGAGTTCT
GCAGCACCCCTGCCTGCTCTGAGGGAAACAGTGACTGCTACTTTGGG
AATGGGTCAGCCTACCGTGGCACGCACAGCCTCACCGAGTCGGGTGC
CTCCTGCCTCCCGTGGAATTCCATGATCCTGATAGGCAAGGTTTACAC
AGCACAGAACCCCAGTGCCCAGGCACTGGGCCTGGGCAAACATAATT
ACTGCCGGAATCCTGATGGGGATGCCAAGCCCTGGTGCCACGTGCTG
AAGAACCGCAGGCTGACGTGGGAGTACTGTGATGTGCCCTCCTGCTC
CACCTGCGGCCTGAGACAGTACAGCCAGCCTCAGTTTCGCATCAAAG
GAGGGCTCTTCGCCGACATCGCCTCCCACCCCTGGCAGGCTGCCATCT
TTGCCAAGCACAGGAGGTCGCCGGGAGAGCGGTTCCTGTGCGGGGGC
ATACTCATCAGCTCCTGCTGGATTCTCTCTGCCGCCCACTGCTTCCAG
GAGAGGTTTCCGCCCCACCACCTGACGGTGATCTTGGGCAGAACATA
CCGGGTGGTCCCTGGCGAGGAGGAGCAGAAATTTGAAGTCGAAAAA
TACATTGTCCATAAGGAATTCGATGATGACACTTACGACAATGACAT
TGCGCTGCTGCAGCTGAAATCGGATTCGTCCCGCTGTGCCCAGGAGA
GCAGCGTGGTCCGCACTGTGTGCCTTCCCCCGGCGGACCTGCAGCTG
CCGGACTGGACGGAGTGTGAGCTCTCCGGCTACGGCAAGCATGAGGC
CTTGTCTCCTTTCTATTCGGAGCGGCTGAAGGAGGCTCATGTCAGACT
GTACCCATCCAGCCGCTGCACATCACAACATTTACTTAACAGAACAG
TCACCGACAACATGCTGTGTGCTGGAGACACTCGGAGCGGCGGGCCC
CAGGCAAACTTGCACGACGCCTGCCAGGGCGATTCGGGAGGCCCCCT
GGTGTGTCTGAACGATGGCCGCATGACTTTGGTGGGCATCATCAGCT
GGGGCCTGGGCTGTGGACAGAAGGATGTCCCGGGTGTGTACACCAAG
GTTACCAACTACCTAGACTGGATTCGTGACAACATGCGACCGTGACC
AGGAACACCCGACTCCTCAAAAGCAAATGAGATCC

FIG. 63B

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly Ala Val Phe Val Ser Pro Ser Gln Glu Ile His Ala Arg Phe Arg Arg Gly Ala Arg Ser Tyr Gln Val Ile Cys Arg Asp Glu Lys Thr Gln Met Ile Tyr Gln Gln His Gln Ser Trp Leu Arg Pro Val Leu Arg Ser Asn Arg Val Glu Tyr Cys Trp Cys Asn Ser Gly Arg Ala Gln Cys His Ser Val Pro Val Lys Ser Cys Ser Glu Pro Arg Cys Phe Asn Gly Gly Thr Cys Gln Gln Ala Leu Tyr Phe Ser Asp Phe Val Cys Gln Cys Pro Glu Gly Phe Ala Gly Lys Cys Cys Glu Ile Asp Thr Arg Ala Thr Cys Tyr Glu Asp Gln Gly Ile Ser Tyr Arg Gly Thr Trp Ser Thr Ala Glu Ser Gly Ala Glu Cys Thr Asn Trp Asn Ser Ser Ala Leu Ala Gln Lys Pro Tyr Ser Gly Arg Arg Pro Asp Ala Ile Arg Leu Gly Leu Gly Asn His Asn Tyr Cys Arg Asn Pro Asp Arg Asp Ser Lys Pro Trp Cys Tyr Val Phe Lys Ala Gly Lys Tyr Ser Ser Glu Phe Cys Ser Thr Pro Ala Cys Ser Glu Gly Asn Ser Asp Cys Tyr Phe Gly Asn Gly Ser Ala Tyr Arg Gly Thr His Ser Leu Thr Glu Ser Gly Ala Ser Cys Leu Pro Trp Asn Ser Met Ile Leu Ile Gly Lys Val Tyr Thr Ala Gln Asn Pro Ser Ala Gln Ala Leu Gly Leu Gly Lys His Asn Tyr Cys Arg Asn Pro Asp Gly Asp Ala Lys Pro Trp Cys His Val Leu Lys Asn Arg Arg Leu Thr Trp Glu Tyr Cys Asp Val Pro Ser Cys Ser Thr Cys Gly Leu Arg Gln Tyr Ser Gln Pro Gln Phe Arg Ile Lys Gly Gly Leu Phe Ala Asp Ile Ala Ser His Pro Trp Gln Ala Ala Ile Phe Ala Lys His Arg Arg Ser Pro Gly Glu Arg Phe Leu Cys Gly Gly Ile Leu Ile Ser Ser Cys Trp Ile Leu Ser Ala Ala His Cys Phe Gln Glu Arg Phe Pro Pro His His Leu Thr Val Ile Leu Gly Arg Thr Tyr Arg Val Val Pro Gly Glu Glu Glu Gln Lys Phe Glu Val Glu Lys Tyr Ile Val His Lys Glu Phe Asp Asp Asp Thr Tyr Asp Asn Asp Ile Ala Leu Leu Gln Leu Lys Ser Asp Ser Ser Arg Cys Ala Gln Glu Ser Ser Val Val Arg Thr Val Cys Leu Pro Pro Ala Asp Leu Gln Leu Pro Asp Trp Thr Glu Cys Glu Leu Ser Gly Tyr Gly Lys His Glu Ala Leu Ser Pro Phe Tyr Ser Glu Arg Leu Lys Glu Ala His Val Arg Leu Tyr Pro Ser Ser Arg Cys Thr Ser Gln His Leu Leu Asn Arg Thr Val Thr Asp Asn Met Leu Cys Ala Gly Asp Thr Arg Ser Gly Gly Pro Gln Ala Asn Leu His Asp Ala Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys Leu Asn Asp Gly Arg Met Thr Leu Val Gly Ile Ile Ser Trp Gly Leu Gly Cys Gly Gln Lys Asp Val Pro Gly Val Tyr Thr Lys Val Thr Asn Tyr Leu Asp Trp Ile Arg Asp Asn Met

FIG. 64A

ATCACTCTCTTTAATCACTACTCACATTAACCTCAACTCCTGCCACAA
TGTACAGGATGCAACTCCTGTCTTGCATTGCACTAATTCTTGCACTTG
TCACAAACAGTGCACCTACTTCAAGTTCGACAAAGAAAACAAAGAAA
ACACAGCTACAACTGGAGCATTTACTGCTGGATTTACAGATGATTTTG
AATGGAATTAATAATTACAAGAATCCCAAACTCACCAGGATGCTCAC
ATTTAAGTTTTACATGCCCAAGAAGGCCACAGAACTGAAACAGCTTC
AGTGTCTAGAAGAAGAACTCAAACCTCTGGAGGAAGTGCTGAATTTA
GCTCAAAGCAAAAACTTTCACTTAAGACCCAGGGACTTAATCAGCAA
TATCAACGTAATAGTTCTGGAACTAAAGGGATCTGAAACAACATTCA
TGTGTGAATATGCAGATGAGACAGCAACCATTGTAGAATTTCTGAAC
AGATGGATTACCTTTTGTCAAAGCATCATCTCAACACTAACTTGATAA
TTAAGTGCTTCCCACTTAAAACATATCAGGCCTTCTATTTATTTATTTA
AATATTTAAATTTTATATTTATTGTTGAATGTATGGTTGCTACCTATTG
TAACTATTATTCTTAATCTTAAAACTATAAATATGGATCTTTTATGAT
TCTTTTTGTAAGCCCTAGGGGCTCTAAAATGGTTTACCTTATTTATCC
CAAAAATATTTATTATTATGTTGAATGTTAAATATAGTATCTATGTAG
ATTGGTTAGTAAAACTATTTAATAAATTTGATAAATATAAAAAAAAA
AAACAAAAAAAAAAA

FIG. 64B

Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ile Leu Ala Leu Val Thr Asn
Ser Ala Pro Thr Ser Ser Ser Thr Lys Lys Thr Lys Lys Thr Gln Leu Gln Leu Glu
His Leu Leu Leu Asp Leu Gln Met Ile Leu Asn Gly Ile Asn Asn Tyr Lys Asn
Pro Lys Leu Thr Arg Met Leu Thr Phe Lys Phe Tyr Met Pro Lys Lys Ala Thr
Glu Leu Lys Gln Leu Gln Cys Leu Glu Glu Glu Leu Lys Pro Leu Glu Glu Val
Leu Asn Leu Ala Gln Ser Lys Asn Phe His Leu Arg Pro Arg Asp Leu Ile Ser
Asn Ile Asn Val Ile Val Leu Glu Leu Lys Gly Ser Glu Thr Thr Phe Met Cys Glu
Tyr Ala Asp Glu Thr Ala Thr Ile Val Glu Phe Leu Asn Arg Trp Ile Thr Phe Cys
Gln Ser Ile Ile Ser Thr Leu Thr

FIG. 65A-1

ATGCAAATAGAGCTCTCCACCTGCTTCTTTCTGTGCCTTTTGCGATTCT
GCTTTAGTGCCACCAGAAGATACTACCTGGGTGCAGTGGAACTGTCA
TGGGACTATATGCAAAGTGATCTCGGTGAGCTGCCTGTGGACGCAAG
ATTTCCTCCTAGAGTGCCAAAATCTTTTCCATTCAACACCTCAGTCGT
GTACAAAAAGACTCTGTTTGTAGAATTCACGGATCACCTTTTCAACAT
CGCTAAGCCAAGGCCACCCTGGATGGGTCTGCTAGGTCCTACCATCC
AGGCTGAGGTTTATGATACAGTGGTCATTACACTTAAGAACATGGCT
TCCCATCCTGTCAGTCTTCATGCTGTTGGTGTATCCTACTGGAAAGCT
TCTGAGGGAGCTGAATATGATGATCAGACCAGTCAAAGGGAGAAAG
AAGATGATAAAGTCTTCCCTGGTGGAAGCCATACATATGTCTGGCAG
GTCCTGAAAGAGAATGGTCCAATGGCCTCTGACCCACTGTGCCTTAC
CTACTCATATCTTTCTCATGTGGACCTGGTAAAAGACTTGAATTCAGG
CCTCATTGGAGCCCTACTAGTATGTAGAGAAGGGAGTCTGGCCAAGG
AAAAGACACAGACCTTGCACAAATTTATACTACTTTTTGCTGTATTTG
ATGAAGGGAAAAGTTGGCACTCAGAAACAAAGAACTCCTTGATGCA
GGATAGGGATGCTGCATCTGCTCGGGCCTGGCCTAAAATGCACACAG
TCAATGGTTATGTAAACAGGTCTCTGCCAGGTCTGATTGGATGCCACA
GGAAATCAGTCTATTGGCATGTGATTGGAATGGGCACCACTCCTGAA
GTGCACTCAATATTCCTCGAAGGTCACACATTTCTTGTGAGGAACCAT
CGCCAGGCGTCCTTGGAAATCTCGCCAATAACTTTCCTTACTGCTCAA
ACACTCTTGATGGACCTTGGACAGTTTCTACTGTTTTGTCATATCTCTT
CCCACCAACATGATGGCATGGAAGCTTATGTCAAAGTAGACAGCTGT
CCAGAGGAACCCCAACTACGAATGAAAAATAATGAAGAAGCGGAAG
ACTATGATGATGATCTTACTGATTCTGAAATGGATGTGGTCAGGTTTG
ATGATGACAACTCTCCTTCCTTTATCCAAATTCGCTCAGTTGCCAAGA
AGCATCCTAAAACTTGGGTACATTACATTGCTGCTGAAGAGGAGGAC
TGGGACTATGCTCCCTTAGTCCTCGCCCCCGATGACAGAAGTTATAAA
AGTCAATATTTGAACAATGGCCCTCAGCGGATTGGTAGGAAGTACAA
AAAAGTCCGATTTATGGCATACACAGATGAAACCTTTAAGACTCGTG
AAGCTATTCAGCATGAATCAGGAATCTTGGGACCTTTACTTTATGGGG
AAGTTGGAGACACACTGTTGATTATATTTAAGAATCAAGCAAGCAGA
CCATATAACATCTACCCTCACGGAATCACTGATGTCCGTCCTTTGTAT
TCAAGGAGATTACCAAAAGGTGTAAAACATTTGAAGGATTTTCCAAT
TCTGCCAGGAGAAATATTCAAATATAAATGGACAGTGACTGTAGAAG
ATGGGCCAACTAAATCAGATCCTCGGTGCCTGACCCGCTATTACTCTA
GTTTCGTTAATATGGAGAGAGATCTAGCTTCAGGACTCATTGGCCCTC
TCCTCATCTGCTACAAAGAATCTGTAGATCAAAGAGGAAACCAGATA
ATGTCAGACAAGAGGAATGTCATCCTGTTTTCTGTATTTGATGAGAAC
CGAAGCTGGTACCTCACAGAGAAATATACAACGCTTTCTCCCCAATCCA
GCTGGAGTGCAGCTTGAGGATCCAGAGTTCCAAGCCTCCAACATCAT
GCACAGCATCAATGGCTATGTTTTTGATAGTTTGCAGTTGTCAGTTTG
TTTGCATGAGGTGGCATACTGGTACATTCTAAGCATTGGAGCACAGA
CTGACTTCCTTTCTGTCTTCTTCTCTGGATATACCTTCAAACACAAAAT

FIG. 65A-2

GGTCTATGAAGACACACTCACCCTATTCCCATTCTCAGGAGAAACTGT
CTTCATGTCGATGGAAAACCCAGGTCTATGGATTCTGGGGTGCCACA
ACTCAGACTTTCGGAACAGAGGCATGACCGCCTTACTGAAGGTTTCT
AGTTGTGACAAGAACACTGGTGATTATTACGAGGACAGTTATGAAGA
TATTTCAGCATACTTGCTGAGTAAAAACAATGCCATTGAACCAAGAA
GCTTCTCCCAGAATTCAAGACACCGTAGCACTAGGCAAAAGCAATTT
AATGCCACCACAATTCCAGAAAATGACATAGAGAAGACTGACCCTTG
GTTTGCACACAGAACACCTATGCCTAAAATACAAAATGTCTCCTCTA
GTGATTTGTTGATGCTCTTGCGACAGAGTCCTACTCCACATGGGCTAT
CCTTATCTGATCTCCAAGAAGCCAAATATGAGACTTTTTCTGATGATC
CATCACCTGGAGCAATAGACAGTAATAACAGCCTGTCTGAAATGACA
CACTTCAGGCCACAGCTCCATCACAGTGGGGACATGGTATTTACCCC
TGAGTCAGGCCTCCAATTAAGATTAAATGAGAAACTGGGGACAACTG
CAGCAACAGAGTTGAAGAAACTTGATTTCAAAGTTTCTAGTACATCA
AATAATCTGATTTCAACAATTCCATCAGACAATTTGGCAGCAGGTACT
GATAATACAAGTTCCTTAGGACCCCCAAGTATGCCAGTTCATTATGAT
AGTCAATTAGATACCACTCTATTTGGCAAAAAGTCATCTCCCCTTACT
GAGTCTGGTGGACCTCTGAGCTTGAGTGAAGAAAATAATGATTCAAA
GTTGTTAGAATCAGGTTTAATGAATAGCCAAGAAAGTTCATGGGGAA
AAAATGTATCGTCAACAGAGAGTGGTAGGTTATTTAAAGGGAAAAGA
GCTCATGGACCTGCTTTGTTGACTAAAGATAATGCCTTATTCAAAGTT
AGCATCTCTTTGTTAAAGACAAACAAAACTTCCAATAATTCAGCAACT
AATAGAAAGACTCACATTGATGGCCCATCATTATTAATTGAGAATAG
TCCATCAGTCTGGCAAAATATATTAGAAAGTGACACTGAGTTTAAAA
AAGTGACACCTTTGATTCATGACAGAATGCTTATGGACAAAAATGCT
ACAGCTTTGAGGCTAAATCATATGTCAAATAAAACTACTTCATCAAA
AAACATGGAAATGGTCCAACAGAAAAAAGAGGGCCCCATTCCACCA
GATGCACAAAATCCAGATATGTCGTTCTTTAAGATGCTATTCTTGCCA
GAATCAGCAAGGTGGATACAAAGGACTCATGGAAAGAACTCTCTGAA
CTCTGGGCAAGGCCCCAGTCCAAAGCAATTAGTATCCTTAGGACCAG
AAAAATCTGTGGAAGGTCAGAATTTCTTGTCTGAGAAAAACAAAGTG
GTAGTAGGAAAGGGTGAATTTACAAAGGACGTAGGACTCAAAGAGA
TGGTTTTTCCAAGCAGCAGAAACCTATTTCTTACTAACTTGGATAATT
TACATGAAAATAATACACACAATCAAGAAAAAAAAATTCAGGAAGA
AATAGAAAAGAAGGAAACATTAATCCAAGAGAATGTAGTTTTGCCTC
AGATACATACAGTGACTGGCACTAAGAATTTCATGAAGAACCTTTTC
TTACTGAGCACTAGGCAAAATGTAGAAGGTTCATATGACGGGGCATA
TGCTCCAGTACTTCAAGATTTTAGGTCATTAAATGATTCAACAAATAG
AACAAAGAAACACACAGCTCATTTCTCAAAAAAAGGGGAGGAAGAA
AACTTGGAAGGCTTGGGAAATCAAACCAGCAAATTGTAGAGAAATAT
GCATGCACCACAAGGAATATCTCCTAATACAAGCCAGCAGAATTTTG
TCACGCAACGTAGTAAGAGAGCTTTGAAACAATTCAGACTCCCACTA

FIG. 65A-3

GAAGAAACAGAACTTGAAAAAAGGATAATTGTGGATGACACCTCAAC
CCAGTGGTCCAAAAACATGAAACATTTGACCCCGAGCACCCTCACAC
AGATAGACTACAATGAGAAGGAGAAAGGGGCCATTACTCAGTCTCCC
TTATCAGATTGCCTTACGAGGAGTCATAGCATCCCTCAAGCAAATAGA
TCTCCATTACCCATTGCAAAGGTATCATCATTTCCATCTATTAGACCTA
TATATCTGACCAGGGTCCTATTCCAAGACAACTCTTCTCATCTTCCAG
CAGCATCTTATAGAAAGAAAGATTCTGGGGTCCAAGAAAGCAGTCAT
TTCTTACAAGGAGCCAAAAAAAATAACCTTTCTTTAGCCATTCTAACC
TTGGAGATGACTGGTGATCAAAGAGAGGTTGGCTCCCTGGGGACAAG
TGCCACAAATTCAGTCACATACAAGAAAGTTGAGAACACTGTTCTCCC
GAAACCAGACTTGCCCAAAACATCTGGCAAAGTTGAATTGCTTCCAA
AAGTTCACATTTATCAGAAGGACCTATTCCCTACGGAAACTAGCAATG
GGTCTCCTGGCCATCTGGATCTCGTGGAAGGGAGCCTTCTTCAGGGAA
CAGAGGGAGCGATTAAGTGGAATGAAGCAAACAGACCTGGAAAAGT
TCCCTTTCTGAGAGTAGCAACAGAAAGCTCTGCAAAGACTCCCTCCAA
GCTATTGGATCCTCTTGCTTGGGATAACCACTATGGTACTCAGATACC
AAAAGAAGAGTGGAAATCCCAAGAGAAGTCACCAGAAAAAACAGCT
TTTAAGAAAAAGGATACCATTTTGTCCCTGAACGCTTGTGAAAGCAAT
CATGCAATAGCAGCAATAAATGAGGGACAAAATAAGCCCGAAATAG
AAGTCACCTGGGCAAAGCAAGGTAGGACTGAAAGGCTGTGCTCTCAA
AACCCACCAGTCTTGAAACGCCATCAACGGGAAATAACTCGTACTAC
TCTTCAGTCAGATCAAGAGGAAATTGACTATGATGATACCATATCAGT
TGAAATGAAGAAGGAAGATTTTGACATTTATGATGAGGATGAAAATC
AGAGCCCCCGCAGCTTTCAAAAGAAAACACGACACTATTTTATTGCTG
CAGTGGAGAGGCTCTGGGATTATGGGATGAGTAGCTCCCCACATGTT
CTAAGAAACAGGGCTCAGAGTGGCAGTGTCCCTCAGTTCAAGAAAGT
TGTTTTCCAGGAATTTACTGATGGCTCCTTTACTCAGCCCTTATACCGT
GGAGAACTAAATGAACATTTGGGACTCCTGGGGCCATATATAAGAGC
AGAAGTTGAAGATAATATCATGGTAACTTTCAGAAATCAGGCCTCTC
GTCCCTATTCCTTCTATTCTAGCCTTATTTCTTATGAGGAAGATCAGAG
GCAAGGAGCAGAACCTAGAAAAAACTTTGTCAAGCCTAATGAAACCA
AAACTTACTTTTGGAAAGTGCAACATCATATGGCACCCACTAAAGAT
GAGTTTGACTGCAAAGCCTGGGCTTATTTCTCTGATGTTGACCTGGAA
AAAGATGTGCACTCAGGCCTGATTGGACCCCTTCTGGTCTGCCACACT
AACACACTGAACCCTGCTCATGGGAGACAAGTGACAGTACAGGAATT
TGCTCTGTTTTTCACCATCTTTGATGAGACCAAAAGCTGGTACTTCACT
GAAAATATGGAAAGAAACTGCAGGGCTCCCTGCAATATCCAGATGGA
AGATCCCACTTTTAAAGAGAATTATCGCTTCCATGCAATCAATGGCTA
CATAATGGATACACTACCTGGCTTAGTAATGGCTCAGGATCAAAGGA
TTCGATGGTATCTGCTCAGCATGGGCAGCAATGAAAACATCCATTCT
ATTCATTTCAGTGGACATGTGTTCACTGTACGAAAAAAAGAGGAGTA
TAAAATGGCACTGTACAATCTCTATCCAGGTGTTTTTGAGACAGTGGA

FIG. 65A-4

AATGTTACCATCCAAAGCTGGAATTTGGCGGGTGGAATGCCTTATTGG
CGAGCATCTACATGCTGGGATGAGCACACTTTTTCTGGTGTACAGCAA
TAAGTGTCAGACTCCCCTGGGAATGGCTTCTGGACACATTAGAGATTT
TCAGATTACAGCTTCAGGACAATATGGACAGTGGGCCCCAAAGCTGG
CCAGACTTCATTATTCCGGATCAATCAATGCCTGGAGCACCAAGGAG
CCCTTTTCTTGGATCAAGGTGGATCTGTTGGCACCAATGATTATTCAC
GGCATCAAGACCCAGGGTGCCCGTCAGAAGTTCTCCAGCCTCTACAT
CTCTCAGTTTATCATCATGTATAGTCTTGATGGGAAGAAGTGGCAGA
CTTATCGAGGAAATTCCACTGGAACCTTAATGGTCTTCTTTGGCAATG
TGGATTCATCTGGGATAAAACACAATATTTTTAACCCTCCAATTATTG
CTCGATACATCCGTTTGCACCCAACTCATTATAGCATTCGCAGCACTC
TTCGCATGGAGTTGATGGGCTGTGATTTAAATAGTTGCAGCATGCCAT
TGGGAATGGAGAGTAAAGCAATATCAGATGCACAGATTACTGCTTCA
TCCTACTTTACCAATATGTTTGCCACCTGGTCTCCTTCAAAAGCTCGA
CTTCACCTCCAAGGGAGGAGTAATGCCTGGAGACCTCAGGTGAATAA
TCCAAAAAGAGTGGCTGCAAGTGGACTTCCAGAAGACAATGAAAGTCA
CAGGAGTAACTACTCAGGGAGTAAAATCTCTGCTTACCAGCATGTAT
GTGAAGGAGTTCCTCATCTCCAGCAGTCAAGATGGCCATCAGTGGAC
TCTCTTTTTTCAGAATGGCAAAGTAAAGGTTTTTCAGGGAAATCAAGA
CTCCTTCACACCTGTGGTGAACTCTCTAGACCCACCGTTACTGACTCG
CTACCTTCGAATTCACCCCCAGAGTTGGGTGCACCAGATTGCCCTGAG
GATGGAGGTTCTGGGCTGCGAGGCACAGGACCTCTACTGAGGGTGGC
CACTGCAGCACCTGCCACTGCCGTCACCTCTCCCTCCTCAGCTCCAGG
GCAGTGTCCCTCCCTGGCTTGCCTTCTACCTTTGTGCTAAATCCTAGC
AGACACTGCCTTGAAGCCTCCTGAATTAACTATCATCAGTCCTGCATT
TCTTTGGTGGGGGGCCAGGAGGGTGCATCCAATTTAACTTAACTCTTA
CCTATTTTCTGCAGCTGCTCCCAGATTACTCCTTCCTTCCAATATAACT
AGGCAAAAAGAAGTGAGGAGAAACCTGCATGAAAGCATTCTTCCCTG
AAAAGTTAGGCCTCTCAGAGTCACCACTTCCTCTGTTGTAGAAAAACT
ATGTGATGAAACTTTGAAAAAGATATTTATGATGTTAACATTTCAGGT
TAAGCCTCATACGTTTAAAATAAAACTCTCAGTTGTTTATTATCCTGA
TCAAGCATGGAACAAAGCATGTTTCAGGATCAGATCAATACAATCTT
GGAGTCAAAAGGCAAATCATTTGGACAATCTGCAAAATGGAGAGAA
TACAATAACTACTACAGTAAAGTCTGTTTCTGCTTCCTTACACATAGA
TATAATTATGTTATTTAGTCATTATGAGGGGCACATTCTTATCTCCAA
AACTAGCATTCTTAAACTGAGAATTATAGATGGGGTTCAAGAATCCC
TAAGTCCCCTGAAATTATATAAGGCATTCTGTATAAATGCAAATGTGC
ATTTTTCTGACGAGTGTCCATAGATATAAAGCCATTTGGTCTTAATTCT
GACCAATAAAAAAATAAGTCAGGAGGATGCAATTGTTGAAAGCTTTG
AAATAAAATAACAATGTCTTCTTGAAATTTGTGATGGCCAAGAAAGA
AAATGATGA

FIG. 65B-1

Met Gln Ile Glu Leu Ser Thr Cys Phe Phe Leu Cys Leu Leu Arg Phe Cys Phe Ser Ala Thr Arg Arg Tyr Tyr Leu Gly Ala Val Glu Leu Ser Trp Asp Tyr Met Gln Ser Asp Leu Gly Glu Leu Pro Val Asp Ala Arg Phe Pro Pro Arg Val Pro Lys Ser Phe Pro Phe Asn Thr Ser Val Val Tyr Lys Lys Thr Leu Phe Val Glu Phe Thr Asp His Leu Phe Asn Ile Ala Lys Pro Arg Pro Pro Trp Met Gly Leu Leu Gly Pro Thr Ile Gln Ala Glu Val Tyr Asp Thr Val Val Ile Thr Leu Lys Asn Met Ala Ser His Pro Val Ser Leu His Ala Val Gly Val Ser Tyr Trp Lys Ala Ser Glu Gly Ala Glu Tyr Asp Asp Gln Thr Ser Gln Arg Glu Lys Glu Asp Asp Lys Val Phe Pro Gly Gly Ser His Thr Tyr Val Trp Gln Val Leu Lys Glu Asn Gly Pro Met Ala Ser Asp Pro Leu Cys Leu Thr Tyr Ser Tyr Leu Ser His Val Asp Leu Val Lys Asp Leu Asn Ser Gly Leu Ile Gly Ala Leu Leu Val Cys Arg Glu Gly Ser Leu Ala Lys Glu Lys Thr Gln Thr Leu His Lys Phe Ile Leu Leu Phe Ala Val Phe Asp Glu Gly Lys Ser Trp His Ser Glu Thr Lys Asn Ser Leu Met Gln Asp Arg Asp Ala Ala Ser Ala Arg Ala Trp Pro Lys Met His Thr Val Asn Gly Tyr Val Asn Arg Ser Leu Pro Gly Leu Ile Gly Cys His Arg Lys Ser Val Tyr Trp His Val Ile Gly Met Gly Thr Thr Pro Glu Val His Ser Ile Phe Leu Glu Gly His Thr Phe Leu Val Arg Asn His Arg Gln Ala Ser Leu Glu Ile Ser Pro Ile Thr Phe Leu Thr Ala Gln Thr Leu Leu Met Asp Leu Gly Gln Phe Leu Leu Phe Cys His Ile Ser Ser His Gln His Asp Gly Met Glu Ala Tyr Val Lys Val Asp Ser Cys Pro Glu Glu Pro Gln Leu Arg Met Lys Asn Asn Glu Glu Ala Glu Asp Tyr Asp Asp Asp Leu Thr Asp Ser Glu Met Asp Val Val Arg Phe Asp Asp Asp Asn Ser Pro Ser Phe Ile Gln Ile Arg Ser Val Ala Lys Lys His Pro Lys Thr Trp Val His Tyr Ile Ala Ala Glu Glu Glu Asp Trp Asp Tyr Ala Pro Leu Val Leu Ala Pro Asp Asp Arg Ser Tyr Lys Ser Gln Tyr Leu Asn Asn Gly Pro Gln Arg Ile Gly Arg Lys Tyr Lys Lys Val Arg Phe Met Ala Tyr Thr Asp Glu Thr Phe Lys Thr Arg Glu Ala Ile Gln His Glu Ser Gly Ile Leu Gly Pro Leu Leu Tyr Gly Glu Val Gly Asp Thr Leu Leu Ile Ile Phe Lys Asn Gln Ala Ser Arg Pro Tyr Asn Ile Tyr Pro His Gly Ile Thr Asp Val Arg Pro Leu Tyr Ser Arg Arg Leu Pro Lys Gly Val Lys His Leu Lys Asp Phe Pro Ile Leu Pro Gly Glu Ile Phe Lys Tyr Lys Trp Thr Val Thr Val Glu Asp Gly Pro Thr Lys Ser Asp Pro Arg Cys Leu Thr Arg Tyr Tyr Ser Ser Phe Val Asn Met Glu Arg Asp Leu Ala Ser Gly Leu Ile Gly Pro Leu Leu Ile Cys Tyr Lys Glu Ser Val Asp Gln Arg Gly Asn Gln Ile Met Ser Asp Lys Arg Asn Val Ile Leu Phe Ser Val Phe Asp Glu Asn Arg Ser Trp Tyr Leu Thr Glu Asn Ile Gln Arg Phe Leu Pro Asn Pro Ala Gly Val Gln Leu Glu Asp Pro Glu Phe Gln Ala Ser Asn Ile Met His Ser Ile Asn Gly Tyr Val Phe Asp Ser Leu Gln Leu Ser Val Cys Leu His Glu Val Ala Tyr Trp Tyr Ile Leu Ser Ile Gly Ala Gln Thr Asp Phe Leu Ser Val Phe Ser Gly Tyr Thr Phe Lys His Lys Met Val Tyr Glu Asp Thr Leu Thr Leu Phe Pro Phe Ser Gly Glu Thr Val Phe Met Ser Met Glu Asn Pro Gly Leu Trp Ile Leu Gly Cys His Asn Ser Asp Phe Arg Asn Arg Gly Met Thr Ala Leu Leu Lys Val Ser Ser Cys Asp Lys Asn Thr Gly Asp Tyr Tyr Glu Asp Ser Tyr Glu Asp Ile Ser Ala Tyr Leu Leu Ser Lys Asn Asn Ala Ile Glu Pro Arg Ser Phe Ser Gln Asn Ser Arg His Arg Ser Thr Arg Gln Lys Gln Phe Asn Ala Thr Thr Ile Pro Glu Asn Asp Ile Glu Lys Thr Asp Pro Trp

FIG. 65B-2

Phe Ala His Arg Thr Pro Met Pro Lys Ile Gln Asn Val Ser Ser Ser Asp Leu Leu Met Leu Leu Arg Gln Ser Pro Thr Pro His Gly Leu Ser Leu Ser Asp Leu Gln Glu Ala Lys Tyr Glu Thr Phe Ser Asp Asp Pro Ser Pro Gly Ala Ile Asp Ser Asn Asn Ser Leu Ser Glu Met Thr His Phe Arg Pro Gln Leu His His Ser Gly Asp Met Val Phe Thr Pro Glu Ser Gly Leu Gln Leu Arg Leu Asn Glu Lys Leu Gly Thr Thr Ala Ala Thr Glu Leu Lys Lys Leu Asp Phe Lys Val Ser Ser Thr Ser Asn Asn Leu Ile Ser Thr Ile Pro Ser Asp Asn Leu Ala Ala Gly Thr Asp Asn Thr Ser Ser Leu Gly Pro Pro Ser Met Pro Val His Tyr Asp Ser Gln Leu Asp Thr Thr Leu Phe Gly Lys Lys Ser Ser Pro Leu Thr Glu Ser Gly Gly Pro Leu Ser Leu Ser Glu Glu Asn Asn Asp Ser Lys Leu Leu Glu Ser Gly Leu Met Asn Ser Gln Glu Ser Ser Trp Gly Lys Asn Val Ser Ser Thr Glu Ser Gly Arg Leu Phe Lys Gly Lys Arg Ala His Gly Pro Ala Leu Leu Thr Lys Asp Asn Ala Leu Phe Lys Val Ser Ile Ser Leu Leu Lys Thr Asn Lys Thr Ser Asn Asn Ser Ala Thr Asn Arg Lys Thr His Ile Asp Gly Pro Ser Leu Leu Ile Glu Asn Ser Pro Ser Val Trp Gln Asn Ile Leu Glu Ser Asp Thr Glu Phe Lys Lys Val Thr Pro Leu Ile His Asp Arg Met Leu Met Asp Lys Asn Ala Thr Ala Leu Arg Leu Asn His Met Ser Asn Lys Thr Thr Ser Ser Lys Asn Met Glu Met Val Gln Gln Lys Lys Glu Gly Pro Ile Pro Pro Asp Ala Gln Asn Pro Asp Met Ser Phe Phe Lys Met Leu Phe Leu Pro Glu Ser Ala Arg Trp Ile Gln Arg Thr His Gly Lys Asn Ser Leu Asn Ser Gly Gln Gly Pro Ser Pro Lys Gln Leu Val Ser Leu Gly Pro Glu Lys Ser Val Glu Gly Gln Asn Phe Leu Ser Glu Lys Asn Lys Val Val Val Gly Lys Gly Glu Phe Thr Lys Asp Val Gly Leu Lys Glu Met Val Phe Pro Ser Ser Arg Asn Leu Phe Leu Thr Asn Leu Asp Asn Leu His Glu Asn Asn Thr His Asn Gln Glu Lys Lys Ile Gln Glu Glu Ile Glu Lys Lys Glu Thr Leu Ile Gln Glu Asn Val Val Leu Pro Gln Ile His Thr Val Thr Gly Thr Lys Asn Phe Met Lys Asn Leu Phe Leu Leu Ser Thr Arg Gln Asn Val Glu Gly Ser Tyr Asp Gly Ala Tyr Ala Pro Val Leu Gln Asp Phe Arg Ser Leu Asn Asp Ser Thr Asn Arg Thr Lys Lys His Thr Ala His Phe Ser Lys Lys Gly Glu Glu Glu Asn Leu Glu Gly Leu Gly Asn Gln Thr Lys Gln Ile Val Glu Lys Tyr Ala Cys Thr Thr Arg Ile Ser Pro Asn Thr Ser Gln Gln Asn Phe Val Thr Gln Arg Ser Lys Arg Ala Leu Lys Gln Phe Arg Leu Pro Leu Glu Glu Thr Glu Leu Glu Lys Arg Ile Ile Val Asp Asp Thr Ser Thr Gln Trp Ser Lys Asn Met Lys His Leu Thr Pro Ser Thr Leu Thr Gln Ile Asp Tyr Asn Glu Lys Glu Lys Gly Ala Ile Thr Gln Ser Pro Leu Ser Asp Cys Leu Thr Arg Ser His Ser Ile Pro Gln Ala Asn Arg Ser Pro Leu Pro Ile Ala Lys Val Ser Ser Phe Pro Ser Ile Arg Pro Ile Tyr Leu Thr Arg Val Leu Phe Gln Asp Asn Ser Ser His Leu Pro Ala Ala Ser Tyr Arg Lys Lys Asp Ser Gly Val Gln Glu Ser Ser His Phe Leu Gln Gly Ala Lys Lys Asn Asn Leu Ser Leu Ala Ile Leu Thr Leu Glu Met Thr Gly Asp Gln Arg Glu Val Gly Ser Leu Gly Thr Ser Ala Thr Asn Ser Val Thr Tyr Lys Lys Val Glu Asn Thr Val Leu Pro Lys Pro Asp Leu Pro Lys Thr Ser Gly Lys Val Glu Leu Leu Pro Lys Val His Ile Tyr Gln Lys Asp Leu Phe Pro Thr Glu Thr Ser Asn Gly Ser Pro Gly His Leu Asp Leu Val Glu Gly Ser Leu

FIG. 65B-3

Leu Gln Gly Thr Glu Gly Ala Ile Lys Trp Asn Glu Ala Asn Arg Pro Gly Lys Val Pro Phe Leu Arg Val Ala Thr Glu Ser Ser Ala Lys Thr Pro Ser Lys Leu Leu Asp Pro Leu Ala Trp Asp Asn His Tyr Gly Thr Gln Ile Pro Lys Glu Glu Trp Lys Ser Gln Glu Lys Ser Pro Glu Lys Thr Ala Phe Lys Lys Lys Asp Thr Ile Leu Ser Leu Asn Ala Cys Glu Ser Asn His Ala Ile Ala Ala Ile Asn Glu Gly Gln Asn Lys Pro Glu Ile Glu Val Thr Trp Ala Lys Gln Gly Arg Thr Glu Arg Leu Cys Ser Gln Asn Pro Pro Val Leu Lys Arg His Gln Arg Glu Ile Thr Arg Thr Thr Leu Gln Ser Asp Gln Glu Glu Ile Asp Tyr Asp Asp Thr Ile Ser Val Glu Met Lys Lys Glu Asp Phe Asp Ile Tyr Asp Glu Asp Glu Asn Gln Ser Pro Arg Ser Phe Gln Lys Lys Thr Arg His Tyr Phe Ile Ala Ala Val Glu Arg Leu Trp Asp Tyr Gly Met Ser Ser Ser Pro His Val Leu Arg Asn Arg Ala Gln Ser Gly Ser Val Pro Gln Phe Lys Lys Val Val Phe Gln Glu Phe Thr Asp Gly Ser Phe Thr Gln Pro Leu Tyr Arg Gly Glu Leu Asn Glu His Leu Gly Leu Leu Gly Pro Tyr Ile Arg Ala Glu Val Glu Asp Asn Ile Met Val Thr Phe Arg Asn Gln Ala Ser Arg Pro Tyr Ser Phe Tyr Ser Ser Leu Ile Ser Tyr Glu Glu Asp Gln Arg Gln Gly Ala Glu Pro Arg Lys Asn Phe Val Lys Pro Asn Glu Thr Lys Thr Tyr Phe Trp Lys Val Gln His His Met Ala Pro Thr Lys Asp Glu Phe Asp Cys Lys Ala Trp Ala Tyr Phe Ser Asp Val Asp Leu Glu Lys Asp Val His Ser Gly Leu Ile Gly Pro Leu Leu Val Cys His Thr Asn Thr Leu Asn Pro Ala His Gly Arg Gln Val Thr Val Gln Glu Phe Ala Leu Phe Phe Thr Ile Phe Asp Glu Thr Lys Ser Trp Tyr Phe Thr Glu Asn Met Glu Arg Asn Cys Arg Ala Pro Cys Asn Ile Gln Met Glu Asp Pro Thr Phe Lys Glu Asn Tyr Arg Phe His Ala Ile Asn Gly Tyr Ile Met Asp Thr Leu Pro Gly Leu Val Met Ala Gln Asp Gln Arg Ile Arg Trp Tyr Leu Leu Ser Met Gly Ser Asn Glu Asn Ile His Ser Ile His Phe Ser Gly His Val Phe Thr Val Arg Lys Lys Glu Glu Tyr Lys Met Ala Leu Tyr Asn Leu Tyr Pro Gly Val Phe Glu Thr Val Glu Met Leu Pro Ser Lys Ala Gly Ile Trp Arg Val Glu Cys Leu Ile Gly Glu His Leu His Ala Gly Met Ser Thr Leu Phe Leu Val Tyr Ser Asn Lys Cys Gln Thr Pro Leu Gly Met Ala Ser Gly His Ile Arg Asp Phe Gln Ile Thr Ala Ser Gly Gln Tyr Gly Gln Trp Ala Pro Lys Leu Ala Arg Leu His Tyr Ser Gly Ser Ile Asn Ala Trp Ser Thr Lys Glu Pro Phe Ser Trp Ile Lys Val Asp Leu Leu Ala Pro Met Ile Ile His Gly Ile Lys Thr Gln Gly Ala Arg Gln Lys Phe Ser Ser Leu Tyr Ile Ser Gln Phe Ile Ile Met Tyr Ser Leu Asp Gly Lys Lys Trp Gln Thr Tyr Arg Gly Asn Ser Thr Gly Thr Leu Met Val Phe Phe Gly Asn Val Asp Ser Ser Gly Ile Lys His Asn Ile Phe Asn Pro Pro Ile Ile Ala Arg Tyr Ile Arg Leu His Pro Thr His Tyr Ser Ile Arg Ser Thr Leu Arg Met Glu Leu Met Gly Cys Asp Leu Asn Ser Cys Ser Met Pro Leu Gly Met Glu Ser Lys Ala Ile Ser Asp Ala Gln Ile Thr Ala Ser Ser Tyr Phe Thr Asn Met Phe Ala Thr Trp Ser Pro Ser Lys Ala Arg Leu His Leu Gln Gly Arg Ser Asn Ala Trp Arg Pro Gln Val Asn Asn Pro Lys Glu Trp Leu Gln Val Asp Phe Gln Lys Thr Met Lys Val Thr Gly Val Thr Thr Gln Gly Val Lys Ser Leu Leu Thr Ser Met Tyr Val Lys Glu Phe Leu Ile Ser Ser Ser Gln Asp Gly His Gln Trp Thr Leu Phe Phe Gln Asn Gly Lys Val Lys Val Phe Gln Gly Asn Gln Asp Ser Phe Thr Pro Val Val Asn Ser Leu Asp Pro Pro Leu Leu Thr Arg Tyr Leu Arg Ile His

FIG.65B-4

Pro Gln Ser Trp Val His Gln Ile Ala Leu Arg Met Glu Val Leu Gly Cys Glu Ala Gln Asp Leu Tyr

FIG. 66A

TCCACCTGTCCCCGCAGCGCCGGCTCGCGCCCTCCTGCCGCAGCCACC
GAGCCGCCGTCTAGCGCCCCGACCTCGCCACCATGAGAGCCCTGCTG
GCGCGCCTGCTTCTCTGCGTCCTGGTCGTGAGCGACTCCAAAGGCAGC
AATGAACTTCATCAAGTTCCATCGAACTGTGACTGTCTAAATGGAGGA
ACATGTGTGTCCAACAAGTACTTCTCCAACATTCACTGGTGCAACTGC
CCAAAGAAATTCGGAGGGCAGCACTGTGAAATAGATAAGTCAAAAAC
CTGCTATGAGGGGAATGGTCACTTTTACCGAGGAAAGGCCAGCACTG
ACACCATGGGCCGGCCCTGCCTGCCCTGGAACTCTGCCACTGTCCTTC
AGCAAACGTACCATGCCCACAGATCTGATGCTCTTCAGCTGGGCCTGG
GGAAACATAATTACTGCAGGAACCCAGACAACCGGAGGCGACCCTGG
TGCTATGTGCAGGTGGGCCTAAAGCCGCTTGTCCAAGAGTGCATGGT
GCATGACTGCGCAGATGGAAAAAAGCCCTCCTCTCCTCCAGAAGAAT
TAAAATTTCAGTGTGGCCAAAAGACTCTGAGGCCCCGCTTTAAGATTA
TTGGGGGAGAATTCACCACCATCGAGAACCAGCCCTGGTTTGCGGCC
ATCTACAGGAGGCACCGGGGGGGCTCTGTCACCTACGTGTGTGGAGG
CAGCCTCATCAGCCCTTGCTGGGTGATCAGCGCCACACACTGCTTCAT
TGATTACCCAAAGAAGGAGGACTACATCGTCTACCTGGGTCGCTCAA
GGCTTAACTCCAACACGCAAGGGGAGATGAAGTTTGAGGTGGAAAAC
CTCATCCTACACAAGGACTACAGCGCTGACACGCTTGCTCACCACAAC
GACATTGCCTTGCTGAAGATCCGTTCCAAGGAGGGCAGGTGTGCGCA
GCCATCCCGGACTATACAGACCATCTGCCTGCCCTCGATGTATAACGA
TCCCCAGTTTGGCACAAGCTGTGAGATCACTGGCTTTGGAAAAGAGA
ATTCTACCGACTATCTCTATCCGGAGCAGCTGAAGATGACTGTTGTGA
AGCTGATTTCCCACCGGGAGTGTCAGCAGCCCCACTACTACGGCTCTG
AAGTCACCACCAAAATGCTGTGTGCTGCTGACCCACAGTGGAAAACA
GATTCCTGCCAGGGAGACTCAGGGGGACCCCTCGTCTGTTCCCTCCAA
GGCCGCATGACTTTGACTGGAATTGTGAGCTGGGGCCGTGGATGTGC
CCTGAAGGACAAGCCAGGCGTCTACACGAGAGTCTCACACTTCTTAC
CCTGGATCCGCAGTCACACCAAGGAAGAGAATGGCCTGGCCCTCTGA
GGGTCCCCAGGGAGGAAACGGGCACCACCCGCTTTCTTGCTGGTTGTC
ATTTTTGCAGTAGAGTCATCTCCATCAGCTGTAAGAAGAGACTGGGA
AGAT

FIG. 66B

Met Arg Ala Leu Leu Ala Arg Leu Leu Leu Cys Val Leu Val Val Ser Asp Ser Lys Gly Ser Asn Glu Leu His Gln Val Pro Ser Asn Cys Asp Cys Leu Asn Gly Gly Thr Cys Val Ser Asn Lys Tyr Phe Ser Asn Ile His Trp Cys Asn Cys Pro Lys Lys Phe Gly Gly Gln His Cys Glu Ile Asp Lys Ser Lys Thr Cys Tyr Glu Gly Asn Gly His Phe Tyr Arg Gly Lys Ala Ser Thr Asp Thr Met Gly Arg Pro Cys Leu Pro Trp Asn Ser Ala Thr Val Leu Gln Gln Thr Tyr His Ala His Arg Ser Asp Ala Leu Gln Leu Gly Leu Gly Lys His Asn Tyr Cys Arg Asn Pro Asp Asn Arg Arg Arg Pro Trp Cys Tyr Val Gln Val Gly Leu Lys Pro Leu Val Gln Glu Cys Met Val His Asp Cys Ala Asp Gly Lys Lys Pro Ser Ser Pro Pro Glu Glu Leu Lys Phe Gln Cys Gly Gln Lys Thr Leu Arg Pro Arg Phe Lys Ile Ile Gly Gly Glu Phe Thr Thr Ile Glu Asn Gln Pro Trp Phe Ala Ala Ile Tyr Arg Arg His Arg Gly Gly Ser Val Thr Tyr Val Cys Gly Gly Ser Leu Ile Ser Pro Cys Trp Val Ile Ser Ala Thr His Cys Phe Ile Asp Tyr Pro Lys Lys Glu Asp Tyr Ile Val Tyr Leu Gly Arg Ser Arg Leu Asn Ser Asn Thr Gln Gly Glu Met Lys Phe Glu Val Glu Asn Leu Ile Leu His Lys Asp Tyr Ser Ala Asp Thr Leu Ala His His Asn Asp Ile Ala Leu Leu Lys Ile Arg Ser Lys Glu Gly Arg Cys Ala Gln Pro Ser Arg Thr Ile Gln Thr Ile Cys Leu Pro Ser Met Tyr Asn Asp Pro Gln Phe Gly Thr Ser Cys Glu Ile Thr Gly Phe Gly Lys Glu Asn Ser Thr Asp Tyr Leu Tyr Pro Glu Gln Leu Lys Met Thr Val Val Lys Leu Ile Ser His Arg Glu Cys Gln Gln Pro His Tyr Tyr Gly Ser Glu Val Thr Thr Lys Met Leu Cys Ala Ala Asp Pro Gln Trp Lys Thr Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys Ser Leu Gln Gly Arg Met Thr Leu Thr Gly Ile Val Ser Trp Gly Arg Gly Cys Ala Leu Lys Asp Lys Pro Gly Val Tyr Thr Arg Val Ser His Phe Leu Pro Trp Ile Arg Ser His Thr Lys Glu Glu Asn Gly Leu Ala Leu

FIG.67A

TCCTGCACAGGCAGTGCCTTGAAGTGCTTCTTCAGAGACCTTTCTTCA
TAGACTACTTTTTTTTCTTTAAGCAGCAAAAGGAGAAAATTGTCATCA
AGGATATTCCAGATTCTTGACAGCATTCTCGTCATCTCTGAGGACATC
ACCATCATCTCAGGATGAGGGGCATGAAGCTGCTGGGGGCGCTGCTG
GCACTGGCGGCCCTACTGCAGGGGGCCGTGTCCCTGAAGATCGCAGC
CTTCAACATCCAGACATTTGGGGAGACCAAGATGTCCAATGCCACCCT
CGTCAGCTACATTGTGCAGATCCTGAGCCGCTATGACATCGCCCTGGT
CCAGGAGGTCAGAGACAGCCACCTGACTGCCGTGGGGAAGCTGCTGG
ACAACCTCAATCAGGATGCACCAGACACCTATCACTACGTGGTCAGT
GAGCCACTGGGACGGAACAGCTATAAGGAGCGCTACCTGTTCGTGTA
CAGGCCTGACCAGGTGTCTGCGGTGGACAGCTACTACTACGATGATG
GCTGCGAGCCCTGCGGGAACGACACCTTCAACCGAGAGCCAGCCATT
GTCAGGTTCTTCTCCCGGTTCACAGAGGTCAGGGAGTTTGCCATTGTT
CCCCTGCATGCGGCCCCGGGGGACGCAGTAGCCGAGATCGACGCTCT
CTATGACGTCTACCTGGATGTCCAAGAGAAATGGGGCTTGGAGGACG
TCATGTTGATGGGCGACTTCAATGCGGGCTGCAGCTATGTGAGACCCT
CCCAGTGGTCATCCATCCGCCTGTGGACAAGCCCCACCTTCCAGTGGC
TGATCCCCGACAGCGCTGACACCACAGCTACACCCACGCACTGTGCCT
ATGACAGGATCGTGGTTGCAGGGATGCTGCTCCGAGGCGCCGTTGTTC
CCGACTCGGCTCTTCCCTTTAACTTCCAGGCTGCCTATGGCCTGAGTG
ACCAACTGGCCCAAGCCATCAGTGACCACTATCCAGTGGAGGTGATG
CTGAAGTGAGCAGCCCCTCCCCACACCAGTTGAACTGCAG

FIG. 67B

Met Arg Gly Met Lys Leu Leu Gly Ala Leu Leu Ala Leu Ala Ala Leu Leu Gln Gly Ala Val Ser Leu Lys Ile Ala Ala Phe Asn Ile Gln Thr Phe Gly Glu Thr Lys Met Ser Asn Ala Thr Leu Val Ser Tyr Ile Val Gln Ile Leu Ser Arg Tyr Asp Ile Ala Leu Val Gln Glu Val Arg Asp Ser His Leu Thr Ala Val Gly Lys Leu Leu Asp Asn Leu Asn Gln Asp Ala Pro Asp Thr Tyr His Tyr Val Val Ser Glu Pro Leu Gly Arg Asn Ser Tyr Lys Glu Arg Tyr Leu Phe Val Tyr Arg Pro Asp Gln Val Ser Ala Val Asp Ser Tyr Tyr Tyr Asp Asp Gly Cys Glu Pro Cys Gly Asn Asp Thr Phe Asn Arg Glu Pro Ala Ile Val Arg Phe Phe Ser Arg Phe Thr Glu Val Arg Glu Phe Ala Ile Val Pro Leu His Ala Ala Pro Gly Asp Ala Val Ala Glu Ile Asp Ala Leu Tyr Asp Val Tyr Leu Asp Val Gln Glu Lys Trp Gly Leu Glu Asp Val Met Leu Met Gly Asp Phe Asn Ala Gly Cys Ser Tyr Val Arg Pro Ser Gln Trp Ser Ser Ile Arg Leu Trp Thr Ser Pro Thr Phe Gln Trp Leu Ile Pro Asp Ser Ala Asp Thr Thr Ala Thr Pro Thr His Cys Ala Tyr Asp Arg Ile Val Val Ala Gly Met Leu Leu Arg Gly Ala Val Val Pro Asp Ser Ala Leu Pro Phe Asn Phe Gln Ala Ala Tyr Gly Leu Ser Asp Gln Leu Ala Gln Ala Ile Ser Asp His Tyr Pro Val Glu Val Met Leu Lys

FIG. 68A

GCTGCATCAGAAGAGGCCATCAAGCACATCACTGTCCTTCTGCCATGG
CCCTGTGGATGCGCCTCCTGCCCCCTGCTGGCGCTGCTGGCCCTCTGGG
GACCTGACCCAGCCGCAGCCTTTGTGAACCAACACCTGTGCGGCTCAC
ACCTGGTGGAAGCTCTCTACCTAGTGTGCGGGGAACGAGGCTTCTTCT
ACACACCCAAGACCCGCCGGGAGGCAGAGGACCTGCAGGTGGGGCA
GGTGGAGCTGGGCGGGGGCCCTGGTGCAGGCAGCCTGCAGCCCTTGG
CCCTGGAGGGGTCCCTGCAGAAGCGTGGCATTGTGGAACAATGCTGT
ACCAGCATCTGCTCCCTCTACCAGCTGGAGAACTACTGCAACTAGACG
CAGCCCGCAGGCAGCCCCCCACCCGCCGCCTCCTGCACCGAGAGAGA
TGGAATAAAGCCCTTGAACCAGC

FIG. 68B

Met Ala Leu Trp Met Arg Leu Leu Pro Leu Leu Ala Leu Leu Ala Leu Trp Gly
Pro Asp Pro Ala Ala Ala Phe Val Asn Gln His Leu Cys Gly Ser His Leu Val
Glu Ala Leu Tyr Leu Val Cys Gly Glu Arg Gly Phe Phe Tyr Thr Pro Lys Thr
Arg Arg Glu Ala Glu Asp Leu Gln Val Gly Gln Val Glu Leu Gly Gly Gly Pro
Gly Ala Gly Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln Lys Arg Gly Ile
Val Glu Gln Cys Cys Thr Ser Ile Cys Ser Leu Tyr Gln Leu Glu Asn Tyr Cys Asn

FIG. 69A

ATGGGAGGTTGGTCTTCCAAACCTCGACAAGGCATGGGGACGAATCT
TTCTGTTCCCAATCCTCTGGGATTCTTTCCCGATCACCAGTTGGACCCT
GCGTTCGGAGCCAACTCAAACAATCCAGATTGGGACTTCAACCCCAA
CAAGGATCACTGGCCAGAGGCAATCAAGGTAGGAGCGGGAGACTTC
GGGCCAGGGTTCACCCCACCACACGGCGGTCTTTTGGGGTGGAGCCC
TCAGGCTCAGGGCATATTGACAACAGTGCCAGCAGCGCCTCCTCCTG
TTTCCACCAATCGGCAGTCAGGAAGACAGCCTACTCCCATCTCTCCAC
CTCTAAGAGACAGTCATCCTCAGGCCATGCAGTGGAACTCCACAACA
TTCCACCAAGCTCTGCTAGATCCCAGAGTGAGGGGCCTATATTTTCCT
GCTGGTGGCTCCAGTTCCGGAACAGTAAACCCTGTTCCGACTACTGTC
TCACCCATATCGTCAATCTTCTCGAGGACTGGGGACCCTGCACCGAAC
ATGGAGAGCACAACATCAGGATTCCTAGGACCCCTGCTCGTGTTACA
GGCGGGGTTTTTCTTGTTGACAAGAATCCTCACAATACCACAGAGTCT
AGACTCGTGGTGGACTTCTCTCAATTTTCTAGGGGGAGCACCCACGTG
TCCTGGCCAAAATTCGCAGTCCCCAACCTCCAATCACTCACCAACCTC
TTGTCCTCCAATTTGTCCTGGTTATCGCTGGATGTGTCTGCGGCGTTTT
ATCATATTCCTCTTCATCCTGCTGCTATGCCTCATCTTCTTGTTGGTTC
TTCTGGACTACCAAGGTATGTTGCCCGTTTGTCCTCTACTTCCAGGAA
CATCAACTACCAGCACGGGACCATGCAAGACCTGCACGATTCCTGCT
CAAGGAACCTCTATGTTTCCCTCTTGTTGCTGTACAAAACCTTCGGAC
GGAAACTGCACTTGTATTCCCATCCCATCATCCTGGGCTTTCGCAAGA
TTCCTATGGGAGTGGGCCTCAGTCCGTTTCTCCTGGCTCAGTTTACTA
GTGCCATTTGTTCAGTGGTTCGCAGGGCTTTCCCCCACTGTTTGGCTTT
CAGTTATATGGATGATGTGGTATTGGGGGCCAAGTCTGTACAACATCT
TGAGTCCCTTTTTACCTCTATTACCAATTTTCTTTTGTCTTTGGGTATAC
ATTTGA

FIG. 69B

Met Gly Gly Trp Ser Ser Lys Pro Arg Gln Gly Met Gly Thr Asn Leu Ser Val Pro Asn Pro Leu Gly Phe Phe Pro Asp His Gln Leu Asp Pro Ala Phe Gly Ala Asn Ser Asn Asn Pro Asp Trp Asp Phe Asn Pro Asn Lys Asp His Trp Pro Glu Ala Ile Lys Val Gly Ala Gly Asp Phe Gly Pro Gly Phe Thr Pro Pro His Gly Gly Leu Leu Gly Trp Ser Pro Gln Ala Gln Gly Ile Leu Thr Thr Val Pro Ala Ala Pro Pro Pro Val Ser Thr Asn Arg Gln Ser Gly Arg Gln Pro Thr Pro Ile Ser Pro Pro Leu Arg Asp Ser His Pro Gln Ala Met Gln Trp Asn Ser Thr Thr Phe His Gln Ala Leu Leu Asp Pro Arg Val Arg Gly Leu Tyr Phe Pro Ala Gly Gly Ser Ser Ser Gly Thr Val Asn Pro Val Pro Thr Thr Val Ser Pro Ile Ser Ser Ile Phe Ser Arg Thr Gly Asp Pro Ala Pro Asn Met Glu Ser Thr Thr Ser Gly Phe Leu Gly Pro Leu Leu Val Leu Gln Ala Gly Phe Phe Leu Leu Thr Arg Ile Leu Thr Ile Pro Gln Ser Leu Asp Ser Trp Trp Thr Ser Leu Asn Phe Leu Gly Gly Ala Pro Thr Cys Pro Gly Gln Asn Ser Gln Ser Pro Thr Ser Asn His Ser Pro Thr Ser Cys Pro Pro Ile Cys Pro Gly Tyr Arg Trp Met Cys Leu Arg Arg Phe Ile Ile Phe Leu Phe Ile Leu Leu Leu Cys Leu Ile Phe Leu Leu Val Leu Leu Asp Tyr Gln Gly Met Leu Pro Val Cys Pro Leu Leu Pro Gly Thr Ser Thr Thr Ser Thr Gly Pro Cys Lys Thr Cys Thr Ile Pro Ala Gln Gly Thr Ser Met Phe Pro Ser Cys Cys Cys Thr Lys Pro Ser Asp Gly Asn Cys Thr Cys Ile Pro Ile Pro Ser Ser Trp Ala Phe Ala Arg Phe Leu Trp Glu Trp Ala Ser Val Arg Phe Ser Trp Leu Ser Leu Leu Val Pro Phe Val Gln Trp Phe Ala Gly Leu Ser Pro Thr Val Trp Leu Ser Val Ile Trp Met Met Trp Tyr Trp Gly Pro Ser Leu Tyr Asn Ile Leu Ser Pro Phe Leu Pro Leu Leu Pro Ile Phe Phe Cys Leu Trp Val Tyr Ile

FIG. 70A

CGAACCACTCAGGGTCCTGTGGACAGCTCACCTAGCTGCAATGGCTA
CAGGCTCCCGGACGTCCCTGCTCCTGGCTTTTGGCCTGCTCTGCCTGC
CCTGGCTTCAAGAGGGCAGTGCCTTCCCAACCATTCCCTTATCCAGGC
CTTTTGACAACGCTATGCTCCGCGCCCATCGTCTGCACCAGCTGGCCT
TTGACACCTACCAGGAGTTTGAAGAAGCCTATATCCCAAAGGAACAG
AAGTATTCATTCCTGCAGAACCCCCAGACCTCCCTCTGTTTCTCAGAG
TCTATTCCGACACCCTCCAACAGGGAGGAAACACAACAGAAATCCAA
CCTAGAGCTGCTCCGCATCTCCCTGCTGCTCATCCAGTCGTGGCTGGA
GCCCGTGCAGTTCCTCAGGAGTGTCTTCGCCAACAGCCTGGTGTACGG
CGCCTCTGACAGCAACGTCTATGACCTCCTAAAGGACCTAGAGGAAG
GCATCCAAACGCTGATGGGGAGGCTGGAAGATGGCAGCCCCCGGACT
GGGCAGATCTTCAAGCAGACCTACAGCAAGTTCGACACAAACTCACA
CAACGATGACGCACTACTCAAGAACTACGGGCTGCTCTACTGCTTCAG
GAAGGACATGGCAAGGTCGAGACATTCCTGCGCATCGTGCAGTGCCG
CTCTGTGGAGGGCAGCTGTGGCTTCTAGCTGCCCGGGTGGCATCCCTG
TGACCCCTCCCCAGTGCCTCTCCTGGCCCTGGAAGTTGCCACTCCAGT
GCCCACCAGCCTTGTCCTAATAAAATTAAGTTGCATC

FIG. 70B

Met Ala Thr Gly Ser Arg Thr Ser Leu Leu Leu Ala Phe Gly Leu Leu Cys Leu
Pro Trp Leu Gln Glu Gly Ser Ala Phe Pro Thr Ile Pro Leu Ser Arg Pro Phe Asp
Asn Ala Met Leu Arg Ala His Arg Leu His Gln Leu Ala Phe Asp Thr Tyr Gln
Glu Phe Glu Glu Ala Tyr Ile Pro Lys Glu Gln Lys Tyr Ser Phe Leu Gln Asn Pro
Gln Thr Ser Leu Cys Phe Ser Glu Ser Ile Pro Thr Pro Ser Asn Arg Glu Glu Thr
Gln Gln Lys Ser Asn Leu Glu Leu Leu Arg Ile Ser Leu Leu Leu Ile Gln Ser Trp
Leu Glu Pro Val Gln Phe Leu Arg Ser Val Phe Ala Asn Ser Leu Val Tyr Gly Ala
Ser Asp Ser Asn Val Tyr Asp Leu Leu Lys Asp Leu Glu Glu Gly Ile Gln Thr Leu
Met Gly Arg Leu Glu Asp Gly Ser Pro Arg Thr Gly Gln Ile Phe Lys Gln Thr Tyr
Ser Lys Phe Asp Thr Asn Ser His Asn Asp Asp Ala Leu Leu Lys Asn Tyr Gly
Leu Leu Tyr Cys Phe Arg Lys Asp Met Asp Lys Val Glu Thr Phe Leu Arg Ile
Val Gln CysArg Ser Val Glu Gly Ser Cys Gly Phe

FIG. 71A

ATGGCGCCCGTCGCCGTCTGGGCCGCGCTGGCCGTCGGACTGGAGCT
CTGGGCTGCGGCGCACGCCTTGCCCGCCCAGGTGGCATTTACACCCTA
CGCCCCGGAGCCCGGGAGCACATGCCGGCTCAGAGAATACTATGACC
AGACAGCTCAGATGTGCTGCAGCAAATGCTCGCCGGGCCAACATGCA
AAAGTCTTCTGTACCAAGACCTCGGACACCGTGTGTGACTCCTGTGAG
GACAGCACATACACCCAGCTCTGGAACTGGGTTCCCGAGTGCTTGAG
CTGTGGCTCCCGCTGTAGCTCTGACCAGGTGGAAACTCAAGCCTGCAC
TCGGGAACAGAACCGCATCTGCACCTGCAGGCCCGGCTGGTACTGCG
CGCTGAGCAAGCAGGAGGGGTGCCGGCTGTGCGCGCCGCTGCGCAAG
TGCCGCCCGGGCTTCGGCGTGGCCAGACCAGGAACTGAAACATCAGA
CGTGGTGTGCAAGCCCTGTGCCCCGGGGACGTTCTCCAACACGACTTC
ATCCACGGATATTTGCAGGCCCCACCAGATCTGTAACGTGGTGGCCAT
CCCTGGGAATGCAAGCATGGATGCAGTCTGCACGTCCACGTCCCCCA
CCCGGAGTATGGCCCCAGGGGCAGTACACTTACCCCAGCCAGTGTCC
ACACGATCCCAACACACGCAGCCAACTCCAGAACCCAGCACTGCTCC
AAGCACCTCCTTCCTGCTCCCAATGGGCCCCAGCCCCCCAGCTGAAGG
GAGCACTGGCGACTTCGCTCTTCCAGTTGGACTGATTGTGGGTGTGAC
AGCCTTGGGTCTACTAATAATAGGAGTGGTGAACTGTGTCATCATGAC
CCAGGTGAAAAAGAAGCCCTTGTGCCTGCAGAGAGAAGCCAAGGTGC
CTCACTTGCCTGCCGATAAGGCCCGGGGTACACAGGGCCCCGAGCAG
CAGCACCTGCTGATCACAGCGCCGAGCTCCAGCAGCAGCTCCCTGGA
GAGCTCGGCCAGTGCGTTGGACAGAAGGGCGCCCACTCGGAACCAGC
CACAGGCACCAGGCGTGGAGGCCAGTGGGGCCGGGGAGGCCCGGGC
CAGCACCGGGAGCTCAGATTCTTCCCCTGGTGGCCATGGGACCCAGG
TCAATGTCACCTGCATCGTGAACGTCTGTAGCAGCTCTGACCACAGCT
CACAGTGCTCCTCCCAAGCCAGCTCCACAATGGGAGACACAGATTCC
AGCCCCTCGGAGTCCCCGAAGGACGAGCAGGTCCCCTTCTCCAAGGA
GGAATGTGCCTTTCGGTCACAGCTGGAGACGCCAGAGACCCTGCTGG
GGAGCACCGAAGAGAAGCCCCTGCCCCTTGGAGTGCCTGATGCTGGG
ATGAAGCCCAGTTAACCAGGCCGGTGTGGGCTGTGTCGTAGCCAAGG
TGGGCTGAGCCCTGGCAGGATGACCCTGCGAAGGGGCCCTGGTCCTT
CCAGGC

FIG. 71B

Met Ala Pro Val Ala Val Trp Ala Ala Leu Ala Val Gly Leu Glu Leu Trp Ala Ala Ala His Ala Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Phe Ala Leu Pro Val Gly Leu Ile Val Gly Val Thr Ala Leu Gly Leu Leu Ile Ile Gly Val Val Asn Cys Val Ile Met Thr Gln Val Lys Lys Lys Pro Leu Cys Leu Gln Arg Glu Ala Lys Val Pro His Leu Pro Ala Asp Lys Ala Arg Gly Thr Gln Gly Pro Glu Gln Gln His Leu Leu Ile Thr Ala Pro Ser Ser Ser Ser Ser Ser Leu Glu Ser Ser Ala Ser Ala Leu Asp Arg Arg Ala Pro Thr Arg Asn Gln Pro Gln Ala Pro Gly Val Glu Ala Ser Gly Ala Gly Glu Ala Arg Ala Ser Thr Gly Ser Ser Asp Ser Ser Pro Gly Gly His Gly Thr Gln Val Asn Val Thr Cys Ile Val Asn Val Cys Ser Ser Ser Asp His Ser Ser Gln Cys Ser Ser Gln Ala Ser Ser Thr Met Gly Asp Thr Asp Ser Ser Pro Ser Glu Ser Pro Lys Asp Glu Gln Val Pro Phe Ser Lys Glu Glu Cys Ala Phe Arg Ser Gln Leu Glu Thr Pro Glu Thr Leu Leu Gly Ser Thr Glu Glu Lys Pro Leu Pro Leu Gly Val Pro Asp Ala Gly Met Lys Pro Ser

FIG. 72A

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys

FIG. 72B

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser

FIG. 73A

Gln Val Thr Leu Arg Glu Ser Gly Pro Ala Leu Val Lys Pro Thr Gln Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser Gly Met Ser Val Gly Trp Ile Arg Gln Pro Ser Gly Lys Ala Leu Glu Trp Leu Ala Asp Ile Trp Trp Asp Asp Lys Lys Asp Tyr Asn Pro Ser Leu Lys Ser Arg Leu Thr Ile Ser Lys Asp Thr Ser Lys Asn Gln Val Val Leu Lys Val Thr Asn Met Asp Pro Ala Asp Thr Ala Thr Tyr Tyr Cys Ala Arg Ser Met Ile Thr Asn Trp Tyr Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser

FIG. 73B

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Lys Cys Gln Leu Ser Val Gly Tyr Met His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Trp Ile Tyr Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Asp Asp Phe Ala Thr Tyr Tyr Cys Phe Gln Gly Ser Gly Tyr Pro Phe Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys

FIG. 74A

GACATCTTGCTGACTCAGTCTCCAGCCATCCTGTCTGTGAGTCCAGGA
GAAAGAGTCAGTTTCTCCTGCAGGGCCAGTCAGTTCGTTGGCTCAAGC
ATCCACTGGTATCAGCAAAGAACAAATGGTTCTCCAAGGCTTCTCATA
AAGTATGCTTCTGAGTCTATGTCTGGGATCCCTTCCAGGTTTAGTGGC
AGTGGATCAGGGACAGATTTTACTCTTAGCATCAACACTGTGGAGTCT
GAAGATATTGCAGATTATTACTGTCAACAAAGTCATAGCTGGCCATTC
ACGTTCGGCTCGGGGACAAATTTGGAAGTAAAAGAAGTGAAGCTTGA
GGAGTCTGGAGGAGGCTTGGTGCAACCTGGAGGATCCATGAAACTCT
CCTGTGTTGCCTCTGGATTCATTTTCAGTAACCACTGGATGAACTGGG
TCCGCCAGTCTCCAGAGAAGGGGCTTGAGTGGGTTGCTGAAATTAGA
TCAAAATCTATTAATTCTGCAACACATTATGCGGAGTCTGTGAAAGGG
AGGTTCACCATCTCAAGAGATGATTCCAAAAGTGCTGTCTACCTGCAA
ATGACCGACTTAAGAACTGAAGACACTGGCGTTTATTACTGTTCCAGG
AATTACTACGGTAGTACCTACGACTACTGGGGCCAAGGCACCACTCTC
ACAGTCTCC

FIG. 74B

Asp Ile Leu Leu Thr Gln Ser Pro Ala Ile Leu Ser Val Ser Pro Gly Glu Arg Val
Ser Phe Ser Cys Arg Ala Ser Gln Phe Val Gly Ser Ser Ile His Trp Tyr Gln Gln
Arg Thr Asn Gly Ser Pro Arg Leu Leu Ile Lys Tyr Ala Ser Glu Ser Met Ser Gly
Ile Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn
Thr Val Glu Ser Glu Asp Ile Ala Asp Tyr Tyr Cys Gln Gln Ser His Ser Trp Pro
Phe Thr Phe Gly Ser Gly Thr Asn Leu Glu Val Lys Glu Val Lys Leu Glu Glu Ser
Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Met Lys Leu Ser Cys Val Ala Ser Gly
Phe Ile Phe Ser Asn His Trp Met Asn Trp Val Arg Gln Ser Pro Glu Lys Gly Leu
Glu Trp Val Ala Glu Ile Arg Ser Lys Ser Ile Asn Ser Ala Thr His Tyr Ala Glu
Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ala Val Tyr
LeuGln Met Thr Asp Leu Arg Thr Glu Asp Thr Gly Val Tyr Tyr Cys Ser Arg
Asn Tyr Tyr Gly Ser Thr Tyr Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser

FIG. 75A

ATGGAGACAGACACACTCCTGTTATGGGTGCTGCTGCTCTGGGTTCCA
GGTTCCACTGGTGACGTCAGGCGAGGGCCCCGGAGCCTGCGGGGCAG
GGACGCGCCAGCCCCCACGCCCTGCGTCCCGGCCGAGTGCTTCGACC
TGCTGGTCCGCCACTGCGTGGCCTGCGGGCTCCTGCGCACGCCGCGGC
CGAAACCGGCCGGGGCCAGCAGCCCTGCGCCCAGGACGGCGCTGCAG
CCGCAGGAGTCGGTGGGCGCGGGGGCCGGCGAGGCGGCGGTCGACA
AAACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGA
CCGTCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATC
TCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGA
AGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGC
ATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTA
CCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGG
CAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCA
TCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAG
GTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGT
CAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGT
GGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACG
CCTCCCGTGTTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTC
ACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTC
CGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCT
CCCTGTCTCCCGGGAAATGA

FIG. 75B

Met Glu Thr Asp Thr Leu Leu Leu Trp Val Leu Leu Leu Trp Val Pro Gly Ser Thr Gly Asp Val Arg Arg Gly Pro Arg Ser Leu Arg Gly Arg Asp Ala Pro Ala Pro Thr Pro Cys Val Pro Ala Glu Cys Phe Asp Leu Leu Val Arg His Cys Val Ala Cys Gly Leu Leu Arg Thr Pro Arg Pro Lys Pro Ala Gly Ala Ser Ser Pro Ala Pro Arg Thr Ala Leu Gln Pro Gln Glu Ser Val Gly Ala Gly Ala Gly Glu Ala Ala Val Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys

FIG. 76

Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Ile Val Lys Leu Leu Ile Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys

FIG. 77

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Gly Pro Gly Thr Ser Val Arg Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr Leu Ile Glu Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Asp Asp Ser Ala Val Tyr Phe Cys Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ala

FIG. 78

Asp Ile Gln Met Thr Gln Thr Pro Ser Thr Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro Asp Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Val Lys

FIG. 79

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr Leu Ile Glu Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe Lys Gly Arg Val Thr Leu Thr Val Asp Glu Ser Thr Asn Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Phe Cys Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser

FIG. 80

Asp Ile Gln Met Thr Gln Thr Pro Ser Thr Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro Asp Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Val Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys

FIG. 81

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr Leu Ile Glu Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe Lys Gly Arg Val Thr Leu Thr Val Asp Glu Ser Thr Asn Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Phe Cys Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly

FIG. 82A

ATGGATTTTCAGGTGCAGATTATCAGCTTCCTGCTAATCAGTGCTTCA
GTCATAATGTCCAGAGGGCAAATTGTTCTCTCCCAGTCTCCAGCAATC
CTGTCTGCATCTCCAGGGGAGAAGGTCACAATGACTTGCAGGGCCAG
CTCAAGTGTAAGTTACATCCACTGGTTCCAGCAGAAGCCAGGATCCTC
CCCCAAACCCTGGATTTATGCCACATCCAACCTGGCTTCTGGAGTCCC
TGTTCGCTTCAGTGGCAGTGGGTCTGGGACTTCTTACTCTCTCACAAT
CAGCAGAGTGGAGGCTGAAGATGCTGCCACTTATTACTGCCAGCAGT
GGACTAGTAACCCACCCACGTTCGGAGGGGGGACCAAGCTGGAAATC
AAA

FIG. 82B

Met Asp Phe Gln Val Gln Ile Ile Ser Phe Leu Leu Ile Ser Ala Ser Val Ile Met Ser
Arg Gly Gln Ile Val Leu Ser Gln Ser Pro Ala Ile Leu Ser Ala Ser Pro Gly Glu
Lys Val Thr Met Thr Cys Arg Ala Ser Ser Ser Val Ser Tyr Ile His Trp Phe Gln
Gln Lys Pro Gly Ser Ser Pro Lys Pro Trp Ile Tyr Ala Thr Ser Asn Leu Ala Ser
Gly Val Pro Val Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile
Ser Arg Val Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp Thr Ser Asn
Pro Pro Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys

FIG. 83A

ATGGGTTGGAGCCTCATCTTGCTCTTCCTTGTCGCTGTTGCTACGCGTG
TCCTGTCCCAGGTACAACTGCAGCAGCCTGGGGCTGAGCTGGTGAAG
CCTGGGGCCTCAGTGAAGATGTCCTGCAAGGCTTCTGGCTACACATTT
ACCAGTTACAATATGCACTGGGTAAAACAGACACCTGGTCGGGGCCT
GGAATGGATTGGAGCTATTTATCCCGGAAATGGTGATACTTCCTACAA
TCAGAAGTTCAAAGGCAAGGCCACATTGACTGCAGACAAATCCTCCA
GCACAGCCTACATGCAGCTCAGCAGCCTGACATCTGAGGACTCTGCG
GTCTATTACTGTGCAAGATCGACTTACTACGGCGGTGACTGGTACTTC
AATGTCTGGGGCGCAGGGACCACGGTCACCGTCTCTGCA

FIG. 83B

Met Gly Trp Ser Leu Ile Leu Leu Phe Leu Val Ala Val Ala Thr Arg Val Leu Ser
Gln Val Gln Leu Gln Gln Pro Gly Ala Glu Leu Val Lys Pro Gly Ala Ser Val Lys
Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Asn Met His Trp Val Lys
Gln Thr Pro Gly Arg Gly Leu Glu Trp Ile Gly Ala Ile Tyr Pro Gly Asn Gly Asp
Thr Ser Tyr Asn Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser
Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr
Cys Ala Arg Ser Thr Tyr Tyr Gly Gly Asp Trp Tyr Phe Asn Val Trp Gly Ala Gly
Thr Thr Val Thr Val Ser Ala

FIG. 84A

CAAAATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTG
ACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAG
AGCTGGGTACGTCCTCACATTCAGTGATCAGCACTGAACACAGACCC
GTCGACATGGGTTGGAGCCTCATCTTGCTCTTCCTTGTCGCTGTTGCTA
CGCGTGTCGCTAGCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCT
CCTCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGGTC
AAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGC
CCTGACCAGCGGCGTGCACACCTTCCCGGCTGTCCTACAGTCCTCAGG
ACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGG
CACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACCA
AGGTGGACAAGAAAGCAGAGCCCAAATCTTGTGACAAAACTCACACA
TGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTCTTC
CTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCT
GAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGT
CAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGA
CAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGC
GTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGACTACAA
GTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCA
TCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTG
CCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTG
CCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGA
GCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAG
AGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGA
GGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGG
TAAATGAGGATCCGTTAACGGTTACCAACTACCTAGACTGGATTCGTG
ACAACATGCGGCCGTGATATCTACGTATGATCAGCCTCGACTGTGCCT
TCTAGTTGCCAGCCATCTGTTGTTTGCCCCTCCCCCGTGCCTTCCTTGA
CCCTGGAAGGTGCCACTCCCACTGTCCTTTCCTAATAAAATGAGGAAA
TTGCATCGCATTGTCTGAGTAGGTGTCATTCTATTCTGGGGGGTGGGG
TGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGACAATAGCAGGCA
TGCTGGGGATGCGGTGGGCTCTATGGAACCAGCTGGGGCTCGACAGC
GCTGGATCTCCCGATCCCCAGCTTTGCTTCTCAATTTCTTATTTGCATA
ATGAGAAAAAAAAGGAAAATTAATTTTAACACCAATTCAGTAGTTGAT
TGAGCAAATGCGTTGCCAAAAAGGATGCTTTAGAGACAGTGTTCTCT
GCACAGATAAGGACAAACATTATTCAGAGGGAGTACCCAGAGCTGAG
ACTCCTAAGCCAGTGAGTGGCACAGCATTCTAGGGAGAAATATGCTT
GTCATCACCGAAGCCTGATTCCGTAGAGCCACACCTTGGTAAGGGCC
AATCTGCTCACACAGGATAGAGAGGGCAGGAGCCAGGGCAGAGCAT
ATAAGGTGAGGTAGGATCAGTTGCTCCTCACATTTGCTTCTGACATAG
TTGTGTTGGGAGCTTGGATAGCTTGGACAGCTCAGG

FIG. 84B

CAAAATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTG
ACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAG
AGCTGGGTACGTCCTCACATTCAGTGATCAGCACTGAACACAGACCC
GTCGACATGGGTTGGAGCCTCATCTTGCTCTTCCTTGTCGCTGTTGCTA
CGCGTGTCGCTAGCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCT
CCTCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGGTC
AAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGC
CCTGACCAGCGGCGTGCACACCTTCCCGGCTGTCCTACAGTCCTCAGG
ACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGG
CACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACCA
AGGTGGACAAGAAAGCAGAGCCCAAATCTTGTGACAAAACTCACACA
TGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTCTTC
CTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCT
GAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGT
CAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGA
CAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGC
GTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGACTACAA
GTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCA
TCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTG
CCCCCATCCCGGGATGAGCTGACCAGGAACCAGGTCAGCCTGACCTG
CCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGA
GCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAG
AGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGA
GGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGG
TAAATGAGGATCCGTTAACGGTTACCAACTACCTAGACTGGATTCGTG
ACAACATGCGGCCGTGATATCTACGTATGATCAGCCTCGACTGTGCCT
TCTAGTTGCCAGCCATCTGTTGTTTGCCCCTCCCCCGTGCCTTCCTTGA
CCCTGGAAGGTGCCACTCCCACTGTCCTTTCCTAATAAAATGAGGAAA
TTGCATCGCATTGTCTGAGTAGGTGTCATTCTATTCTGGGGGGTGGGG
TGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGACAATAGCAGGCA
TGCTGGGGATGCGGTGGGCTCTATGGAACCAGCTGGGGCTCGACAGC
GCTGGATCTCCCGATCCCCAGCTTTGCTTCTCAATTTCTTATTTGCATA
ATGAGAAAAAAAGGAAAATTAATTTTAACACCAATTCAGTAGTTGAT
TGAGCAAATGCGTTGCCAAAAAGGATGCTTTAGAGACAGTGTTCTCT
GCACAGATAAGGACAAACATTATTCAGAGGGAGTACCCAGAGCTGAG
ACTCCTAAGCCAGTGAGTGGCACAGCATTCTAGGGAGAAATATGCTT
GTCATCACCGAAGCCTGATTCCGTAGAGCCACACCTTGGTAAGGGCC
AATCTGCTCACACAGGATAGAGAGGGCAGGAGCCAGGGCAGAGCAT
ATAAGGTGAGGTAGGATCAGTTGCTCCTCACATTTGCTTCTGACATAG
TTGTGTTGGGAGCTTGGATAGCTTGGACAGCTCAGG

FIG. 84C

GCTGCGATTTCGCGCCAAACTTGACGGCAATCCTAGCGTGAAGGCTG
GTAGGATTTTATCCCCGCTGCCATCATGGTTCGACCATTGAACTGCAT
CGTCGCCGTGTCCCAAAATATGGGGATTGGCAAGAACGGAGACCTAC
CCTGGCCTCCGCTCAGGAACGAGTTCAAGTACTTCCAAAGAATGACC
ACAACCTCTTCAGTGGAAGGTAAACAGAATCTGGTGATTATGGGTAG
GAAAACCTGGTTCTCCATTCCTGAGAACAATCGACCTTTAAAGGACA
GAATTAATATAGTTCTCAGTAGAGAACTCAAAGAACCACCACGAGGA
GCTCATTTTCTTGCCAAAAGTTTGGATGATGCCTTAAGACTTATTGAA
CAACCGGAATTGGCAAGTAAAGTAGACATGGTTTGGATAGTCGGAGG
CAGTTCTGTTTACCAGGAAGCCATGAATCAACCAGGCCACCTTAGACT
CTTTGTGACAAGGATCATGCAGGAATTTGAAAGTGACACGTTTTTCCC
AGAAATTGATTTGGGGAAATATAAACTTCTCCCAGAATACCCAGGCG
TCCTCTCTGAGGTCCAGGAGGAAAAAGGCATCAAGTATAAGTTTGAA
GTCTACGAGAAGAAAGACTAACAGGAAGATGCTTTCAAGTTCTCTGC
TCCCCTCCTAAAGTCATGCATTTTTATAAGACCATGGGACTTTTGCTG
GCTTTAGATCAGCCTCGACTGTGCCTTCTAGTTGCCAGCCATCTGTTGT
TTGCCCCTCCCCCGTGCCTTCCTTGACCCTGGAAGGTGCCACTCCCAC
TGTCCTTTCCTAATAAAATGAGGAAATTGCATCGCATTGTCTGAGTAG
GTGTCATTCTATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGG
AGGATTGGGAAGACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCT
ATGGAACCAGCTGGGGCTCGAGCTACTAGCTTTGCTTCTCAATTTCTT
ATTTGCATAATGAGAAAAAAAGGAAAATTAATTTTAACACCAATTCA
GTAGTTGATTGAGCAAATGCGTTGCCAAAAAGGATGCTTTAGAGACA
GTGTTCTCTGCACAGATAAGGACAAACATTATTCAGAGGGAGTACCC
AGAGCTGAGACTCCTAAGCCAGTGAGTGGCACAGCATTCTAGGGAGA
AATATGCTTGTCATCACCGAAGCCTGATTCCGTAGAGCCACACCTTGG
TAAGGGCCAATCTGCTCACACAGGATAGAGAGGGCAGGAGCCAGGG
CAGAGCATATAAGGTGAGGTAGGATCAGTTGCTCCTCACATTTGCTTC
TGACATAGTTGTGTTGGGAGCTTGGATCGATCCTCTATGGTTGAACAA
GATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGAGGCTATTC
GGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
GTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTTGTCAAGACCGA
CCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTAT
CGTGGCTGGCCACGACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTG
TCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGG
CAGGATCTCCTGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCATC
ATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTACCTGC
CCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGTACTCG
GATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATC
AGGGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATG
CCCGACGGCGAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCG

FIG. 84D

AATATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACTGTGGC
CGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCG
TGATATTGCTGAAGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGT
GCTTTACGGTATCGCCGCTTCCCGATTCGCAGCGCATCGCCTTCTATC
GCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTCGAAATGAC
CGACCAAGCGACGCCCAACCTGCCATCACGAGATTTCGATTCCACCG
CCGCCTTCTATGAAAGGTTGGGCTTCGGAATCGTTTTCCGGGACGCCG
GCTGGATGATCCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCC
ACCCCAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATA
GCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCATTCTAGTT
GTGGTTTGTCCAAACTCATCAATCTATCTTATCATGTCTGGATCGCGG
CCGCGATCCCGTCGAGAGCTTGGCGTAATCATGGTCATAGCTGTTTCC
TGTGTGAAATTGTTATCCGCTCACAATTCCACACAACATACGAGCCGG
AGCATAAAGTGTAAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCAC
ATTAATTGCGTTGCGCTCACTGCCCGCTTTCCAGTCGGGAAACCTGTC
GTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTT
TGCGTATTGGGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTC
GGTCGTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAA
TACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGA
GCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGC
TGGCGTTTTTCCATAGGCTCCGCCCCCCTGACGAGCATCACAAAAATC
GACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATAC
CAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACC
CTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTG
GCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTC
GTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCGAC
CGCTGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGA
CACGACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAG
AGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTA
ACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGA
AGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAA
CAAACCACCGCTGGTAGCGGTGGTTTTTTTGTTTGCAAGCAGCAGATT
ACGCGCAGAAAAAAAGGATCTCAAGAAGATCCTTTGATCTTTTCTAC
GGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTGG
TCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAA
AATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAAACTTGGTCTG
ACAGTTACCAATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTC
TATTTCGTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTAC
GATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGC
GAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCA
GCCGGAAGGGCCGAGCGCAGAAGTGGTCCTGCAACTTTATCCGCCTC
CATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAGTAGTTCGC

FIG. 84E

CAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGG
TGTCACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAAC
GATCAAGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAAGCGGTT
AGCTCCTTCGGTCCTCCGATCGTTGTCAGAAGTAAGTTGGCCGCAGTG
TTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATGC
CATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCAT
TCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAA
TACGGGATAATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATC
ATTGGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATCTTACCGCTG
TTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCA
GCATCTTTTACTTTCACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGG
CAAAATGCCGCAAAAAAGGGAATAAGGGCGACACGGAAATGTTGAA
TACTCATACTCTTCCTTTTTCAATATTATTGAAGCATTTATCAGGGTTA
TTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACA
AATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCT

FIG. 85A

GACGTCGCGGCCGCTCTAGGCCTCCAAAAAAGCCTCCTCACTACTTCT
GGAATAGCTCAGAGGCCGAGGCGGCCTCGGCCTCTGCATAAATAAAA
AAAATTAGTCAGCCATGCATGGGGCGGAGAATGGGCGGAACTGGGCG
GAGTTAGGGGCGGGATGGGCGGAGTTAGGGGCGGGACTATGGTTGCT
GACTAATTGAGATGCATGCTTTGCATACTTCTGCCTGCTGGGGAGCCT
GGGGACTTTCCACACCTGGTTGCTGACTAATTGAGATGCATGCTTTGC
ATACTTCTGCCTGCTGGGGAGCCTGGGGACTTTCCACACCCTAACTGA
CACACATTCCACAGAATTAATTCCCCTAGTTATTAATAGTAATCAATT
ACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCGTTACATAA
CTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCC
ATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGA
CTTTCCATTGACGTCAATGGGTGGACTATTTACGGTAAACTGCCCACT
TGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGACG
TCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGACCT
TATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTA
TTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATACC
GGTTTGACTCACGCGGATTTCCAAGTCTCCACCCCATTGACGTCAATG
GGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTCGTA
ACAACTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGG
GAGGTCTATATAAGCAGAGCTGGGTACGTGAACCGTCAGATCGCCTG
GAGACGCCATCACAGATCTCTCACTATGGATTTTCAGGTGCAGATTAT
CAGCTTCCTGCTAATCAGTGCTTCAGTCATAATGTCCAGAGGACAAAT
TGTTCTCTCCCAGTCTCCAGCAATCCTGTCTGCATCTCCAGGGGAGAA
GGTCACAATGACTTGCAGGGCCAGCTCAAGTGTAAGTTACATCCACT
GGTTCCAGCAGAAGCCAGGATCCTCCCCCAAACCCTGGATTTATGCCA
CATCCAACCTGGCTTCTGGAGTCCCTGTTCGCTTCAGTGGCAGTGGGT
CTGGGACTTCTTACTCTCTCACAATCAGCAGAGTGGAGGCTGAAGATG
CTGCCACTTATTACTGCCAGCAGTGGACTAGTAACCCACCCACGTTCG
GAGGGGGGACCAAGCTGGAAATCAAACGTACGGTGGCTGCACCATCT
GTCTTCATCTTCCCGCCATCTGATGAGCAGTTGAAATCTGGAACTGCC
TCTGTTGTGTGCCTGCTGAATAACTTCTATCCCAGAGAGGCCAAAGTA
CAGTGGAAGGTGGATAACGCCCTCCAATCGGGTAACTCCCAGGAGAG
TGTCACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGCA
CCCTGACGCTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCC
TGCGAAGTCACCCATCAGGGCCTGAGCTCGCCCGTCACAAAGAGCTT
CAACAGGGGAGAGTGTTGAATTCAGATCCGTTAACGGTTACCAACTA
CCTAGACTGGATTCGTGACAACATGCGGCCGTGATATCTACGTATGAT
CAGCCTCGACTGTGCCTTCTAGTTGCCAGCCATCTGTTGTTTGCCCCTC
CCCCGTGCCTTCCTTGACCCTGGAAGGTGCCACTCCCACTGTCCTTTCC

FIG. 85B

TAATAAAATGAGGAAATTGCATCGCATTGTCTGAGTAGGTGTCATTCT
ATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGG
AAGACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGAACCA
GCTGGGGCTCGACAGCTATGCCAAGTACGCCCCCTATTGACGTCAATG
ACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGACCTTATGGG
ACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCAT
GGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTG
ACTCACGGGGATTTCCAAGTCTCCACCCCATTGACGTCAATGGGAGTT
TGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTCGTAACAACT
CCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTC
TATATAAGCAGAGCTGGGTACGTCCTCACATTCAGTGATCAGCACTGA
ACACAGACCCGTCGACATGGGTTGGAGCCTCATCTTGCTCTTCCTTGT
CGCTGTTGCTACGCGTGTCCTGTCCCAGGTACAACTGCAGCAGCCTGG
GGCTGAGCTGGTGAAGCCTGGGGCCTCAGTGAAGATGTCCTGCAAGG
CTTCTGGCTACACATTTACCAGTTACAATATGCACTGGGTAAAACAGA
CACCTGGTCGGGGCCTGGAATGGATTGGAGCTATTTATCCCGGAAAT
GGTGATACTTCCTACAATCAGAAGTTCAAAGGCAAGGCCACATTGAC
TGCAGACAAATCCTCCAGCACAGCCTACATGCAGCTCAGCAGCCTGA
CATCTGAGGACTCTGCGGTCTATTACTGTGCAAGATCGACTTACTACG
GCGGTGACTGGTACTTCAATGTCTGGGGCGCAGGGACCACGGTCACC
GTCTCTGCAGCTAGCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCC
TCCTCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGGT
CAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCG
CCCTGACCAGCGGCGTGCACACCTTCCCGGCTGTCCTACAGTCCTCAG
GACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGG
GCACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACC
AAGGTGGACAAGAAAGCAGAGCCCAAATCTTGTGACAAAACTCACAC
ATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTCTT
CCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCC
TGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGG
TCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAG
ACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAG
CGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACA
AGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACC
ATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCT
GCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCT
GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAG
AGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCT
GGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAA
GAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATG
AGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGG
GTAAATGAGGATCCGTTAACGGTTACCAACTACCTAGACTGGATTCGT

FIG. 85C

GACAACATGCGGCCGTGATATCTACGTATGATCAGCCTCGACTGTGCC
TTCTAGTTGCCAGCCATCTGTTGTTTGCCCCTCCCCCGTGCCTTCCTTG
ACCCTGGAAGGTGCCACTCCCACTGTCCTTTCCTAATAAAATGAGGAA
ATTGCATCGCATTGTCTGAGTAGGTGTCATTCTATTCTGGGGGGTGGG
GTGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGACAATAGCAGGC
ATGCTGGGGATGCGGTGGGCTCTATGGAACCAGCTGGGGCTCGACAG
CGCTGGATCTCCCGATCCCCAGCTTTGCTTCTCAATTTCTTATTTGCAT
AATGAGAAAAAAAGGAAAATTAATTTTAACACCAATTCAGTAGTTGA
TTGAGCAAATGCGTTGCCAAAAAGGATGCTTTAGAGACAGTGTTCTCT
GCACAGATAAGGACAAACATTATTCAGAGGGAGTACCCAGAGCTGAG
ACTCCTAAGCCAGTGAGTGGCACAGCATTCTAGGGAGAAATATGCTT
GTCATCACCGAAGCCTGATTCCGTAGAGCCACACCTTGGTAAGGGCC
AATCTGCTCACACAGGATAGAGAGGGCAGGAGCCAGGGCAGAGCAT
ATAAGGTGAGGTAGGATCAGTTGCTCCTCACATTTGCTTCTGACATAG
TTGTGTTGGGAGCTTGGATAGCTTGGACAGCTCAGGGCTGCGATTTCG
CGCCAAACTTGACGGCAATCCTAGCGTGAAGGCTGGTAGGATTTTATC
CCCGCTGCCATCATGGTTCGACCATTGAACTGCATCGTCGCCGTGTCC
CAAAATATGGGGATTGGCAAGAACGGAGACCTACCCTGGCCTCCGCT
CAGGAACGAGTTCAAGTACTTCCAAAGAATGACCACAACCTCTTCAG
TGGAAGGTAAACAGAATCTGGTGATTATGGGTAGGAAAACCTGGTTC
TCCATTCCTGAGAAGAATCGACCTTTAAAGGACAGAATTAATATAGTT
CTCAGTAGAGAACTCAAAGAACCACCACGAGGAGCTCATTTTCTTGC
CAAAAGTTTGGATGATGCCTTAAGACTTATTGAACAACCGGAATTGG
CAAGTAAAGTAGACATGGTTTGGATAGTCGGAGGCAGTTCTGTTTACC
AGGAAGCCATGAATCAACCAGGCCACCTTAGACTCTTTGTGACAAGG
ATCATGCAGGAATTTGAAAGTGACACGTTTTTCCCAGAAATTGATTTG
GGGAAATATAAACTTCTCCCAGAATACCCAGGCGTCCTCTCTGA
GGTCCAGGAGGAAAAAGGCATCAAGTATAAGTTTGAAGTCTACGAGA
AGAAAGACTAACAGGAAGATGCTTTCAAGTTCTCTGCTCCCCTCCTAA
AGCTATGCATTTTTATAAGACCATGGGACTTTTGCTGGCTTTAGATCA
GCCTCGACTGTGCCTTCTAGTTGCCAGCCATCTGTTGTTTGCCCCTCCC
CCGTGCCTTCCTTGACCCTGGAAGGTGCCACTCCCACTGTCCTTTCCTA
ATAAAATGAGGAAATTGCATCGCATTGTCTGAGTAGGTGTCATTCTAT
TCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAA
GACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGAACCAGC
TGGGGCTCGAGCTACTAGCTTTGCTTCTCAATTTCTTATTTGCATAATG
AGAAAAAAAGGAAAATTAATTTTAACACCAATTCAGTAGTTGATTGA
GCAAATGCGTTGCCAAAAAGGATGCTTTAGAGACAGTGTTCTCTGCA
CAGATAAGGACAAACATTATTCAGAGGGAGTACCCAGAGCTGAGACT
CCTAAGCCAGTGAGTGGCACAGCATTCTAGGGAGAAATATGCTTGTC
ATCACCGAAGCCTGATTCCGTAGAGCCACACCTTGGTAAGGGCCAAT
CTGCTCACACAGGATAGAGAGGGCAGGAGCCAGGGCAGAGCATATA
AGGTGAGGTAGGATCAGTTGCTCCTCACATTTGCTTCTGACATAGTTG

FIG. 85D

TGTTGGGAGCTTGGATCGATCCTCTATGGTTGAACAAGATGGATTGCA
CGCAGGTTCTCCGGCCGCTTGGGTGGAGAGGCTATTCGGCTATGACTG
GGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCGGCTGTC
AGCGCAGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGC
CCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCA
CGACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGG
GAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTG
TCATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCA
ATGCGGCGGCTGCATACGCTTGATCCGGCTACCTGCCCATTCGACCAC
CAAGCGAAACATCGCATCGAGCGAGCACGTACTCGGATGGAAGCCGG
TCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGCGC
CAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAG
GATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTG
GAAAATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTG
GCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGA
AGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGTAT
CGCCGCTCCCGATTCGCAGCGCATCGCCTTCTATCGCCTTCTTGACGA
GTTCTTCTGAGCGGGACTCTGGGGTTCGAAATGACCGACCAAGCGAC
GCCCAACCTGCCATCACGAGATTTCGATTCCACCGCCGCCTTCTATGA
AAGGTTGGGCTTCGGAATCGTTTTCCGGGACGCCGGCTGGATGATCCT
CCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCCACCCCAACTTGTT
TATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTT
CACAAATAAAGCATTTTTTTCACTGCATTCTAGTTGTGGTTTGTCCAA
ACTCATCAATCTATCTTATCATGTCTGGATCGCGGCCGCGATCCCGTC
GAGAGCTTGGCGTAATCATGGTCATAGCTGTTTCCTGTGTGAAATTGT
TATCCGCTCACAATTCCACACAACATACGAGCCGGAAGCATAAAGTG
TAAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTAATTGCGTT
GCGCTCACTGCCCGCTTTCCAGTCGGGAAACCTGTCGTGCCAGCTGCA
TTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGGC
GCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTCGGTCGTTCGGCT
GCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCA
CAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCA
GCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCC
ATAGGCTCCGCCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGT
CAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCC
CCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTAC
CGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCA
ATGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTTCGCTCCAA
GCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCGACCGCTGCGCCTT
ATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATC

FIG. 85E

GCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATG
TAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTAC
ACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACC
TTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGC
TGGTAGCGGTGGTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAA
AAAAGGATCTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGC
TCAGTGGAACGAAAACTCACGTTAAGGGATTTTGGTCATGAGATTATC
AAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAA
ATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATG
CTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTATTTCGTTCATCC
ATAGTTGCCTGACTCCCCGTCGTGTAGATAACTACGATACGGGAGGG
CTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCACGCTC
ACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCG
AGCGCAGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTA
ATTGTTGCCGGGAAGCTAGAGTAAGTAGTTCGCCAGTTAATAGTTTGC
GCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTCACGCTCGTCGT
TTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTA
CATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTC
CGATCGTTGTCAGAAGTAAGTTGGCCGCAGTGTTATCACTCATGGTTA
TGGCAGCACTGCATAATTCTCTTACTGTCATGCCATCCGTAAGATGCT
TTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTA
TGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACC
GCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTGGAAAACGTTCT
TCGGGGCGAAAACTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCG
ATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTTTACTTTCA
CCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAA
AAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCT
TTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGAGCGG
ATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGC
GCACATTTCCCCGAAAAGTGCCACCT



FIG. 86


Pre-Sialylation
Post-Sialylation
TPI0 CONCENTRATION IN THE PLASMA (µg/ml)
450
400
350
300
250
200
150
100
50
0
0
20
40
60
80
100
HOURS

FIG. 87


AUC (mg*h/ml)
5000
4000
3000
2000
1000
0
Pre-Sialylation
Post-Sialylation

FIG. 88



FIG. 89


TP20 (in vitro)
TP20 (Lec 11)
125
100
75
50
25
0
0.0001
0.01
1
100
10000
µg/mL TP20

FIG. 90



FIG. 91


Man5-R
14898.3
Man6-R
15062.14
Man7-R, 15226.41
Man8-R, 15387.06
Man9-R
15549.62
Protein
13682.38
% Intensity
100
90
80
70
60
50
40
30
20
10
0
11998.0
13198.6
14399.2
15600.4
16801.2
18002.0
Mass (m/z)

FIG. 92A


Y range: 6.4E+05
Man5GlcNAc2
Man6GlcNAc2
Man7GlcNAc2
Man8GlcNAc2
Man9GlcNAc2
0
10
20
30
40
50
60
Time (min)

FIG. 92B

Bisected Hybrid
N-Glycans
1
2
GnT-I
3
GalT1
4
ST
α2,3/α2,6
α2
α3
α6
β4
β2
Protein
Man
Sialic Acid
GlcNAc
Gal

FIG. 93

This page is not part of

the document!

US2002032263 / 2003-031464

9/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH


Man5-R
14898.3
Protein
13682.38
% Intensity
100
90
80
70
60
50
40
30
20
10
0
11998.0
13198.8
14399.6
15600.4
16801.2
18002.0
Mass (m/z)

FIG. 94A



FIG. 94B


Man5-R
Protein
% Intensity
Mass (m/z)
100
90
80
70
60
50
40
30
20
10
0
11998.0
13198.8
14399.5
15600.4
16801.2
18002.0

FIG. 95


GlcNAc-Man-R
15103.21
Protein
13682.00
% Intensity
Mass (m/z)
11998.0
13198.6
14399.2
15599.8
16800.4
18001.0
0
10
20
30
40
50
60
70
80
90
100

FIG. 96


Gal-GlcNAc-Man5-R
15263.46
GlcNAc-Man5-R
15102.57
Protein
13685.00
% Intensity
100
90
80
70
60
50
40
30
20
10
0
11998.0
13198.6
14399.2
15599.8
16800.4
18001.0
Mass (m/z)

FIG. 97


SA-Gal-GlcNAc-Man5-R
15556.84
Gal-GlcNAc-Man5-R
15271.85
% Intensity
Mass (m/z)
100
90
80
70
60
50
40
30
20
10
0
11998.0
13198.6
14399.2
15599.8
16800.4
18001.0

FIG. 98


CMP-SA-PEG (10K)
PEG-SA-Gal-GlcNAc-Man-R
% Intensity
100
90
80
70
60
50
40
30
20
10
0
6999.0
11599.6
16200.2
20800.8
25401.4
30002.0
Mass (m/z)

FIG. 99A


CMP-SA-PEG
10546.44
% Intensity
100
90
80
70
60
50
40
30
20
10
0
5999.0
10799.4
15599.8
20400.2
25200.6
30001.0
Mass (m/z)

FIG. 99B


Bisected
N-Glycans
GnT III
Bi-antennary
GnT IV
GnT V
GnT VI
Multi-antennary
complex N-glycans
2
GnT-1
5
ManII
2
GnT-I
7
GnT-II
3
GalT 1
4
ST
6
1
2
GnT-I
9
8
2
GnT-I
8
9
2
GnT-I
Protein
Man
Sialic Acid
GlcNAc
Gal

FIG. 100

GnT V
GnT VI
GnT II
GnT III
GnT I
GnT IV
GlcNAcβ1-6
GlcNAcβ1-4
GlcNAcβ1-2
GlcNAcβ1-4
GlcNAcβ1-2
GlcNAcβ1-4
Manα1-6
Manβ1-4-R
Manα1-3

FIG. 101


mV
140.0-
120.0-
110.0-
80.0-
60.0-
40.0-
20.0-
0.0-
0.0
10.0
20.0
30.0
40.0
50.0
60.0
70.0
Minutes
P1 - 15.688
P2 - 30.726

FIG. 102A


mV
140.0
120.0
110.0
80.0
60.0
40.0
20.0
0.0
0.0
10.0
20.0
30.0
40.0
50.0
60.0
70.0
Minutes
P1 - 15.559
P3 - 30.570

FIG. 102B


P2-34.787
P1-31.298
40.0-
35.0-
30.0-
25.0-
20.0-
15.0-
10.0-
5.0-
0.0-
mV
0.0
10.0
20.0
30.0
40.0
50.0
60.0
70.0
Minutes

FIG. 103


GlcNAc2FucMan3GlcNAc3Gal3
GlcNAc2Man3GlcNAc3Gal3
GlcNA2FucMan3GlcNAc2Gal2
GlcNAc2FucMan3GlcNAcGal
1000
1200
1400
1800
2000
2200
2400
2600
m/z

FIG. 104



FIG. 105



FIG. 106



FIG. 107



FIG. 108

FIG. 109



FIG. 110



FIG. 111


Mean Blood Conc. (ng/mL)
100.0
10.0
1.0
0.1
0
10
20
30
40
50
60
70
80
Time (hrs)
rFSH-SA-PEG (10 KDa)
rFSH-SA-PEG (1 KDa)
rFSH

FIG. 112


17-B estradiol released
(pg/ml)
150
100
50
0
0
0.5
1
FSH Concentration
(ug/mL)
rFSH
FSH-SA-PEG (1 KDa)
FSH-SA-PEG (10 KDa)

FIG. 113


1
2
3
4
5
6
7
8
9
10
NTF
ASTF
CMP-SA 0.5
PEG 1000, 0.5
5
PEG 5000 0.5
5
PEG 10,000 0.5 mM
5 mM
148k
98
64
50
36
22
16

FIG. 114


1
2
3
4
5
6
7
8
9
10
NTF
ASTF
CMP-SA t = 24h
CMP-SA t = 96h
PEG 1000 t = 24h
PEG 1000 t = 96h
PEG 5000 t = 24h
PEG 5000 t = 96h
PEG-10,000 t = 24h
PEG-10,000 t = 96h

FIG. 115



FIG. 116


% Intensity
100
90
80
70
60
50
40
30
20
10
0
18000
44400
70800
97200
123600
150000
Mass (m/z)
24750
44947
49303
98750

FIG. 117


1173.4
104951
56978
53199
50447
27280
% Intensity
Mass (m/z)
100
90
80
70
60
50
40
30
20
10
0
18000
44400
70800
97200
123600
150000

FIG. 118


% Intensity
100
90
80
70
60
50
40
30
20
10
0
18000
44400
70800
97200
123600
150000
0
Mass (m/z)
25328
49803
54419
65165
76487
87117
91061

FIG. 119



FIG. 120



FIG. 121



FIG. 122



FIG. 123


GlcNAc2FucMan3
GlcNAc2FucMan3GlcNAc
1000
1100
1200
1300
1400
1500
1600
1700
1800
1900
2000
m/z

FIG. 124


After sialylation
Small scale
Big scale
CMP-NAN-10K PEG
CMP-NAN-1K PEG
CMP-NAN-10K PEG
CMP-NAN-1K PEG
CMP-NAN
After superdex75
After GalT1
After GnT1 and GnT2
Starting material
MW (kDa)
250
148
98
64
50
36
22

FIG. 125


SA
1K PEG
10 K PEG
OD
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
0
1
2
3
4
5
6
EPO concentration ug/ml

FIG. 126

SEQUENCE LISTING

<110> Neose Technologies, Inc.
DeFrees, Shawn
Zopf, David
Bayer, Robert
Bowe, Caryn
Hakes, David
Chen, Xi

<120> REMODELING AND GLYCOCONJUGATION OF PEPTIDES

<130> 040853-01-5050WO

<150> US 60/328,523
<151> 2001-10-10

<150> US 60/344,692
<151> 2001-10-19

<150> US 60/334,233
<151> 2001-11-08

<150> US 60/334,301
<151> 2001-11-08

<150> US 60/387,292
<151> 2002-06-07

<150> US 60/391,777
<151> 2002-06-25

<150> US 60/396,594
<151> 2002-07-17

<150> US 60/404,249
<151> 2002-08-16

<150> US 60/407,527
<151> 2002-08-28

<160> 62

<170> PatentIn version 3.1

<210> 1
<211> 525
<212> DNA
<213> Homo sapiens

<400> 1
acccccctgg gccctgccag ctccctgccc cagagcttcc tgctcaagtg cttagagcaa 60

gtgaggaaga tccagggcga tggcgcagcg ctccaggaga agctgtgtgc cacctacaag 120

ctgtgccacc ccgaggagct ggtgctgctc ggacactctc tgggcatccc ctgggctccc 180

ctgagcagct gccccagcca ggccctgcag ctggcaggct gcttgagcca actccatagc 240

ggccttttcc tctaccaggg gctcctgcag gccctggaag ggatctcccc cgagttgggt 300

cccaccttgg acacactgca gctggacgtc gccgactttg ccaccaccat ctggcagcag 360

atggaagaac tgggaatggc ccctgccctg cagcccaccc agggtgccat gccggccttc 420

gcctctgctt tccagcgccg ggcaggaggg gtcctggttg cctcccatct gcagagcttc 480

ctggaggtgt cgtaccgcgt tctacgccac cttgcccagc cctga 525

<210> 2
<211> 174
<212> PRT
<213> Homo sapiens

<400> 2

Thr Pro Leu Gly Pro Ala Ser Ser Leu Pro Gln Ser Phe Leu Leu Lys
1 5 10 15

Cys Leu Glu Gln Val Arg Lys Ile Gln Gly Asp Gly Ala Ala Leu Gln
20 25 30

Glu Lys Leu Cys Ala Thr Tyr Lys Leu Cys His Pro Glu Glu Leu Val
35 40 45

Leu Leu Gly His Ser Leu Gly Ile Pro Trp Ala Pro Leu Ser Ser Cys
50 55 60

Pro Ser Gln Ala Leu Gln Leu Ala Gly Cys Leu Ser Gln Leu His Ser
65 70 75 80

Gly Leu Phe Leu Tyr Gln Gly Leu Leu Gln Ala Leu Glu Gly Ile Ser
85 90 95

Pro Glu Leu Gly Pro Thr Leu Asp Thr Leu Gln Leu Asp Val Ala Asp
100 105 110

Phe Ala Thr Thr Ile Trp Gln Gln Met Glu Glu Leu Gly Met Ala Pro
115 120 125

Ala Leu Gln Pro Thr Gln Gly Ala Met Pro Ala Phe Ala Ser Ala Phe
130 135 140

Gln Arg Arg Ala Gly Gly Val Leu Val Ala Ser His Leu Gln Ser Phe

145 150 155 160

Leu Glu Val Ser Tyr Arg Val Leu Arg His Leu Ala Gln Pro
165 170

<210> 3
<211> 1733
<212> DNA
<213> Homo sapiens

<400> 3
gcgcctctta tgtacccaca aaaatctatt ttcaaaaaag ttgctctaag aatatagtta 60

tcaagttaag taaaatgtca atagcctttt aatttaattt ttaattgttt tatcattctt 120

tgcaataata aaacattaac tttatacttt ttaatttaat gtatagaata gagatataca 180

taggatatgt aaatagatac acagtgtata tgtgattaaa atataatggg agattcaatc 240

agaaaaaagt ttctaaaaag gctctggggt aaaagaggaa ggaaacaata atgaaaaaaa 300

tgtggtgaga aaaacagctg aaaacccatg taaagagtgt ataaagaaag caaaaagaga 360

agtagaaagt aacacagggg catttggaaa atgtaaacga gtatgttccc tatttaaggc 420

taggcacaaa gcaaggtctt cagagaacct ggagcctaag gtttaggctc acccatttca 480

accagtctag cagcatctgc aacatctaca atggccttga cctttgcttt actggtggcc 540

ctcctggtgc tcagctgcaa gtcaagctgc tctgtgggct gtgatctgcc tcaaacccac 600

agcctgggta gcaggaggac cttgatgctc ctggcacaga tgaggagaat ctctcttttc 660

tcctgcttga aggacagaca tgactttgga tttccccagg aggagtttgg caaccagttc 720

caaaaggctg aaaccatccc tgtcctccat gagatgatcc agcagatctt caatctcttc 780

agcacaaagg actcatctgc tgcttgggat gagaccctcc tagacaaatt ctacactgaa 840

ctctaccagc agctgaatga cctggaagcc tgtgtgatac agggggtggg ggtgacagag 900

actcccctga tgaaggagga ctccattctg gctgtgagga aatacttcca aagaatcact 960

ctctatctga aagagaagaa atacagccct tgtgcctggg aggttgtcag agcagaaatc 1020

atgagatctt tttctttgtc aacaaacttg caagaaagtt taagaagtaa ggaatgaaaa 1080

ctggttcaac atggaaatga ttttcattga ttcgtatgcc agctcacctt tttatgatct 1140

gccatttcaa agactcatgt ttctgctatg accatgacac gatttaaatc ttttcaaatg 1200

tttttaggag tattaatcaa cattgtattc agctcttaag gcactagtcc cttacagagg 1260

accatgctga ctgatccatt atctatttaa atatttttaa aatattattt atttaactat 1320

ttataaaaca acttattttt gttcatatta tgtcatgtgc acctttgcac agtggttaat 1380

gtaataaaat gtgttctttg tatttggtaa atttatttttg tgttgttcat tgaacttttg 1440

ctatggaact tttgtacttg tttattcttt aaaatgaaat tccaagccta attgtgcaac 1500

ctgattacag aataactggt acacttcatt tgtccatcaa tattatattc aagatataag 1560

taaaaataaa ctttctgtaa accaagttgt atgttgtact caagataaca gggtgaacct 1620

aacaaataca attctgctct cttgtgtatt tgatttttgt atgaaaaaaa ctaaaaatgg 1680

taatcatact taattatcag ttatggtaaa tggtatgaag agaagaagga acg 1733

<210> 4
<211> 188
<212> PRT
<213> Homo sapiens

<400> 4

Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1 5 10 15

Lys Ser Ser Cys Ser Val Gly Cys Asp Leu Pro Gln Thr His Ser Leu
20 25 30

Gly Ser Arg Arg Thr Leu Met Leu Leu Ala Gln Met Arg Arg Ile Ser
35 40 45

Leu Phe Ser Cys Leu Lys Asp Arg His Asp Phe Gly Phe Pro Gln Glu
50 55 60

Glu Phe Gly Asn Gln Phe Gln Lys Ala Glu Thr Ile Pro Val Leu His
65 70 75 80

Glu Met Ile Gln Gln Ile Phe Asn Leu Phe Ser Thr Lys Asp Ser Ser
85 90 95

Ala Ala Trp Asp Glu Thr Leu Leu Asp Lys Phe Tyr Thr Glu Leu Tyr
100 105 110

Gln Gln Leu Asn Asp Leu Glu Ala Cys Val Ile Gln Gly Val Gly Val
115 120 125

Thr Glu Thr Pro Leu Met Lys Glu Asp Ser Ile Leu Ala Val Arg Lys
130 135 140

Tyr Phe Gln Arg Ile Thr Leu Tyr Leu Lys Glu Lys Lys Tyr Ser Pro
145 150 155 160

Cys Ala Trp Glu Val Val Arg Ala Glu Ile Met Arg Ser Phe Ser Leu
165 170 175

Ser Thr Asn Leu Gln Glu Ser Leu Arg Ser Lys Glu
180 185

<210> 5
<211> 757
<212> DNA
<213> Homo sapiens

<400> 5
atgaccaaca agtgtctcct ccaaattgct ctcctgttgt gcttctccac tacagctctt 60

tccatgagct acaacttgct tggattccta caaagaagca gcaattttca gtgtcagaag 120

ctcctgtggc aattgaatgg gaggcttgaa tattgcctca aggacaggat gaactttgac 180

atccctgagg agattaagca gctgcagcag ttccagaagg aggacgccgc attgaccatc 240

tatgagatgc tccagaacat ctttgctatt ttcagacaag attcatctag cactggctgg 300

aatgagacta ttgttgagaa cctcctggct aatgtctatc atcagataaa ccatctgaag 360

acagtcctgg aagaaaaact ggagaaagaa gattttacca ggggaaaact catgagcagt 420

ctgcacctga aaagatatta tgggaggatt ctgcattacc tgaaggccaa ggagtacagt 480

cactgtgcct ggaccatagt cagagtggaa atcctaagga acttttactt cattaacaga 540

cttacaggtt acctccgaaa ctgaagatct cctagcctgt ccctctggga ctggacaatt 600

gcttcaagca ttcttcaacc agcagatgct gtttaagtga ctgatggcta atgtactgca 660

aatgaaagga cactagaaga ttttgaaatt tttattaaat tatgagttat ttttatttat 720

ttaaatttta ttttggaaaa taaattattt ttggtgc 757

<210> 6
<211> 187
<212> PRT
<213> Homo sapiens

<400> 6

Met Thr Asn Lys Cys Leu Leu Gln Ile Ala Leu Leu Leu Cys Phe Ser
1 5 10 15

Thr Thr Ala Leu Ser Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg
20 25 30

Ser Ser Asn Phe Gln Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg
35 40 45

Leu Glu Tyr Cys Leu Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu
50 55 60

Ile Lys Gln Leu Gln Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile
65 70 75 80

Tyr Glu Met Leu Gln Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser
85 90 95

Ser Thr Gly Trp Asn Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val
100 105 110

Tyr His Gln Ile Asn His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu
115 120 125

Lys Glu Asp Phe Thr Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys
130 135 140

Arg Tyr Tyr Gly Arg Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser
145 150 155 160

His Cys Ala Trp Thr Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr
165 170 175

Phe Ile Asn Arg Leu Thr Gly Tyr Leu Arg Asn
180 185

<210> 7
<211> 1332
<212> DNA
<213> Homo sapiens

<400> 7
atggtctccc aggccctcag gctcctctgc cttctgcttg ggcttcaggg ctgcctggct 60

gcagtcttcg taacccagga ggaagcccac ggcgtcctgc accggcgccg gcgcgccaac 120

gcgttcctgg aggagctgcg gccgggctcc ctggagaggg agtgcaagga ggagcagtgc 180

tccttcgagg aggcccggga gatcttcaag gacgcggaga ggacgaagct gttctggatt 240

tcttacagtg atggggacca gtgtgcctca agtccatgcc agaatggggg ctcctgcaag 300

gaccagctcc agtcctatat ctgcttctgc ctccctgcct tcgagggccg gaactgtgag 360

acgcacaagg atgaccagct gatctgtgtg aacgagaacg gcggctgtga gcagtactgc 420

agtgaccaca cgggcaccaa gcgctcctgt cggtgccacg aggggtactc tctgctggca 480

gacggggtgt cctgcacacc cacagttgaa tatccatgtg gaaaaatacc tattctagaa 540

aaaagaaatg ccagcaaacc ccaaggccga attgtggggg gcaaggtgtg ccccaaaggg 600

gagtgtccat ggcaggtcct gttgttggtg aatggagctc agttgtgtgg ggggaccctg 660

atcaacacca tctgggtggt ctccgcggcc cactgtttcg acaaaatcaa gaactggagg 720

aacctgatcg cggtgctggg cgagcacgac ctcagcgagc acgacgggga tgagcagagc 780

cggcgggtgg cgcaggtcat catccccagc acgtacgtcc cgggcaccac caaccacgac 840

atcgcgctgc tccgcctgca ccagcccgtg gtcctcactg accatgtggt gcccctctgc 900

ctgcccgaac ggacgttctc tgagaggacg ctggccttcg tgcgcttctc attggtcagc 960

ggctggggcc agctgctgga ccgtggcgcc acggccctgg agctcatggt gctcaacgtg 1020

ccccggctga tgacccagga ctgcctgcag cagtcacgga aggtgggaga ctccccaaat 1080

atcacggagt acatgttctg tgccggctac tcggatggca gcaaggactc ctgcaagggg 1140

gacagtggag gcccacatgc cacccactac cggggcacgt ggtacctgac gggcatcgtc 1200

agctggggcc agggctgcgc aaccgtgggc cactttgggg tgtacaccag ggtctcccag 1260

tacatcgagt ggctgcaaaa gctcatgcgc tcagagccac gcccaggagt cctcctgcga 1320

gccccatttc cc 1332

<210> 8
<211> 444
<212> PRT
<213> Homo sapiens

<400> 8

Met Val Ser Gln Ala Leu Arg Leu Leu Cys Leu Leu Leu Gly Leu Gln
1 5 10 15

Gly Cys Leu Ala Ala Val Phe Val Thr Gln Glu Glu Ala His Gly Val
20 25 30

Leu His Arg Arg Arg Arg Arg Ala Asn Ala Phe Leu Glu Glu Leu Arg Pro
35 40 45

```
Gly Ser Leu Glu Arg Glu Cys Lys Glu Glu Gln Cys Ser Phe Glu Glu
 50                  55                  60

Ala Arg Glu Ile Phe Lys Asp Ala Glu Arg Thr Lys Leu Phe Trp Ile
65                  70                  75                  80

Ser Tyr Ser Asp Gly Asp Gln Cys Ala Ser Ser Pro Cys Gln Asn Gly
                85                  90                  95

Gly Ser Cys Lys Asp Gln Leu Gln Ser Tyr Ile Cys Phe Cys Leu Pro
            100                 105                 110

Ala Phe Glu Gly Arg Asn Cys Glu Thr His Lys Asp Asp Gln Leu Ile
        115                 120                 125

Cys Val Asn Glu Asn Gly Gly Cys Glu Gln Tyr Cys Ser Asp His Thr
    130                 135                 140

Gly Thr Lys Arg Ser Cys Arg Cys His Glu Gly Tyr Ser Leu Leu Ala
145                 150                 155                 160

Asp Gly Val Ser Cys Thr Pro Thr Val Glu Tyr Pro Cys Gly Lys Ile
                165                 170                 175

Pro Ile Leu Glu Lys Arg Asn Ala Ser Lys Pro Gln Gly Arg Ile Val
            180                 185                 190

Gly Gly Lys Val Cys Pro Lys Gly Glu Cys Pro Trp Gln Val Leu Leu
        195                 200                 205

Leu Val Asn Gly Ala Gln Leu Cys Gly Gly Thr Leu Ile Asn Thr Ile
    210                 215                 220

Trp Val Val Ser Ala Ala His Cys Phe Asp Lys Ile Lys Asn Trp Arg
225                 230                 235                 240

Asn Leu Ile Ala Val Leu Gly Glu His Asp Leu Ser Glu His Asp Gly
                245                 250                 255

Asp Glu Gln Ser Arg Arg Val Ala Gln Val Ile Ile Pro Ser Thr Tyr
            260                 265                 270
```

This page is not part of

the document!

US2002032263 / 2003-031464

10/10

Date: Apr 17, 2003

Recipient: IB

Address: ;Bureau international de l'OMPI;34, chemin des Colombettes;;;Geneve 20 1211;;CH

Val Pro Gly Thr Thr Asn His Asp Ile Ala Leu Leu Arg Leu His Gln
275 280 285

Pro Val Val Leu Thr Asp His Val Val Pro Leu Cys Leu Pro Glu Arg
290 295 300

Thr Phe Ser Glu Arg Thr Leu Ala Phe Val Arg Phe Ser Leu Val Ser
305 310 315 320

Gly Trp Gly Gln Leu Leu Asp Arg Gly Ala Thr Ala Leu Glu Leu Met
325 330 335

Val Leu Asn Val Pro Arg Leu Met Thr Gln Asp Cys Leu Gln Gln Ser
340 345 350

Arg Lys Val Gly Asp Ser Pro Asn Ile Thr Glu Tyr Met Phe Cys Ala
355 360 365

Gly Tyr Ser Asp Gly Ser Lys Asp Ser Cys Lys Gly Asp Ser Gly Gly
370 375 380

Pro His Ala Thr His Tyr Arg Gly Thr Trp Tyr Leu Thr Gly Ile Val
385 390 395 400

Ser Trp Gly Gln Gly Cys Ala Thr Val Gly His Phe Gly Val Tyr Thr
405 410 415

Arg Val Ser Gln Tyr Ile Glu Trp Leu Gln Lys Leu Met Arg Ser Glu
420 425 430

Pro Arg Pro Gly Val Leu Leu Arg Ala Pro Phe Pro
435 440

<210> 9
<211> 1437
<212> DNA
<213> Homo sapiens

<400> 9
atgcagcgcg tgaacatgat catggcagaa tcaccaagcc tcatcaccat ctgcctttta 60

ggatatctac tcagtgctga atgtacagtt tttcttgatc atgaaaacgc caacaaaatt 120

ctgaatcggc caaagaggta taattcaggt aaattggaag agtttgttca agggaacctt 180

gagagagaat gtatggaaga aaagtgtagt tttgaagaac cacgagaagt ttttgaaaac 240

actgaaaaga caactgaatt ttggaagcag tatgttgatg gagatcagtg tgagtccaat 300

ccatgtttaa atggcggcag ttgcaaggat gacattaatt cctatgaatg ttggtgtccc 360

tttggatttg aaggaaagaa ctgtgaatta gatgtaacat gtaacattaa gaatggcaga 420

tgcgagcagt tttgtaaaaa tagtgctgat aacaaggtgg tttgctcctg tactgaggga 480

tatcgacttg cagaaaacca gaagtcctgt gaaccagcag tgccatttcc atgtggaaga 540

gttttctgttt cacaaacttc taagctcacc cgtgctgagg ctgtttttcc tgatgtggac 600

tatgtaaatc ctactgaagc tgaaaccatt ttggataaca tcactcaagg cacccaatca 660

tttaatgact tcactcgggt tgttggtgga gaagatgcca aaccaggtca attcccttgg 720

caggttgttt tgaatggtaa agttgatgca ttctgtggag gctctatcgt taatgaaaaa 780

tggattgtaa ctgctgccca ctgtgttgaa actggtgtta aaattacagt tgtcgcaggt 840

gaacataata ttgaggagac agaacataca gagcaaaagc gaaatgtgat tcgagcaatt 900

attcctcacc acaactacaa tgcagctatt aataagtaca accatgacat tgcccttctg 960

gaactggacg aacccttagt gctaaacagc tacgttacac ctatttgcat tgctgacaag 1020

gaatacacga acatcttcct caaatttgga tctggctatg taagtggctg ggcaagagtc 1080

ttccacaaag ggagatcagc tttagttctt cagtacctta gagttccact tgttgaccga 1140

gccacatgtc ttcgatctac aaagttcacc atctataaca acatgttctg tgctggcttc 1200

catgaaggag gtagagattc atgtcaagga gatagtgggg gaccccatgt tactgaagtg 1260

gaagggacca gtttcttaac tggaattatt agctggggtg aagagtgtgc aatgaaaggc 1320

aaatatggaa tatataccaa ggtatcccgg tatgtcaact ggattaagga aaaaacaaag 1380

ctcacttaat gaaagatgga tttccaaggt taattcattg gaattgaaaa ttaacag 1437

<210> 10
<211> 462
<212> PRT
<213> Homo sapiens

<400> 10

Met Gln Arg Val Asn Met Ile Met Ala Glu Ser Pro Ser Leu Ile Thr
1 5 10 15

Ile Cys Leu Leu Gly Tyr Leu Leu Ser Ala Glu Cys Thr Val Phe Leu
20 25 30

```
Asp His Glu Asn Ala Asn Lys Ile Leu Asn Arg Pro Lys Arg Tyr Asn
        35                  40                  45

Ser Gly Lys Leu Glu Glu Phe Val Gln Gly Asn Leu Glu Arg Glu Cys
    50                  55                  60

Met Glu Glu Lys Cys Ser Phe Glu Glu Pro Arg Glu Val Phe Glu Asn
65                  70                  75                  80

Thr Glu Lys Thr Thr Glu Phe Trp Lys Gln Tyr Val Asp Gly Asp Gln
                85                  90                  95

Cys Glu Ser Asn Pro Cys Leu Asn Gly Gly Ser Cys Lys Asp Asp Ile
            100                 105                 110

Asn Ser Tyr Glu Cys Trp Cys Pro Phe Gly Phe Glu Gly Lys Asn Cys
        115                 120                 125

Glu Leu Asp Val Thr Cys Asn Ile Lys Asn Gly Arg Cys Glu Gln Phe
    130                 135                 140

Cys Lys Asn Ser Ala Asp Asn Lys Val Val Cys Ser Cys Thr Glu Gly
145                 150                 155                 160

Tyr Arg Leu Ala Glu Asn Gln Lys Ser Cys Glu Pro Ala Val Pro Phe
                165                 170                 175

Pro Cys Gly Arg Val Ser Val Ser Gln Thr Ser Lys Leu Thr Arg Ala
            180                 185                 190

Glu Ala Val Phe Pro Asp Val Asp Tyr Val Asn Pro Thr Glu Ala Glu
        195                 200                 205

Thr Ile Leu Asp Asn Ile Thr Gln Gly Thr Gln Ser Phe Asn Asp Phe
    210                 215                 220

Thr Arg Val Val Gly Gly Glu Asp Ala Lys Pro Gly Gln Phe Pro Trp
225                 230                 235                 240

Gln Val Val Leu Asn Gly Lys Val Asp Ala Phe Cys Gly Gly Ser Ile
                245                 250                 255
```

```
Val Asn Glu Lys Trp Ile Val Thr Ala Ala His Cys Val Glu Thr Gly
            260                 265                 270

Val Lys Ile Thr Val Val Ala Gly Glu His Asn Ile Glu Glu Thr Glu
        275                 280                 285

His Thr Glu Gln Lys Arg Asn Val Ile Arg Ala Ile Ile Pro His His
    290                 295                 300

Asn Tyr Asn Ala Ala Ile Asn Lys Tyr Asn His Asp Ile Ala Leu Leu
305                 310                 315                 320

Glu Leu Asp Glu Pro Leu Val Leu Asn Ser Tyr Val Thr Pro Ile Cys
                325                 330                 335

Ile Ala Asp Lys Glu Tyr Thr Asn Ile Phe Leu Lys Phe Gly Ser Gly
            340                 345                 350

Tyr Val Ser Gly Trp Ala Arg Val Phe His Lys Gly Arg Ser Ala Leu
        355                 360                 365

Val Leu Gln Tyr Leu Arg Val Pro Leu Val Asp Arg Ala Thr Cys Leu
    370                 375                 380

Arg Ser Thr Lys Phe Thr Ile Tyr Asn Asn Met Phe Cys Ala Gly Phe
385                 390                 395                 400

His Glu Gly Gly Arg Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro His
                405                 410                 415

Val Thr Glu Val Glu Gly Thr Ser Phe Leu Thr Gly Ile Ile Ser Trp
            420                 425                 430

Gly Glu Glu Cys Ala Met Lys Gly Lys Tyr Gly Ile Tyr Thr Lys Val
        435                 440                 445

Ser Arg Tyr Val Asn Trp Ile Lys Glu Lys Thr Lys Leu Thr
    450                 455                 460
```

<210> 11
<211> 603
<212> DNA
<213> Homo sapiens

<400> 11
atggattact acagaaaata tgcagctatc tttctggtca cattgtcggt gtttctgcat 60

gttctccatt ccgctcctga tgtgcaggat tgcccagaat gcacgctaca ggaaaaccca 120

ttcttctccc agccgggtgc cccaatactt cagtgcatgg gctgctgctt ctctagagca 180

tatcccactc cactaaggtc caagaagacg atgttggtcc aaaagaacgt cacctcagag 240

tccacttgct gtgtagctaa atcatataac agggtcacag taatgggggg tttcaaagtg 300

gagaaccaca cggcgtgcca ctgcagtact tgttattatc acaaatctta aatgttttac 360

caagtgctgt cttgatgact gctgattttc tggaatggaa aattaagttg tttagtgttt 420

atggctttgt gagataaaac tctccttttc cttaccatac cactttgaca cgcttcaagg 480

atatactgca gctttactgc cttcctcctt atcctacagt acaatcagca gtctagttct 540

tttcatttgg aatgaataca gcattaagct tgttccactg caaataaagc cttttaaatc 600

atc 603

<210> 12
<211> 116
<212> PRT
<213> Homo sapiens

<400> 12

Met Asp Tyr Tyr Arg Lys Tyr Ala Ala Ile Phe Leu Val Thr Leu Ser
1 5 10 15

Val Phe Leu His Val Leu His Ser Ala Pro Asp Val Gln Asp Cys Pro
20 25 30

Glu Cys Thr Leu Gln Glu Asn Pro Phe Phe Ser Gln Pro Gly Ala Pro
35 40 45

Ile Leu Gln Cys Met Gly Cys Cys Phe Ser Arg Ala Tyr Pro Thr Pro
50 55 60

Leu Arg Ser Lys Lys Thr Met Leu Val Gln Lys Asn Val Thr Ser Glu
65 70 75 80

Ser Thr Cys Cys Val Ala Lys Ser Tyr Asn Arg Val Thr Val Met Gly
85 90 95

Gly Phe Lys Val Glu Asn His Thr Ala Cys His Cys Ser Thr Cys Tyr
100 105 110

Tyr His Lys Ser
115

<210> 13
<211> 390
<212> DNA
<213> Homo sapiens

<400> 13
atgaagacac tccagttttt cttccttttc tgttgctgga aagcaatctg ctgcaatagc 60

tgtgagctga ccaacatcac cattgcaata gagaaagaag aatgtcgttt ctgcataagc 120

atcaacacca cttggtgtgc tggctactgc tacaccaggg atctggtgta taaggaccca 180

gccaggccca aaatccagaa aacatgtacc ttcaaggaac tggtatatga aacagtgaga 240

gtgcccggct gtgctcacca tgcagattcc ttgtatacat acccagtggc cacccagtgt 300

cactgtggca agtgtgacag cgacagcact gattgtactg tgcgaggcct ggggcccagc 360

tactgctcct ttggtgaaat gaaagaataa 390

<210> 14
<211> 129
<212> PRT
<213> Homo sapiens

<400> 14

Met Lys Thr Leu Gln Phe Phe Phe Leu Phe Cys Cys Trp Lys Ala Ile
1 5 10 15

Cys Cys Asn Ser Cys Glu Leu Thr Asn Ile Thr Ile Ala Ile Glu Lys
20 25 30

Glu Glu Cys Arg Phe Cys Ile Ser Ile Asn Thr Thr Trp Cys Ala Gly
35 40 45

Tyr Cys Tyr Thr Arg Asp Leu Val Tyr Lys Asp Pro Ala Arg Pro Lys
50 55 60

Ile Gln Lys Thr Cys Thr Phe Lys Glu Leu Val Tyr Glu Thr Val Arg
65 70 75 80

Val Pro Gly Cys Ala His His Ala Asp Ser Leu Tyr Thr Tyr Pro Val
85 90 95

Ala Thr Gln Cys His Cys Gly Lys Cys Asp Ser Asp Ser Thr Asp Cys
100 105 110

Thr Val Arg Gly Leu Gly Pro Ser Tyr Cys Ser Phe Gly Glu Met Lys
115 120 125

Glu

<210> 15
<211> 1342
<212> DNA
<213> Homo sapiens

<400> 15
cccggagccg gaccggggcc accgcgcccg ctctgctccg acaccgcgcc ccctggacag 60

ccgccctctc ctccaggccc gtggggctgg ccctgcaccg ccgagcttcc cgggatgagg 120

gcccccggtg tggtcacccg gcgcgcccca ggtcgctgag ggaccccggc caggcgcgga 180

gatgggggtg cacgaatgtc ctgcctggct gtggcttctc ctgtccctgc tgtcgctccc 240

tctgggcctc ccagtcctgg gcgccccacc acgcctcatc tgtgacagcc gagtcctgga 300

gaggtacctc ttggaggcca aggaggccga gaatatcacg acgggctgtg ctgaacactg 360

cagcttgaat gagaatatca ctgtcccaga caccaaagtt aatttctatg cctggaagag 420

gatggaggtc gggcagcagg ccgtagaagt ctggcagggc ctggccctgc tgtcggaagc 480

tgtcctgcgg ggccaggccc tgttggtcaa ctcttcccag ccgtgggagc ccctgcagct 540

gcatgtggat aaagccgtca gtggccttcg cagcctcacc actctgcttc gggctctgcg 600

agcccagaag gaagccatct cccctccaga tgcggcctca gctgctccac tccgaacaat 660

cactgctgac actttccgca aactcttccg agtctactcc aatttcctcc ggggaaagct 720

gaagctgtac acaggggagg cctgcaggac aggggacaga tgaccaggtg tgtccacctg 780

ggcatatcca ccacctccct caccaacatt gcttgtgcca caccctcccc cgccactcct 840

gaaccccgtc gaggggctct cagctcagcg ccagcctgtc ccatggacac tccagtgcca 900

gcaatgacat ctcaggggcc agaggaactg tccagagagc aactctgaga tctaaggatg 960

tcacagggcc aacttgaggg cccagagcag gaagcattca gagagcagct ttaaactcag 1020

ggacagagcc atgctgggaa gacgcctgag ctcactcggc accctgcaaa atttgatgcc 1080

aggacacgct ttggaggcga tttacctgtt ttcgcaccta ccatcaggga caggatgacc 1140

tggagaactt aggtggcaag ctgtgacttc tccaggtctc acgggcatgg gcactccctt 1200

ggtggcaaga gccccttga caccggggtg gtgggaacca tgaagacagg atgggggctg 1260

gcctctggct ctcatggggt ccaagttttg tgtattcttc aacctcattg acaagaactg 1320

aaaccaccaa aaaaaaaaaa aa 1342

<210> 16
<211> 193
<212> PRT
<213> Homo sapiens

<400> 16

Met Gly Val His Glu Cys Pro Ala Trp Leu Trp Leu Leu Leu Ser Leu
1 5 10 15

Leu Ser Leu Pro Leu Gly Leu Pro Val Leu Gly Ala Pro Pro Arg Leu
20 25 30

Ile Cys Asp Ser Arg Val Leu Glu Arg Tyr Leu Leu Glu Ala Lys Glu
35 40 45

Ala Glu Asn Ile Thr Thr Gly Cys Ala Glu His Cys Ser Leu Asn Glu
50 55 60

Asn Ile Thr Val Pro Asp Thr Lys Val Asn Phe Tyr Ala Trp Lys Arg
65 70 75 80

Met Glu Val Gly Gln Gln Ala Val Glu Val Trp Gln Gly Leu Ala Leu
85 90 95

Leu Ser Glu Ala Val Leu Arg Gly Gln Ala Leu Leu Val Asn Ser Ser
100 105 110

Gln Pro Trp Glu Pro Leu Gln Leu His Val Asp Lys Ala Val Ser Gly
115 120 125

Leu Arg Ser Leu Thr Thr Leu Leu Arg Ala Leu Arg Ala Gln Lys Glu
130 135 140

Ala Ile Ser Pro Pro Asp Ala Ala Ser Ala Ala Pro Leu Arg Thr Ile
145 150 155 160

Thr Ala Asp Thr Phe Arg Lys Leu Phe Arg Val Tyr Ser Asn Phe Leu

165 170 175

Arg Gly Lys Leu Lys Leu Tyr Thr Gly Glu Ala Cys Arg Thr Gly Asp
180 185 190

Arg

<210> 17
<211> 435
<212> DNA
<213> Homo sapiens

<400> 17
atgtggctgc agagcctgct gctcttgggc actgtggcct gcagcatctc tgcacccgcc 60

cgctcgccca gccccagcac gcagccctgg gagcatgtga atgccatcca ggaggcccgg 120

cgtctcctga acctgagtag agacactgct gctgagatga atgaaacagt agaagtcatc 180

tcagaaatgt ttgacctcca ggagccgacc tgcctacaga cccgcctgga gctgtacaag 240

cagggcctgc ggggcagcct caccaagctc aagggcccct tgaccatgat ggccagccac 300

tacaagcagc actgccctcc aaccccggaa acttcctgtg caacccagat tatcaccttt 360

gaaagtttca aagagaacct gaaggacttt ctgcttgtca tccccttga ctgctgggag 420

ccagtccagg agtga 435

<210> 18
<211> 144
<212> PRT
<213> Homo sapiens

<400> 18

Met Trp Leu Gln Ser Leu Leu Leu Leu Gly Thr Val Ala Cys Ser Ile
1 5 10 15

Ser Ala Pro Ala Arg Ser Pro Ser Pro Ser Thr Gln Pro Trp Glu His
20 25 30

Val Asn Ala Ile Gln Glu Ala Arg Arg Leu Leu Asn Leu Ser Arg Asp
35 40 45

Thr Ala Ala Glu Met Asn Glu Thr Val Glu Val Ile Ser Glu Met Phe
50 55 60

Asp Leu Gln Glu Pro Thr Cys Leu Gln Thr Arg Leu Glu Leu Tyr Lys
65 70 75 80

Gln Gly Leu Arg Gly Ser Leu Thr Lys Leu Lys Gly Pro Leu Thr Met
85 90 95

Met Ala Ser His Tyr Lys Gln His Cys Pro Pro Thr Pro Glu Thr Ser
100 105 110

Cys Ala Thr Gln Ile Ile Thr Phe Glu Ser Phe Lys Glu Asn Leu Lys
115 120 125

Asp Phe Leu Leu Val Ile Pro Phe Asp Cys Trp Glu Pro Val Gln Glu
130 135 140

<210> 19
<211> 501
<212> DNA
<213> Homo sapiens

<400> 19
atgaaatata caagttatat cttggctttt cagctctgca tcgttttggg ttctcttggc 60

tgttactgcc aggacccata tgtaaaagaa gcagaaaacc ttaagaaata ttttaatgca 120

ggtcattcag atgtagcgga taatggaact ctttttcttag gcattttgaa gaattggaaa 180

gaggagagtg acagaaaaat aatgcagagc caaattgtct ccttttactt caaacttttt 240

aaaaacttta aagatgacca gagcatccaa aagagtgtgg agaccatcaa ggaagacatg 300

aatgtcaagt ttttcaatag caacaaaaag aaacgagatg acttcgaaaa gctgactaat 360

tattcggtaa ctgacttgaa tgtccaacgc aaagcaatac atgaactcat ccaagtgatg 420

gctgaactgt cgccagcagc taaaacaggg aagcgaaaaa ggagtcagat gctgtttcga 480

ggtcgaagag catcccagta a 501

<210> 20
<211> 166
<212> PRT
<213> Homo sapiens

<400> 20

Met Lys Tyr Thr Ser Tyr Ile Leu Ala Phe Gln Leu Cys Ile Val Leu
1 5 10 15

Gly Ser Leu Gly Cys Tyr Cys Gln Asp Pro Tyr Val Lys Glu Ala Glu

20 25 30

Asn Leu Lys Lys Tyr Phe Asn Ala Gly His Ser Asp Val Ala Asp Asn
35 40 45

Gly Thr Leu Phe Leu Gly Ile Leu Lys Asn Trp Lys Glu Glu Ser Asp
50 55 60

Arg Lys Ile Met Gln Ser Gln Ile Val Ser Phe Tyr Phe Lys Leu Phe
65 70 75 80

Lys Asn Phe Lys Asp Asp Gln Ser Ile Gln Lys Ser Val Glu Thr Ile
85 90 95

Lys Glu Asp Met Asn Val Lys Phe Phe Asn Ser Asn Lys Lys Lys Arg
100 105 110

Asp Asp Phe Glu Lys Leu Thr Asn Tyr Ser Val Thr Asp Leu Asn Val
115 120 125

Gln Arg Lys Ala Ile His Glu Leu Ile Gln Val Met Ala Glu Leu Ser
130 135 140

Pro Ala Ala Lys Thr Gly Lys Arg Lys Arg Ser Gln Met Leu Phe Arg
145 150 155 160

Gly Arg Arg Ala Ser Gln
165

<210> 21
<211> 1352
<212> DNA
<213> Homo sapiens

<400> 21
ctgggacagt gaatcgacaa tgccgtcttc tgtctcgtgg ggcatcctcc tgctggcagg 60

cctgtgctgc ctggtccctg tctccctggc tgaggatccc cagggagatg ctgcccagaa 120

gacagataca tcccaccatg atcaggatca cccaaccttc aacaagatca cccccaacct 180

ggctgagttc gccttcagcc tataccgcca gctggcacac cagtccaaca gcaccaatat 240

cttcttctcc ccagtgagca tcgctacagc ctttgcaatg ctctccctgg ggaccaaggc 300

tgacactcac gatgaaatcc tggagggcct gaatttcaac' ctcacggaga ttccggaggc 360

tcagatccat gaaggcttcc aggaactcct ccgtaccctc aaccagccag acagccagct 420

ccagctgacc accggcaatg gcctgttcct cagcgagggc ctgaagctag tggataagtt 480

tttggaggat gttaaaaagt tgtaccactc agaagccttc actgtcaact tcggggacac 540

cgaagaggcc aagaaacaga tcaacgatta cgtggagaag ggtactcaag ggaaaattgt 600

ggatttggtc aaggagcttg acagagacac agtttttgct ctggtgaatt acatcttctt 660

taaaggcaaa tgggagagac cctttgaagt caaggacacc gaggaagagg acttccacgt 720

ggaccaggtg accaccgtga aggtgcctat gatgaagcgt ttaggcatgt ttaacatcca 780

gcactgtaag aagctgtcca gctgggtgct gctgatgaaa tacctgggca atgccaccgc 840

catcttcttc ctgcctgatg aggggaaact acagcacctg gaaaatgaac tcacccacga 900

tatcatcacc aagttcctgg aaaatgaaga cagaaggtct gccagcttac atttacccaa 960

actgtccatt actggaacct atgatctgaa gagcgtcctg ggtcaactgg gcatcactaa 1020

ggtcttcagc aatggggctg acctctccgg ggtcacagag gaggcacccc tgaagctctc 1080

caaggccgtg cataaggctg tgctgaccat cgacgagaaa gggactgaag ctgctggggc 1140

catgttttta gaggccatac ccatgtctat ccccccgag gtcaagttca acaaaccctt 1200

tgtcttctta atgattgaac aaaataccaa gtctcccctc ttcatgggaa aagtggtgaa 1260

tcccacccaa aaataactgc ctctcgctcc tcaacccctc ccctccatcc ctggcccccc 1320

ccctggatga cattaaagaa gggttgagct gg 1352

<210> 22
<211> 418
<212> PRT
<213> Homo sapiens

<400> 22

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1 5 10 15

Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
20 25 30

Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35 40 45

Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50 55 60

```
Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65                  70                  75                  80

Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
                85                  90                  95

His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
            100                 105                 110

Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn
        115                 120                 125

Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu
    130                 135                 140

Ser Glu Gly Leu Lys Leu Val Asp Lys Phe Leu Glu Asp Val Lys Lys
145                 150                 155                 160

Leu Tyr His Ser Glu Ala Phe Thr Val Asn Phe Gly Asp Thr Glu Glu
                165                 170                 175

Ala Lys Lys Gln Ile Asn Asp Tyr Val Glu Lys Gly Thr Gln Gly Lys
            180                 185                 190

Ile Val Asp Leu Val Lys Glu Leu Asp Arg Asp Thr Val Phe Ala Leu
        195                 200                 205

Val Asn Tyr Ile Phe Phe Lys Gly Lys Trp Glu Arg Pro Phe Glu Val
    210                 215                 220

Lys Asp Thr Glu Glu Glu Asp Phe His Val Asp Gln Val Thr Thr Val
225                 230                 235                 240

Lys Val Pro Met Met Lys Arg Leu Gly Met Phe Asn Ile Gln His Cys
                245                 250                 255

Lys Lys Leu Ser Ser Trp Val Leu Leu Met Lys Tyr Leu Gly Asn Ala
            260                 265                 270

Thr Ala Ile Phe Phe Leu Pro Asp Glu Gly Lys Leu Gln His Leu Glu
        275                 280                 285
```

Asn Glu Leu Thr His Asp Ile Ile Thr Lys Phe Leu Glu Asn Glu Asp
290 295 300

Arg Arg Ser Ala Ser Leu His Leu Pro Lys Leu Ser Ile Thr Gly Thr
305 310 315 320

Tyr Asp Leu Lys Ser Val Leu Gly Gln Leu Gly Ile Thr Lys Val Phe
325 330 335

Ser Asn Gly Ala Asp Leu Ser Gly Val Thr Glu Glu Ala Pro Leu Lys
340 345 350

Leu Ser Lys Ala Val His Lys Ala Val Leu Thr Ile Asp Glu Lys Gly
355 360 365

Thr Glu Ala Ala Gly Ala Met Phe Leu Glu Ala Ile Pro Met Ser Ile
370 375 380

Pro Pro Glu Val Lys Phe Asn Lys Pro Phe Val Phe Leu Met Ile Glu
385 390 395 400

Gln Asn Thr Lys Ser Pro Leu Phe Met Gly Lys Val Val Asn Pro Thr
405 410 415

Gln Lys

<210> 23
<211> 2004
<212> DNA
<213> Homo sapiens

<400> 23
gctaacctag tgcctatagc taaggcaggt acctgcatcc ttgtttttgt ttagtggatc 60

ctctatcctt cagagactct ggaacccctg tggtcttctc ttcatctaat gaccctgagg 120

ggatggagtt ttcaagtcct tccagagagg aatgtcccaa gcctttgagt agggtaagca 180

tcatggctgg cagcctcaca ggtttgcttc tacttcaggc agtgtcgtgg gcatcaggtg 240

cccgcccctg catccctaaa agcttcggct acagctcggt ggtgtgtgtc tgcaatgcca 300

catactgtga ctcctttgac cccccgacct ttcctgccct tggtaccttc agccgctatg 360

agagtacacg cagtgggcga cggatggagc tgagtatggg gcccatccag gctaatcaca 420

cgggcacagg cctgctactg accctgcagc cagaacagaa gttccagaaa gtgaagggat 480

ttggaggggc catgacagat gctgctgctc tcaacatcct tgccctgtca ccccctgccc 540

aaaatttgct acttaaatcg tacttctctg aagaaggaat cggatataac atcatccggg 600

tacccatggc cagctgtgac ttctccatcc gcacctacac ctatgcagac acccctgatg 660

atttccagtt gcacaacttc agcctcccag aggaagatac caagctcaag ataccctga 720

ttcaccgagc cctgcagttg gcccagcgtc ccgtttcact ccttgccagc ccctggacat 780

cacccacttg gctcaagacc aatggagcgg tgaatgggaa ggggtcactc aagggacagc 840

ccggagacat ctaccaccag acctgggcca gatactttgt gaagttcctg gatgcctatg 900

ctgagcacaa gttacagttc tgggcagtga cagctgaaaa tgagccttct gctgggctgt 960

tgagtggata ccccttccag tgcctgggct tcacccctga acatcagcga gacttcattg 1020

cccgtgacct aggtcctacc ctcgccaaca gtactcacca caatgtccgc ctactcatgc 1080

tggatgacca acgcttgctg ctgccccact gggcaaaggt ggtactgaca gacccagaag 1140

cagctaaata tgttcatggc attgctgtac attggtacct ggactttctg gctccagcca 1200

aagccaccct aggggagaca caccgcctgt tccccaacac catgctcttt gcctcagagg 1260

cctgtgtggg ctccaagttc tgggagcaga gtgtgcggct aggctcctgg gatcgaggga 1320

tgcagtacag ccacagcatc atcacgaacc tcctgtacca tgtggtcggc tggaccgact 1380

ggaaccttgc cctgaacccc gaaggaggac ccaattgggt gcgtaacttt gtcgacagtc 1440

ccatcattgt agacatcacc aaggacacgt tttacaaaca gcccatgttc taccaccttg 1500

gccacttcag caagttcatt cctgagggct cccagagagt ggggctggtt gccagtcaga 1560

agaacgacct ggacgcagtg gcactgatgc atcccgatgg ctctgctgtt gtggtcgtgc 1620

taaaccgctc ctctaaggat gtgcctctta ccatcaagga tcctgctgtg ggcttcctgg 1680

agacaatctc acctggctac tccattcaca cctacctgtg gcatcgccag tgatggagca 1740

gatactcaag gaggcactgg gctcagcctg ggcattaaag ggacagagtc agctcacacg 1800

ctgtctgtga ctaaagaggg cacagcaggg ccagtgtgag cttacagcga cgtaagccca 1860

ggggcaatgg tttgggtgac tcactttccc ctctaggtgg tgcccagggc tggaggcccc 1920

tagaaaaaga tcagtaagcc ccagtgtccc cccagccccc atgcttatgt gaacatgcgc 1980

tgtgtgctgc ttgctttgga aact 2004

<210> 24
<211> 536
<212> PRT

<213> Homo sapiens

<400> 24

```
Met Glu Phe Ser Ser Pro Ser Arg Glu Glu Cys Pro Lys Pro Leu Ser
1               5                  10                  15

Arg Val Ser Ile Met Ala Gly Ser Leu Thr Gly Leu Leu Leu Leu Gln
            20                  25                  30

Ala Val Ser Trp Ala Ser Gly Ala Arg Pro Cys Ile Pro Lys Ser Phe
        35                  40                  45

Gly Tyr Ser Ser Val Val Cys Val Cys Asn Ala Thr Tyr Cys Asp Ser
    50                  55                  60

Phe Asp Pro Pro Thr Phe Pro Ala Leu Gly Thr Phe Ser Arg Tyr Glu
65                  70                  75                  80

Ser Thr Arg Ser Gly Arg Arg Met Glu Leu Ser Met Gly Pro Ile Gln
                85                  90                  95

Ala Asn His Thr Gly Thr Gly Leu Leu Leu Thr Leu Gln Pro Glu Gln
            100                 105                 110

Lys Phe Gln Lys Val Lys Gly Phe Gly Gly Ala Met Thr Asp Ala Ala
        115                 120                 125

Ala Leu Asn Ile Leu Ala Leu Ser Pro Pro Ala Gln Asn Leu Leu Leu
    130                 135                 140

Lys Ser Tyr Phe Ser Glu Glu Gly Ile Gly Tyr Asn Ile Ile Arg Val
145                 150                 155                 160

Pro Met Ala Ser Cys Asp Phe Ser Ile Arg Thr Tyr Thr Tyr Ala Asp
                165                 170                 175

Thr Pro Asp Asp Phe Gln Leu His Asn Phe Ser Leu Pro Glu Glu Asp
            180                 185                 190

Thr Lys Leu Lys Ile Pro Leu Ile His Arg Ala Leu Gln Leu Ala Gln
        195                 200                 205

Arg Pro Val Ser Leu Leu Ala Ser Pro Trp Thr Ser Pro Thr Trp Leu
```

```
   210                 215                 220

Lys Thr Asn Gly Ala Val Asn Gly Lys Gly Ser Leu Lys Gly Gln Pro
225                 230                 235                 240

Gly Asp Ile Tyr His Gln Thr Trp Ala Arg Tyr Phe Val Lys Phe Leu
                245                 250                 255

Asp Ala Tyr Ala Glu His Lys Leu Gln Phe Trp Ala Val Thr Ala Glu
            260                 265                 270

Asn Glu Pro Ser Ala Gly Leu Leu Ser Gly Tyr Pro Phe Gln Cys Leu
        275                 280                 285

Gly Phe Thr Pro Glu His Gln Arg Asp Phe Ile Ala Arg Asp Leu Gly
    290                 295                 300

Pro Thr Leu Ala Asn Ser Thr His His Asn Val Arg Leu Leu Met Leu
305                 310                 315                 320

Asp Asp Gln Arg Leu Leu Leu Pro His Trp Ala Lys Val Val Leu Thr
                325                 330                 335

Asp Pro Glu Ala Ala Lys Tyr Val His Gly Ile Ala Val His Trp Tyr
            340                 345                 350

Leu Asp Phe Leu Ala Pro Ala Lys Ala Thr Leu Gly Glu Thr His Arg
        355                 360                 365

Leu Phe Pro Asn Thr Met Leu Phe Ala Ser Glu Ala Cys Val Gly Ser
    370                 375                 380

Lys Phe Trp Glu Gln Ser Val Arg Leu Gly Ser Trp Asp Arg Gly Met
385                 390                 395                 400

Gln Tyr Ser His Ser Ile Ile Thr Asn Leu Leu Tyr His Val Val Gly
                405                 410                 415

Trp Thr Asp Trp Asn Leu Ala Leu Asn Pro Glu Gly Gly Pro Asn Trp
            420                 425                 430

Val Arg Asn Phe Val Asp Ser Pro Ile Ile Val Asp Ile Thr Lys Asp
        435                 440                 445
```

Thr Phe Tyr Lys Gln Pro Met Phe Tyr His Leu Gly His Phe Ser Lys
450 455 460

Phe Ile Pro Glu Gly Ser Gln Arg Val Gly Leu Val Ala Ser Gln Lys
465 470 475 480

Asn Asp Leu Asp Ala Val Ala Leu Met His Pro Asp Gly Ser Ala Val
485 490 495

Val Val Val Leu Asn Arg Ser Ser Lys Asp Val Pro Leu Thr Ile Lys
500 505 510

Asp Pro Ala Val Gly Phe Leu Glu Thr Ile Ser Pro Gly Tyr Ser Ile
515 520 525

His Thr Tyr Leu Trp His Arg Gln
530 535

<210> 25
<211> 1726
<212> DNA
<213> Homo sapiens

<400> 25
atggatgcaa tgaagagagg gctctgctgt gtgctgctgc tgtgtggagc agtcttcgtt 60

tcgcccagcc aggaaatcca tgcccgattc agaagaggag ccagatctta ccaagtgatc 120

tgcagagatg aaaaaacgca gatgatatac cagcaacatc agtcatggct gcgccctgtg 180

ctcagaagca accgggtgga atattgctgg tgcaacagtg gcagggcaca gtgccactca 240

gtgcctgtca aaagttgcag cgagccaagg tgtttcaacg ggggcacctg ccagcaggcc 300

ctgtacttct cagatttcgt gtgccagtgc cccgaaggat ttgctgggaa gtgctgtgaa 360

atagatacca gggccacgtg ctacgaggac cagggcatca gctacagggg cacgtggagc 420

acagcggaga gtggcgccga gtgcaccaac tggaacagca gcgcgttggc ccagaagccc 480

tacagcgggc ggaggccaga cgccatcagg ctgggcctgg ggaaccacaa ctactgcaga 540

aacccagatc gagactcaaa gccctggtgc tacgtcttta aggcggggaa gtacagctca 600

gagttctgca gcacccctgc ctgctctgag ggaaacagtg actgctactt tgggaatggg 660

tcagcctacc gtggcacgca cagcctcacc gagtcgggtg cctcctgcct cccgtggaat 720

tccatgatcc tgataggcaa ggtttacaca gcacagaacc ccagtgccca ggcactgggc 780

ctgggcaaac ataattactg ccggaatcct gatggggatg ccaagccctg gtgccacgtg 840

ctgaagaacc gcaggctgac gtgggagtac tgtgatgtgc cctcctgctc cacctgcggc 900

ctgagacagt acagccagcc tcagtttcgc atcaaaggag ggctcttcgc cgacatcgcc 960

tcccacccct ggcaggctgc catctttgcc aagcacagga ggtcgccggg agagcggttc 1020

ctgtgcgggg gcatactcat cagctcctgc tggattctct ctgccgccca ctgcttccag 1080

gagaggtttc cgccccacca cctgacggtg atcttgggca gaacataccg ggtggtccct 1140

ggcgaggagg agcagaaatt tgaagtcgaa aaatacattg tccataagga attcgatgat 1200

gacacttacg acaatgacat tgcgctgctg cagctgaaat cggattcgtc ccgctgtgcc 1260

caggagagca gcgtggtccg cactgtgtgc cttcccccgg cggacctgca gctgccggac 1320

tggacggagt gtgagctctc cggctacggc aagcatgagg ccttgtctcc tttctattcg 1380

gagcggctga aggaggctca tgtcagactg tacccatcca gccgctgcac atcacaacat 1440

ttacttaaca gaacagtcac cgacaacatg ctgtgtgctg gagacactcg gagcggcggg 1500

ccccaggcaa acttgcacga cgcctgccag ggcgattcgg gaggcccct ggtgtgtctg 1560

aacgatggcc gcatgacttt ggtgggcatc atcagctggg gcctgggctg tggacagaag 1620

gatgtcccgg gtgtgtacac caaggttacc aactacctag actggattcg tgacaacatg 1680

cgaccgtgac caggaacacc cgactcctca aaagcaaatg agatcc 1726

<210> 26
<211> 562
<212> PRT
<213> Homo sapiens

<400> 26

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly
1 5 10 15

Ala Val Phe Val Ser Pro Ser Gln Glu Ile His Ala Arg Phe Arg Arg
20 25 30

Gly Ala Arg Ser Tyr Gln Val Ile Cys Arg Asp Glu Lys Thr Gln Met
35 40 45

Ile Tyr Gln Gln His Gln Ser Trp Leu Arg Pro Val Leu Arg Ser Asn
50 55 60

```
Arg Val Glu Tyr Cys Trp Cys Asn Ser Gly Arg Ala Gln Cys His Ser
65                  70                  75                  80

Val Pro Val Lys Ser Cys Ser Glu Pro Arg Cys Phe Asn Gly Gly Thr
                85                  90                  95

Cys Gln Gln Ala Leu Tyr Phe Ser Asp Phe Val Cys Gln Cys Pro Glu
            100                 105                 110

Gly Phe Ala Gly Lys Cys Cys Glu Ile Asp Thr Arg Ala Thr Cys Tyr
        115                 120                 125

Glu Asp Gln Gly Ile Ser Tyr Arg Gly Thr Trp Ser Thr Ala Glu Ser
    130                 135                 140

Gly Ala Glu Cys Thr Asn Trp Asn Ser Ser Ala Leu Ala Gln Lys Pro
145                 150                 155                 160

Tyr Ser Gly Arg Arg Pro Asp Ala Ile Arg Leu Gly Leu Gly Asn His
                165                 170                 175

Asn Tyr Cys Arg Asn Pro Asp Arg Asp Ser Lys Pro Trp Cys Tyr Val
            180                 185                 190

Phe Lys Ala Gly Lys Tyr Ser Ser Glu Phe Cys Ser Thr Pro Ala Cys
        195                 200                 205

Ser Glu Gly Asn Ser Asp Cys Tyr Phe Gly Asn Gly Ser Ala Tyr Arg
    210                 215                 220

Gly Thr His Ser Leu Thr Glu Ser Gly Ala Ser Cys Leu Pro Trp Asn
225                 230                 235                 240

Ser Met Ile Leu Ile Gly Lys Val Tyr Thr Ala Gln Asn Pro Ser Ala
                245                 250                 255

Gln Ala Leu Gly Leu Gly Lys His Asn Tyr Cys Arg Asn Pro Asp Gly
            260                 265                 270

Asp Ala Lys Pro Trp Cys His Val Leu Lys Asn Arg Arg Leu Thr Trp
        275                 280                 285

Glu Tyr Cys Asp Val Pro Ser Cys Ser Thr Cys Gly Leu Arg Gln Tyr
```

```
290                 295                 300

Ser Gln Pro Gln Phe Arg Ile Lys Gly Gly Leu Phe Ala Asp Ile Ala
305                 310                 315                 320

Ser His Pro Trp Gln Ala Ala Ile Phe Ala Lys His Arg Arg Ser Pro
                325                 330                 335

Gly Glu Arg Phe Leu Cys Gly Gly Ile Leu Ile Ser Ser Cys Trp Ile
            340                 345                 350

Leu Ser Ala Ala His Cys Phe Gln Glu Arg Phe Pro Pro His His Leu
        355                 360                 365

Thr Val Ile Leu Gly Arg Thr Tyr Arg Val Val Pro Gly Glu Glu Glu
    370                 375                 380

Gln Lys Phe Glu Val Glu Lys Tyr Ile Val His Lys Glu Phe Asp Asp
385                 390                 395                 400

Asp Thr Tyr Asp Asn Asp Ile Ala Leu Leu Gln Leu Lys Ser Asp Ser
                405                 410                 415

Ser Arg Cys Ala Gln Glu Ser Ser Val Val Arg Thr Val Cys Leu Pro
            420                 425                 430

Pro Ala Asp Leu Gln Leu Pro Asp Trp Thr Glu Cys Glu Leu Ser Gly
        435                 440                 445

Tyr Gly Lys His Glu Ala Leu Ser Pro Phe Tyr Ser Glu Arg Leu Lys
    450                 455                 460

Glu Ala His Val Arg Leu Tyr Pro Ser Ser Arg Cys Thr Ser Gln His
465                 470                 475                 480

Leu Leu Asn Arg Thr Val Thr Asp Asn Met Leu Cys Ala Gly Asp Thr
                485                 490                 495

Arg Ser Gly Gly Pro Gln Ala Asn Leu His Asp Ala Cys Gln Gly Asp
            500                 505                 510

Ser Gly Gly Pro Leu Val Cys Leu Asn Asp Gly Arg Met Thr Leu Val
        515                 520                 525
```

Gly Ile Ile Ser Trp Gly Leu Gly Cys Gly Gln Lys Asp Val Pro Gly
530 535 540

Val Tyr Thr Lys Val Thr Asn Tyr Leu Asp Trp Ile Arg Asp Asn Met
545 550 555 560

Arg Pro

<210> 27
<211> 825
<212> DNA
<213> Homo sapiens

<400> 27
atcactctct ttaatcacta ctcacattaa cctcaactcc tgccacaatg tacaggatgc 60

aactcctgtc ttgcattgca ctaattcttg cacttgtcac aaacagtgca cctacttcaa 120

gttcgacaaa gaaaacaaag aaaacacagc tacaactgga gcatttactg ctggatttac 180

agatgatttt gaatggaatt aataattaca agaatcccaa actcaccagg atgctcacat 240

ttaagtttta catgcccaag aaggccacag aactgaaaca gcttcagtgt ctagaagaag 300

aactcaaacc tctggaggaa gtgctgaatt tagctcaaag caaaaacttt cacttaagac 360

ccagggactt aatcagcaat atcaacgtaa tagttctgga actaaaggga tctgaaacaa 420

cattcatgtg tgaatatgca gatgagacag caaccattgt agaatttctg aacagatgga 480

ttacctttg tcaaagcatc atctcaacac taacttgata attaagtgct tcccacttaa 540

aacatatcag gccttctatt tatttattta aatatttaaa ttttatattt attgttgaat 600

gtatggttgc tacctattgt aactattatt cttaatctta aaactataaa tatggatctt 660

ttatgattct ttttgtaagc cctaggggct ctaaaatggt ttaccttatt tatcccaaaa 720

atatttatta ttatgttgaa tgttaaatat agtatctatg tagattggtt agtaaaacta 780

tttaataaat ttgataaata taaaaaaaaa aaacaaaaaa aaaaa 825

<210> 28
<211> 156
<212> PRT
<213> Homo sapiens

<400> 28

Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ile Leu Ala Leu

```
1               5                   10                  15

Val Thr Asn Ser Ala Pro Thr Ser Ser Ser Thr Lys Lys Thr Lys Lys
            20                  25                  30

Thr Gln Leu Gln Leu Glu His Leu Leu Leu Asp Leu Gln Met Ile Leu
        35                  40                  45

Asn Gly Ile Asn Asn Tyr Lys Asn Pro Lys Leu Thr Arg Met Leu Thr
    50                  55                  60

Phe Lys Phe Tyr Met Pro Lys Lys Ala Thr Glu Leu Lys Gln Leu Gln
65                  70                  75                  80

Cys Leu Glu Glu Glu Leu Lys Pro Leu Glu Glu Val Leu Asn Leu Ala
                85                  90                  95

Gln Ser Lys Asn Phe His Leu Arg Pro Arg Asp Leu Ile Ser Asn Ile
            100                 105                 110

Asn Val Ile Val Leu Glu Leu Lys Gly Ser Glu Thr Thr Phe Met Cys
        115                 120                 125

Glu Tyr Ala Asp Glu Thr Ala Thr Ile Val Glu Phe Leu Asn Arg Trp
    130                 135                 140

Ile Thr Phe Cys Gln Ser Ile Ile Ser Thr Leu Thr
145                 150                 155
```

<210> 29
<211> 7931
<212> DNA
<213> Homo sapiens

<400> 29

```
atgcaaatag agctctccac ctgcttcttt ctgtgccttt tgcgattctg ctttagtgcc     60

accagaagat actacctggg tgcagtggaa ctgtcatggg actatatgca aagtgatctc    120

ggtgagctgc ctgtggacgc aagatttcct cctagagtgc caaaatcttt tccattcaac    180

acctcagtcg tgtacaaaaa gactctgttt gtagaattca cggatcacct tttcaacatc    240

gctaagccaa ggccaccctg gatgggtctg ctaggtccta ccatccaggc tgaggtttat    300

gatacagtgg tcattacact taagaacatg gcttcccatc ctgtcagtct tcatgctgtt    360
```

ggtgtatcct actggaaagc ttctgaggga gctgaatatg atgatcagac cagtcaaagg 420

gagaaagaag atgataaagt cttccctggt ggaagccata catatgtctg gcaggtcctg 480

aaagagaatg gtccaatggc ctctgaccca ctgtgcctta cctactcata tctttctcat 540

gtggacctgg taaaagactt gaattcaggc ctcattggag ccctactagt atgtagagaa 600

gggagtctgg ccaaggaaaa gacacagacc ttgcacaaat ttatactact ttttgctgta 660

tttgatgaag ggaaaagttg gcactcagaa acaaagaact ccttgatgca ggatagggat 720

gctgcatctg ctcgggcctg gcctaaaatg cacacagtca atggttatgt aaacaggtct 780

ctgccaggtc tgattggatg ccacaggaaa tcagtctatt ggcatgtgat tggaatgggc 840

accactcctg aagtgcactc aatattcctc gaaggtcaca catttcttgt gaggaaccat 900

cgccaggcgt ccttggaaat ctcgccaata actttcctta ctgctcaaac actcttgatg 960

gaccttggac agtttctact gttttgtcat atctcttccc accaacatga tggcatggaa 1020

gcttatgtca aagtagacag ctgtccagag gaaccccaac tacgaatgaa aaataatgaa 1080

gaagcggaag actatgatga tgatcttact gattctgaaa tggatgtggt caggtttgat 1140

gatgacaact ctccttcctt tatccaaatt cgctcagttg ccaagaagca tcctaaaact 1200

tgggtacatt acattgctgc tgaagaggag gactgggact atgctccctt agtcctcgcc 1260

cccgatgaca gaagttataa aagtcaatat ttgaacaatg gccctcagcg gattggtagg 1320

aagtacaaaa aagtccgatt tatggcatac acagatgaaa cctttaagac tcgtgaagct 1380

attcagcatg aatcaggaat cttgggacct ttactttatg gggaagttgg agacacactg 1440

ttgattatat ttaagaatca agcaagcaga ccatataaca tctaccctca cggaatcact 1500

gatgtccgtc ctttgtattc aaggagatta ccaaaaggtg taaaacattt gaaggatttt 1560

ccaattctgc caggagaaat attcaaatat aaatggacag tgactgtaga agatgggcca 1620

actaaatcag atcctcggtg cctgacccgc tattactcta gtttcgttaa tatggagaga 1680

gatctagctt caggactcat tggccctctc ctcatctgct acaaagaatc tgtagatcaa 1740

agaggaaacc agataatgtc agacaagagg aatgtcatcc tgttttctgt atttgatgag 1800

aaccgaagct ggtacctcac agagaatata caacgctttc tccccaatcc agctggagtg 1860

cagcttgagg atccagagtt ccaagcctcc aacatcatgc acagcatcaa tggctatgtt 1920

tttgatagtt tgcagttgtc agtttgtttg catgaggtgg catactggta cattctaagc 1980

attggagcac agactgactt cctttctgtc ttcttctctg gatatacctt caaacacaaa 2040

atggtctatg aagacacact caccctattc ccattctcag gagaaactgt cttcatgtcg 2100

atggaaaacc caggtctatg gattctgggg tgccacaact cagactttcg gaacagaggc 2160

atgaccgcct tactgaaggt ttctagttgt gacaagaaca ctggtgatta ttacgaggac 2220

agttatgaag atatttcagc atacttgctg agtaaaaaca atgccattga accaagaagc 2280

ttctcccaga attcaagaca ccgtagcact aggcaaaagc aatttaatgc caccacaatt 2340

ccagaaaatg acatagagaa gactgaccct tggtttgcac acagaacacc tatgcctaaa 2400

atacaaaatg tctcctctag tgatttgttg atgctcttgc gacagagtcc tactccacat 2460

gggctatcct tatctgatct ccaagaagcc aaatatgaga ctttttctga tgatccatca 2520

cctggagcaa tagacagtaa taacagcctg tctgaaatga cacacttcag gccacagctc 2580

catcacagtg gggacatggt atttacccct gagtcaggcc tccaattaag attaaatgag 2640

aaactgggga caactgcagc aacagagttg aagaaacttg atttcaaagt ttctagtaca 2700

tcaaataatc tgatttcaac aattccatca gacaatttgg cagcaggtac tgataatacа 2760

agttccttag gacccccaag tatgccagtt cattatgata gtcaattaga taccactcta 2820

tttggcaaaa agtcatctcc ccttactgag tctggtggac ctctgagctt gagtgaagaa 2880

aataatgatt caaagttgtt agaatcaggt ttaatgaata gccaagaaag ttcatgggga 2940

aaaaatgtat cgtcaacaga gagtggtagg ttatttaaag ggaaaagagc tcatggacct 3000

gctttgttga ctaaagataa tgccttattc aaagttagca tctctttgtt aaagacaaac 3060

aaaacttcca ataattcagc aactaataga aagactcaca ttgatggccc atcattatta 3120

attgagaata gtccatcagt ctggcaaaat atattagaaa gtgacactga gtttaaaaaa 3180

gtgacacctt tgattcatga cagaatgctt atggacaaaa atgctacagc tttgaggcta 3240

aatcatatgt caaataaaac tacttcatca aaaaacatgg aaatggtcca acagaaaaaa 3300

gagggcccca ttccaccaga tgcacaaaat ccagatatgt cgttctttaa gatgctattc 3360

ttgccagaat cagcaaggtg gatacaaagg actcatggaa agaactctct gaactctggg 3420

caaggcccca gtccaaagca attagtatcc ttaggaccag aaaaatctgt ggaaggtcag 3480

aatttcttgt ctgagaaaaa caaagtggta gtaggaaagg gtgaatttac aaaggacgta 3540

ggactcaaag agatggtttt tccaagcagc agaaacctat ttcttactaa cttggataat 3600

ttacatgaaa ataatacaca caatcaagaa aaaaaaattc aggaagaaat agaaaagaag 3660

gaaacattaa tccaagagaa tgtagttttg cctcagatac atacagtgac tggcactaag 3720

aatttcatga agaacctttt cttactgagc actaggcaaa atgtagaagg ttcatatgac 3780

ggggcatatg ctccagtact tcaagatttt aggtcattaa atgattcaac aaatagaaca 3840
aagaaacaca cagctcattt ctcaaaaaaa ggggaggaag aaaacttgga aggcttggga 3900
aatcaaacca agcaaattgt agagaaatat gcatgcacca caaggatatc tcctaataca 3960
agccagcaga attttgtcac gcaacgtagt aagagagctt tgaaacaatt cagactccca 4020
ctagaagaaa cagaacttga aaaaaggata attgtggatg acacctcaac ccagtggtcc 4080
aaaaacatga aacatttgac cccgagcacc ctcacacaga tagactacaa tgagaaggag 4140
aaaggggcca ttactcagtc tcccttatca gattgcctta cgaggagtca tagcatccct 4200
caagcaaata gatctccatt acccattgca aaggtatcat catttccatc tattagacct 4260
atatatctga ccagggtcct attccaagac aactcttctc atcttccagc agcatcttat 4320
agaaagaaag attctggggt ccaagaaagc agtcatttct tacaaggagc caaaaaaaat 4380
aacctttctt tagccattct aaccttggag atgactggtg atcaaagaga ggttggctcc 4440
ctggggacaa gtgccacaaa ttcagtcaca tacaagaaag ttgagaacac tgttctcccg 4500
aaaccagact tgcccaaaac atctggcaaa gttgaattgc ttccaaaagt tcacatttat 4560
cagaaggacc tattccctac ggaaactagc aatgggtctc ctggccatct ggatctcgtg 4620
gaagggagcc ttcttcaggg aacagaggga gcgattaagt ggaatgaagc aaacagacct 4680
ggaaaagttc cctttctgag agtagcaaca gaaagctctg caaagactcc ctccaagcta 4740
ttggatcctc ttgcttggga taaccactat ggtactcaga taccaaaaga agagtggaaa 4800
tcccaagaga agtcaccaga aaaaacagct tttaagaaaa aggataccat tttgtccctg 4860
aacgcttgtg aaagcaatca tgcaatagca gcaataaatg agggacaaaa taagcccgaa 4920
atagaagtca cctgggcaaa gcaaggtagg actgaaaggc tgtgctctca aaacccacca 4980
gtcttgaaac gccatcaacg ggaaataact cgtactactc ttcagtcaga tcaagaggaa 5040
attgactatg atgataccat atcagttgaa atgaagaagg aagattttga catttatgat 5100
gaggatgaaa atcagagccc ccgcagcttt caaaagaaaa cacgacacta ttttattgct 5160
gcagtggaga ggctctggga ttatgggatg agtagctccc cacatgttct aagaaacagg 5220
gctcagagtg gcagtgtccc tcagttcaag aaagttgttt tccaggaatt tactgatggc 5280
tcctttactc agcccttata ccgtggagaa ctaaatgaac atttgggact cctggggcca 5340
tatataagag cagaagttga agataatatc atggtaactt tcagaaatca ggcctctcgt 5400
ccctattcct tctattctag ccttatttct tatgaggaag atcagaggca aggagcagaa 5460
cctagaaaaa actttgtcaa gcctaatgaa accaaaactt acttttggaa agtgcaacat 5520

catatggcac ccactaaaga tgagtttgac tgcaaagcct gggcttattt ctctgatgtt 5580

gacctggaaa aagatgtgca ctcaggcctg attggacccc ttctggtctg ccacactaac 5640

acactgaacc ctgctcatgg gagacaagtg acagtacagg aatttgctct gtttttcacc 5700

atctttgatg agaccaaaag ctggtacttc actgaaaata tggaaagaaa ctgcagggct 5760

ccctgcaata tccagatgga agatcccact tttaaagaga attatcgctt ccatgcaatc 5820

aatggctaca taatggatac actacctggc ttagtaatgg ctcaggatca aaggattcga 5880

tggtatctgc tcagcatggg cagcaatgaa aacatccatt ctattcattt cagtggacat 5940

gtgttcactg tacgaaaaaa agaggagtat aaaatggcac tgtacaatct ctatccaggt 6000

gtttttgaga cagtggaaat gttaccatcc aaagctggaa tttggcgggt ggaatgcctt 6060

attggcgagc atctacatgc tgggatgagc acacttttтc tggtgtacag caataagtgt 6120

cagactcccc tgggaatggc ttctggacac attagagatt ttcagattac agcttcagga 6180

caatatggac agtgggcccc aaagctggcc agacttcatt attccggatc aatcaatgcc 6240

tggagcacca aggagccctt ttcttggatc aaggtggatc tgttggcacc aatgattatt 6300

cacggcatca agacccaggg tgcccgtcag aagttctcca gcctctacat ctctcagttt 6360

atcatcatgt atagtcttga tgggaagaag tggcagactt atcgaggaaa ttccactgga 6420

accttaatgg tcttctttgg caatgtggat tcatctggga taaaacacaa tatttttaac 6480

cctccaatta ttgctcgata catccgtttg cacccaactc attatagcat tcgcagcact 6540

cttcgcatgg agttgatggg ctgtgattta aatagttgca gcatgccatt gggaatggag 6600

agtaaagcaa tatcagatgc acagattact gcttcatcct actttaccaa tatgtttgcc 6660

acctggtctc cttcaaaagc tcgacttcac ctccaaggga ggagtaatgc ctggagacct 6720

caggtgaata atccaaaaga gtggctgcaa gtggacttcc agaagacaat gaaagtcaca 6780

ggagtaacta ctcagggagt aaaatctctg cttaccagca tgtatgtgaa ggagttcctc 6840

atctccagca gtcaagatgg ccatcagtgg actctctttt ttcagaatgg caaagtaaag 6900

gtttttcagg gaaatcaaga ctccttcaca cctgtggtga actctctaga cccaccgtta 6960

ctgactcgct accttcgaat tcacccccag agttgggtgc accagattgc cctgaggatg 7020

gaggttctgg gctgcgaggc acaggacctc tactgagggt ggccactgca gcacctgcca 7080

ctgccgtcac ctctccctcc tcagctccag ggcagtgtcc ctccctggct tgccttctac 7140

ctttgtgcta aatcctagca gacactgcct tgaagcctcc tgaattaact atcatcagtc 7200

ctgcatttct ttggtggggg gccaggaggg tgcatccaat ttaacttaac tcttacctat 7260

tttctgcagc tgctcccaga ttactccttc cttccaatat aactaggcaa aaagaagtga 7320

ggagaaacct gcatgaaagc attcttccct gaaaagttag gcctctcaga gtcaccactt 7380

cctctgttgt agaaaaacta tgtgatgaaa ctttgaaaaa gatatttatg atgttaacat 7440

ttcaggttaa gcctcatacg tttaaaataa aactctcagt tgtttattat cctgatcaag 7500

catggaacaa agcatgtttc aggatcagat caatacaatc ttggagtcaa aaggcaaatc 7560

atttggacaa tctgcaaaat ggagagaata caataactac tacagtaaag tctgtttctg 7620

cttccttaca catagatata attatgttat ttagtcatta tgaggggcac attcttatct 7680

ccaaaactag cattcttaaa ctgagaatta tagatggggt tcaagaatcc ctaagtcccc 7740

tgaaattata taaggcattc tgtataaatg caaatgtgca tttttctgac gagtgtccat 7800

agatataaag ccatttggtc ttaattctga ccaataaaaa aataagtcag gaggatgcaa 7860

ttgttgaaag ctttgaaata aaataacaat gtcttcttga aatttgtgat ggccaagaaa 7920

gaaaatgatg a 7931

<210> 30
<211> 2351
<212> PRT
<213> Homo sapiens

<400> 30

Met Gln Ile Glu Leu Ser Thr Cys Phe Phe Leu Cys Leu Leu Arg Phe
1 5 10 15

Cys Phe Ser Ala Thr Arg Arg Tyr Tyr Leu Gly Ala Val Glu Leu Ser
20 25 30

Trp Asp Tyr Met Gln Ser Asp Leu Gly Glu Leu Pro Val Asp Ala Arg
35 40 45

Phe Pro Pro Arg Val Pro Lys Ser Phe Pro Phe Asn Thr Ser Val Val
50 55 60

Tyr Lys Lys Thr Leu Phe Val Glu Phe Thr Asp His Leu Phe Asn Ile
65 70 75 80

Ala Lys Pro Arg Pro Pro Trp Met Gly Leu Leu Gly Pro Thr Ile Gln
85 90 95

```
Ala Glu Val Tyr Asp Thr Val Val Ile Thr Leu Lys Asn Met Ala Ser
            100                 105                 110

His Pro Val Ser Leu His Ala Val Gly Val Ser Tyr Trp Lys Ala Ser
        115                 120                 125

Glu Gly Ala Glu Tyr Asp Asp Gln Thr Ser Gln Arg Glu Lys Glu Asp
    130                 135                 140

Asp Lys Val Phe Pro Gly Gly Ser His Thr Tyr Val Trp Gln Val Leu
145                 150                 155                 160

Lys Glu Asn Gly Pro Met Ala Ser Asp Pro Leu Cys Leu Thr Tyr Ser
                165                 170                 175

Tyr Leu Ser His Val Asp Leu Val Lys Asp Leu Asn Ser Gly Leu Ile
            180                 185                 190

Gly Ala Leu Leu Val Cys Arg Glu Gly Ser Leu Ala Lys Glu Lys Thr
        195                 200                 205

Gln Thr Leu His Lys Phe Ile Leu Leu Phe Ala Val Phe Asp Glu Gly
    210                 215                 220

Lys Ser Trp His Ser Glu Thr Lys Asn Ser Leu Met Gln Asp Arg Asp
225                 230                 235                 240

Ala Ala Ser Ala Arg Ala Trp Pro Lys Met His Thr Val Asn Gly Tyr
                245                 250                 255

Val Asn Arg Ser Leu Pro Gly Leu Ile Gly Cys His Arg Lys Ser Val
            260                 265                 270

Tyr Trp His Val Ile Gly Met Gly Thr Thr Pro Glu Val His Ser Ile
        275                 280                 285

Phe Leu Glu Gly His Thr Phe Leu Val Arg Asn His Arg Gln Ala Ser
    290                 295                 300

Leu Glu Ile Ser Pro Ile Thr Phe Leu Thr Ala Gln Thr Leu Leu Met
305                 310                 315                 320
```

Asp Leu Gly Gln Phe Leu Leu Phe Cys His Ile Ser Ser His Gln His
325 330 335

Asp Gly Met Glu Ala Tyr Val Lys Val Asp Ser Cys Pro Glu Glu Pro
340 345 350

Gln Leu Arg Met Lys Asn Asn Glu Glu Ala Glu Asp Tyr Asp Asp Asp
355 360 365

Leu Thr Asp Ser Glu Met Asp Val Val Arg Phe Asp Asp Asp Asn Ser
370 375 380

Pro Ser Phe Ile Gln Ile Arg Ser Val Ala Lys Lys His Pro Lys Thr
385 390 395 400

Trp Val His Tyr Ile Ala Ala Glu Glu Glu Asp Trp Asp Tyr Ala Pro
405 410 415

Leu Val Leu Ala Pro Asp Asp Arg Ser Tyr Lys Ser Gln Tyr Leu Asn
420 425 430

Asn Gly Pro Gln Arg Ile Gly Arg Lys Tyr Lys Lys Val Arg Phe Met
435 440 445

Ala Tyr Thr Asp Glu Thr Phe Lys Thr Arg Glu Ala Ile Gln His Glu
450 455 460

Ser Gly Ile Leu Gly Pro Leu Leu Tyr Gly Glu Val Gly Asp Thr Leu
465 470 475 480

Leu Ile Ile Phe Lys Asn Gln Ala Ser Arg Pro Tyr Asn Ile Tyr Pro
485 490 495

His Gly Ile Thr Asp Val Arg Pro Leu Tyr Ser Arg Arg Leu Pro Lys
500 505 510

Gly Val Lys His Leu Lys Asp Phe Pro Ile Leu Pro Gly Glu Ile Phe
515 520 525

Lys Tyr Lys Trp Thr Val Thr Val Glu Asp Gly Pro Thr Lys Ser Asp
530 535 540

Pro Arg Cys Leu Thr Arg Tyr Tyr Ser Ser Phe Val Asn Met Glu Arg

545 550 555 560

Asp Leu Ala Ser Gly Leu Ile Gly Pro Leu Leu Ile Cys Tyr Lys Glu
565 570 575

Ser Val Asp Gln Arg Gly Asn Gln Ile Met Ser Asp Lys Arg Asn Val
580 585 590

Ile Leu Phe Ser Val Phe Asp Glu Asn Arg Ser Trp Tyr Leu Thr Glu
595 600 605

Asn Ile Gln Arg Phe Leu Pro Asn Pro Ala Gly Val Gln Leu Glu Asp
610 615 620

Pro Glu Phe Gln Ala Ser Asn Ile Met His Ser Ile Asn Gly Tyr Val
625 630 635 640

Phe Asp Ser Leu Gln Leu Ser Val Cys Leu His Glu Val Ala Tyr Trp
645 650 655

Tyr Ile Leu Ser Ile Gly Ala Gln Thr Asp Phe Leu Ser Val Phe Phe
660 665 670

Ser Gly Tyr Thr Phe Lys His Lys Met Val Tyr Glu Asp Thr Leu Thr
675 680 685

Leu Phe Pro Phe Ser Gly Glu Thr Val Phe Met Ser Met Glu Asn Pro
690 695 700

Gly Leu Trp Ile Leu Gly Cys His Asn Ser Asp Phe Arg Asn Arg Gly
705 710 715 720

Met Thr Ala Leu Leu Lys Val Ser Ser Cys Asp Lys Asn Thr Gly Asp
725 730 735

Tyr Tyr Glu Asp Ser Tyr Glu Asp Ile Ser Ala Tyr Leu Leu Ser Lys
740 745 750

Asn Asn Ala Ile Glu Pro Arg Ser Phe Ser Gln Asn Ser Arg His Arg
755 760 765

Ser Thr Arg Gln Lys Gln Phe Asn Ala Thr Thr Ile Pro Glu Asn Asp
770 775 780

```
Ile Glu Lys Thr Asp Pro Trp Phe Ala His Arg Thr Pro Met Pro Lys
785                 790                 795                 800

Ile Gln Asn Val Ser Ser Ser Asp Leu Leu Met Leu Leu Arg Gln Ser
                805                 810                 815

Pro Thr Pro His Gly Leu Ser Leu Ser Asp Leu Gln Glu Ala Lys Tyr
            820                 825                 830

Glu Thr Phe Ser Asp Asp Pro Ser Pro Gly Ala Ile Asp Ser Asn Asn
        835                 840                 845

Ser Leu Ser Glu Met Thr His Phe Arg Pro Gln Leu His His Ser Gly
    850                 855                 860

Asp Met Val Phe Thr Pro Glu Ser Gly Leu Gln Leu Arg Leu Asn Glu
865                 870                 875                 880

Lys Leu Gly Thr Thr Ala Ala Thr Glu Leu Lys Lys Leu Asp Phe Lys
                885                 890                 895

Val Ser Ser Thr Ser Asn Asn Leu Ile Ser Thr Ile Pro Ser Asp Asn
            900                 905                 910

Leu Ala Ala Gly Thr Asp Asn Thr Ser Ser Leu Gly Pro Pro Ser Met
        915                 920                 925

Pro Val His Tyr Asp Ser Gln Leu Asp Thr Thr Leu Phe Gly Lys Lys
    930                 935                 940

Ser Ser Pro Leu Thr Glu Ser Gly Gly Pro Leu Ser Leu Ser Glu Glu
945                 950                 955                 960

Asn Asn Asp Ser Lys Leu Leu Glu Ser Gly Leu Met Asn Ser Gln Glu
                965                 970                 975

Ser Ser Trp Gly Lys Asn Val Ser Ser Thr Glu Ser Gly Arg Leu Phe
            980                 985                 990

Lys Gly Lys Arg Ala His Gly Pro  Ala Leu Leu Thr Lys  Asp Asn Ala
        995                 1000                1005
```

Leu Phe Lys Val Ser Ile Ser Leu Leu Lys Thr Asn Lys Thr Ser
1010 1015 1020

Asn Asn Ser Ala Thr Asn Arg Lys Thr His Ile Asp Gly Pro Ser
1025 1030 1035

Leu Leu Ile Glu Asn Ser Pro Ser Val Trp Gln Asn Ile Leu Glu
1040 1045 1050

Ser Asp Thr Glu Phe Lys Lys Val Thr Pro Leu Ile His Asp Arg
1055 1060 1065

Met Leu Met Asp Lys Asn Ala Thr Ala Leu Arg Leu Asn His Met
1070 1075 1080

Ser Asn Lys Thr Thr Ser Ser Lys Asn Met Glu Met Val Gln Gln
1085 1090 1095

Lys Lys Glu Gly Pro Ile Pro Pro Asp Ala Gln Asn Pro Asp Met
1100 1105 1110

Ser Phe Phe Lys Met Leu Phe Leu Pro Glu Ser Ala Arg Trp Ile
1115 1120 1125

Gln Arg Thr His Gly Lys Asn Ser Leu Asn Ser Gly Gln Gly Pro
1130 1135 1140

Ser Pro Lys Gln Leu Val Ser Leu Gly Pro Glu Lys Ser Val Glu
1145 1150 1155

Gly Gln Asn Phe Leu Ser Glu Lys Asn Lys Val Val Val Gly Lys
1160 1165 1170

Gly Glu Phe Thr Lys Asp Val Gly Leu Lys Glu Met Val Phe Pro
1175 1180 1185

Ser Ser Arg Asn Leu Phe Leu Thr Asn Leu Asp Asn Leu His Glu
1190 1195 1200

Asn Asn Thr His Asn Gln Glu Lys Lys Ile Gln Glu Glu Ile Glu
1205 1210 1215

Lys Lys Glu Thr Leu Ile Gln Glu Asn Val Val Leu Pro Gln Ile
1220 1225 1230

His Thr Val Thr Gly Thr Lys Asn Phe Met Lys Asn Leu Phe Leu
1235 1240 1245

Leu Ser Thr Arg Gln Asn Val Glu Gly Ser Tyr Asp Gly Ala Tyr
1250 1255 1260

Ala Pro Val Leu Gln Asp Phe Arg Ser Leu Asn Asp Ser Thr Asn
1265 1270 1275

Arg Thr Lys Lys His Thr Ala His Phe Ser Lys Lys Gly Glu Glu
1280 1285 1290

Glu Asn Leu Glu Gly Leu Gly Asn Gln Thr Lys Gln Ile Val Glu
1295 1300 1305

Lys Tyr Ala Cys Thr Thr Arg Ile Ser Pro Asn Thr Ser Gln Gln
1310 1315 1320

Asn Phe Val Thr Gln Arg Ser Lys Arg Ala Leu Lys Gln Phe Arg
1325 1330 1335

Leu Pro Leu Glu Glu Thr Glu Leu Glu Lys Arg Ile Ile Val Asp
1340 1345 1350

Asp Thr Ser Thr Gln Trp Ser Lys Asn Met Lys His Leu Thr Pro
1355 1360 1365

Ser Thr Leu Thr Gln Ile Asp Tyr Asn Glu Lys Glu Lys Gly Ala
1370 1375 1380

Ile Thr Gln Ser Pro Leu Ser Asp Cys Leu Thr Arg Ser His Ser
1385 1390 1395

Ile Pro Gln Ala Asn Arg Ser Pro Leu Pro Ile Ala Lys Val Ser
1400 1405 1410

Ser Phe Pro Ser Ile Arg Pro Ile Tyr Leu Thr Arg Val Leu Phe
1415 1420 1425

Gln Asp Asn Ser Ser His Leu Pro Ala Ala Ser Tyr Arg Lys Lys

1430 1435 1440

Asp Ser Gly Val Gln Glu Ser Ser His Phe Leu Gln Gly Ala Lys
1445 1450 1455

Lys Asn Asn Leu Ser Leu Ala Ile Leu Thr Leu Glu Met Thr Gly
1460 1465 1470

Asp Gln Arg Glu Val Gly Ser Leu Gly Thr Ser Ala Thr Asn Ser
1475 1480 1485

Val Thr Tyr Lys Lys Val Glu Asn Thr Val Leu Pro Lys Pro Asp
1490 1495 1500

Leu Pro Lys Thr Ser Gly Lys Val Glu Leu Leu Pro Lys Val His
1505 1510 1515

Ile Tyr Gln Lys Asp Leu Phe Pro Thr Glu Thr Ser Asn Gly Ser
1520 1525 1530

Pro Gly His Leu Asp Leu Val Glu Gly Ser Leu Leu Gln Gly Thr
1535 1540 1545

Glu Gly Ala Ile Lys Trp Asn Glu Ala Asn Arg Pro Gly Lys Val
1550 1555 1560

Pro Phe Leu Arg Val Ala Thr Glu Ser Ser Ala Lys Thr Pro Ser
1565 1570 1575

Lys Leu Leu Asp Pro Leu Ala Trp Asp Asn His Tyr Gly Thr Gln
1580 1585 1590

Ile Pro Lys Glu Glu Trp Lys Ser Gln Glu Lys Ser Pro Glu Lys
1595 1600 1605

Thr Ala Phe Lys Lys Lys Asp Thr Ile Leu Ser Leu Asn Ala Cys
1610 1615 1620

Glu Ser Asn His Ala Ile Ala Ala Ile Asn Glu Gly Gln Asn Lys
1625 1630 1635

Pro Glu Ile Glu Val Thr Trp Ala Lys Gln Gly Arg Thr Glu Arg
1640 1645 1650

```
Leu Cys  Ser Gln Asn Pro Pro  Val Leu Lys Arg His  Gln Arg Glu
    1655                 1660                 1665

Ile Thr  Arg Thr Thr Leu Gln  Ser Asp Gln Glu Glu  Ile Asp Tyr
    1670                 1675                 1680

Asp Asp  Thr Ile Ser Val Glu  Met Lys Lys Glu Asp  Phe Asp Ile
    1685                 1690                 1695

Tyr Asp  Glu Asp Glu Asn Gln  Ser Pro Arg Ser Phe  Gln Lys Lys
    1700                 1705                 1710

Thr Arg  His Tyr Phe Ile Ala  Ala Val Glu Arg Leu  Trp Asp Tyr
    1715                 1720                 1725

Gly Met  Ser Ser Ser Pro His  Val Leu Arg Asn Arg  Ala Gln Ser
    1730                 1735                 1740

Gly Ser  Val Pro Gln Phe Lys  Lys Val Val Phe Gln  Glu Phe Thr
    1745                 1750                 1755

Asp Gly  Ser Phe Thr Gln Pro  Leu Tyr Arg Gly Glu  Leu Asn Glu
    1760                 1765                 1770

His Leu  Gly Leu Leu Gly Pro  Tyr Ile Arg Ala Glu  Val Glu Asp
    1775                 1780                 1785

Asn Ile  Met Val Thr Phe Arg  Asn Gln Ala Ser Arg  Pro Tyr Ser
    1790                 1795                 1800

Phe Tyr  Ser Ser Leu Ile Ser  Tyr Glu Glu Asp Gln  Arg Gln Gly
    1805                 1810                 1815

Ala Glu  Pro Arg Lys Asn Phe  Val Lys Pro Asn Glu  Thr Lys Thr
    1820                 1825                 1830

Tyr Phe  Trp Lys Val Gln His  His Met Ala Pro Thr  Lys Asp Glu
    1835                 1840                 1845

Phe Asp  Cys Lys Ala Trp Ala  Tyr Phe Ser Asp Val  Asp Leu Glu
    1850                 1855                 1860
```

```
Lys Asp  Val His Ser Gly Leu  Ile Gly Pro Leu Leu  Val Cys His
    1865                  1870                  1875

Thr Asn  Thr Leu Asn Pro Ala  His Gly Arg Gln Val  Thr Val Gln
    1880                  1885                  1890

Glu Phe  Ala Leu Phe Phe Thr  Ile Phe Asp Glu Thr  Lys Ser Trp
    1895                  1900                  1905

Tyr Phe  Thr Glu Asn Met Glu  Arg Asn Cys Arg Ala  Pro Cys Asn
    1910                  1915                  1920

Ile Gln  Met Glu Asp Pro Thr  Phe Lys Glu Asn Tyr  Arg Phe His
    1925                  1930                  1935

Ala Ile  Asn Gly Tyr Ile Met  Asp Thr Leu Pro Gly  Leu Val Met
    1940                  1945                  1950

Ala Gln  Asp Gln Arg Ile Arg  Trp Tyr Leu Leu Ser  Met Gly Ser
    1955                  1960                  1965

Asn Glu  Asn Ile His Ser Ile  His Phe Ser Gly His  Val Phe Thr
    1970                  1975                  1980

Val Arg  Lys Lys Glu Glu Tyr  Lys Met Ala Leu Tyr  Asn Leu Tyr
    1985                  1990                  1995

Pro Gly  Val Phe Glu Thr Val  Glu Met Leu Pro Ser  Lys Ala Gly
    2000                  2005                  2010

Ile Trp  Arg Val Glu Cys Leu  Ile Gly Glu His Leu  His Ala Gly
    2015                  2020                  2025

Met Ser  Thr Leu Phe Leu Val  Tyr Ser Asn Lys Cys  Gln Thr Pro
    2030                  2035                  2040

Leu Gly  Met Ala Ser Gly His  Ile Arg Asp Phe Gln  Ile Thr Ala
    2045                  2050                  2055

Ser Gly  Gln Tyr Gly Gln Trp  Ala Pro Lys Leu Ala  Arg Leu His
    2060                  2065                  2070
```

Tyr Ser Gly Ser Ile Asn Ala Trp Ser Thr Lys Glu Pro Phe Ser
2075 2080 2085

Trp Ile Lys Val Asp Leu Leu Ala Pro Met Ile Ile His Gly Ile
2090 2095 2100

Lys Thr Gln Gly Ala Arg Gln Lys Phe Ser Ser Leu Tyr Ile Ser
2105 2110 2115

Gln Phe Ile Ile Met Tyr Ser Leu Asp Gly Lys Lys Trp Gln Thr
2120 2125 2130

Tyr Arg Gly Asn Ser Thr Gly Thr Leu Met Val Phe Phe Gly Asn
2135 2140 2145

Val Asp Ser Ser Gly Ile Lys His Asn Ile Phe Asn Pro Pro Ile
2150 2155 2160

Ile Ala Arg Tyr Ile Arg Leu His Pro Thr His Tyr Ser Ile Arg
2165 2170 2175

Ser Thr Leu Arg Met Glu Leu Met Gly Cys Asp Leu Asn Ser Cys
2180 2185 2190

Ser Met Pro Leu Gly Met Glu Ser Lys Ala Ile Ser Asp Ala Gln
2195 2200 2205

Ile Thr Ala Ser Ser Tyr Phe Thr Asn Met Phe Ala Thr Trp Ser
2210 2215 2220

Pro Ser Lys Ala Arg Leu His Leu Gln Gly Arg Ser Asn Ala Trp
2225 2230 2235

Arg Pro Gln Val Asn Asn Pro Lys Glu Trp Leu Gln Val Asp Phe
2240 2245 2250

Gln Lys Thr Met Lys Val Thr Gly Val Thr Thr Gln Gly Val Lys
2255 2260 2265

Ser Leu Leu Thr Ser Met Tyr Val Lys Glu Phe Leu Ile Ser Ser
2270 2275 2280

Ser Gln Asp Gly His Gln Trp Thr Leu Phe Phe Gln Asn Gly Lys

2285 2290 2295

Val Lys Val Phe Gln Gly Asn Gln Asp Ser Phe Thr Pro Val Val
2300 2305 2310

Asn Ser Leu Asp Pro Pro Leu Leu Thr Arg Tyr Leu Arg Ile His
2315 2320 2325

Pro Gln Ser Trp Val His Gln Ile Ala Leu Arg Met Glu Val Leu
2330 2335 2340

Gly Cys Glu Ala Gln Asp Leu Tyr
2345 2350

<210> 31
<211> 1471
<212> DNA
<213> Homo sapiens

<400> 31
atggcgcccg tcgccgtctg ggccgcgctg gccgtcggac tggagctctg ggctgcggcg 60

cacgccttgc ccgcccaggt ggcatttaca ccctacgccc cggagcccgg gagcacatgc 120

cggctcagag aatactatga ccagacagct cagatgtgct gcagcaaatg ctcgccgggc 180

caacatgcaa aagtcttctg taccaagacc tcggacaccg tgtgtgactc ctgtgaggac 240

agcacataca cccagctctg gaactgggtt cccgagtgct tgagctgtgg ctcccgctgt 300

agctctgacc aggtggaaac tcaagcctgc actcgggaac agaaccgcat ctgcacctgc 360

aggcccggct ggtactgcgc gctgagcaag caggaggggt gccggctgtg cgcgccgctg 420

cgcaagtgcc gcccgggctt cggcgtggcc agaccaggaa ctgaaacatc agacgtggtg 480

tgcaagccct gtgccccggg gacgttctcc aacacgactt catccacgga tatttgcagg 540

ccccaccaga tctgtaacgt ggtggccatc cctgggaatg caagcatgga tgcagtctgc 600

acgtccacgt cccccacccg gagtatggcc ccaggggcag tacacttacc ccagccagtg 660

tccacacgat cccaacacac gcagccaact ccagaaccca gcactgctcc aagcacctcc 720

ttcctgctcc caatgggccc cagcccccca gctgaaggga gcactggcga cttcgctctt 780

ccagttggac tgattgtggg tgtgacagcc ttgggtctac taataatagg agtggtgaac 840

tgtgtcatca tgacccaggt gaaaaagaag cccttgtgcc tgcagagaga agccaaggtg 900

cctcacttgc ctgccgataa ggcccggggt acacagggcc ccgagcagca gcacctgctg 960

atcacagcgc cgagctccag cagcagctcc ctggagagct cggccagtgc gttggacaga 1020

agggcgccca ctcggaacca gccacaggca ccaggcgtgg aggccagtgg ggccggggag 1080

gcccgggcca gcaccgggag ctcagattct tcccctggtg gccatgggac ccaggtcaat 1140

gtcacctgca tcgtgaacgt ctgtagcagc tctgaccaca gctcacagtg ctcctcccaa 1200

gccagctcca caatgggaga cacagattcc agcccctcgg agtccccgaa ggacgagcag 1260

gtccccttct ccaaggagga atgtgccttt cggtcacagc tggagacgcc agagaccctg 1320

ctggggagca ccgaagagaa gcccctgccc cttggagtgc ctgatgctgg gatgaagccc 1380

agttaaccag gccggtgtgg gctgtgtcgt agccaaggtg ggctgagccc tggcaggatg 1440

accctgcgaa ggggccctgg tccttccagg c 1471

<210> 32
<211> 461
<212> PRT
<213> Homo sapiens

<400> 32

Met Ala Pro Val Ala Val Trp Ala Ala Leu Ala Val Gly Leu Glu Leu
1 5 10 15

Trp Ala Ala Ala His Ala Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr
20 25 30

Ala Pro Glu Pro Gly Ser Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln
35 40 45

Thr Ala Gln Met Cys Cys Ser Lys Cys Ser Pro Gly Gln His Ala Lys
50 55 60

Val Phe Cys Thr Lys Thr Ser Asp Thr Val Cys Asp Ser Cys Glu Asp
65 70 75 80

Ser Thr Tyr Thr Gln Leu Trp Asn Trp Val Pro Glu Cys Leu Ser Cys
85 90 95

Gly Ser Arg Cys Ser Ser Asp Gln Val Glu Thr Gln Ala Cys Thr Arg
100 105 110

Glu Gln Asn Arg Ile Cys Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu
115 120 125

```
Ser Lys Gln Glu Gly Cys Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg
    130                 135                 140

Pro Gly Phe Gly Val Ala Arg Pro Gly Thr Glu Thr Ser Asp Val Val
145                 150                 155                 160

Cys Lys Pro Cys Ala Pro Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr
                165                 170                 175

Asp Ile Cys Arg Pro His Gln Ile Cys Asn Val Val Ala Ile Pro Gly
            180                 185                 190

Asn Ala Ser Met Asp Ala Val Cys Thr Ser Thr Ser Pro Thr Arg Ser
        195                 200                 205

Met Ala Pro Gly Ala Val His Leu Pro Gln Pro Val Ser Thr Arg Ser
    210                 215                 220

Gln His Thr Gln Pro Thr Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser
225                 230                 235                 240

Phe Leu Leu Pro Met Gly Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly
                245                 250                 255

Asp Phe Ala Leu Pro Val Gly Leu Ile Val Gly Val Thr Ala Leu Gly
            260                 265                 270

Leu Leu Ile Ile Gly Val Val Asn Cys Val Ile Met Thr Gln Val Lys
        275                 280                 285

Lys Lys Pro Leu Cys Leu Gln Arg Glu Ala Lys Val Pro His Leu Pro
    290                 295                 300

Ala Asp Lys Ala Arg Gly Thr Gln Gly Pro Glu Gln Gln His Leu Leu
305                 310                 315                 320

Ile Thr Ala Pro Ser Ser Ser Ser Ser Ser Leu Glu Ser Ser Ala Ser
                325                 330                 335

Ala Leu Asp Arg Arg Ala Pro Thr Arg Asn Gln Pro Gln Ala Pro Gly
            340                 345                 350
```

Val Glu Ala Ser Gly Ala Gly Glu Ala Arg Ala Ser Thr Gly Ser Ser
355 360 365

Asp Ser Ser Pro Gly Gly His Gly Thr Gln Val Asn Val Thr Cys Ile
370 375 380

Val Asn Val Cys Ser Ser Ser Asp His Ser Ser Gln Cys Ser Ser Gln
385 390 395 400

Ala Ser Ser Thr Met Gly Asp Thr Asp Ser Ser Pro Ser Glu Ser Pro
405 410 415

Lys Asp Glu Gln Val Pro Phe Ser Lys Glu Glu Cys Ala Phe Arg Ser
420 425 430

Gln Leu Glu Thr Pro Glu Thr Leu Leu Gly Ser Thr Glu Glu Lys Pro
435 440 445

Leu Pro Leu Gly Val Pro Asp Ala Gly Met Lys Pro Ser
450 455 460

<210> 33
<211> 1475
<212> DNA
<213> Homo sapiens

<400> 33
tccacctgtc cccgcagcgc cggctcgcgc cctcctgccg cagccaccga gccgccgtct 60

agcgccccga cctcgccacc atgagagccc tgctggcgcg cctgcttctc tgcgtcctgg 120

tcgtgagcga ctccaaaggc agcaatgaac ttcatcaagt tccatcgaac tgtgactgtc 180

taaatggagg aacatgtgtg tccaacaagt acttctccaa cattcactgg tgcaactgcc 240

caaagaaatt cggagggcag cactgtgaaa tagataagtc aaaaacctgc tatgagggga 300

atggtcactt ttaccgagga aaggccagca ctgacaccat gggccggccc tgcctgccct 360

ggaactctgc cactgtcctt cagcaaacgt accatgccca cagatctgat gctcttcagc 420

tgggcctggg gaaacataat tactgcagga acccagacaa ccggaggcga ccctggtgct 480

atgtgcaggt gggcctaaag ccgcttgtcc aagagtgcat ggtgcatgac tgcgcagatg 540

gaaaaaagcc ctcctctcct ccagaagaat taaaatttca gtgtggccaa aagactctga 600

ggccccgctt taagattatt gggggagaat tcaccaccat cgagaaccag ccctggtttg 660

cggccatcta caggaggcac cgggggggct ctgtcaccta cgtgtgtgga ggcagcctca 720

tcagcccttg ctgggtgatc agcgccacac actgcttcat tgattaccca aagaaggagg 780

actacatcgt ctacctgggt cgctcaaggc ttaactccaa cacgcaaggg gagatgaagt 840

ttgaggtgga aaacctcatc ctacacaagg actacagcgc tgacacgctt gctcaccaca 900

acgacattgc cttgctgaag atccgttcca aggagggcag gtgtgcgcag ccatcccgga 960

ctatacagac catctgcctg ccctcgatgt ataacgatcc ccagtttggc acaagctgtg 1020

agatcactgg ctttggaaaa gagaattcta ccgactatct ctatccggag cagctgaaga 1080

tgactgttgt gaagctgatt tcccaccggg agtgtcagca gccccactac tacggctctg 1140

aagtcaccac caaaatgctg tgtgctgctg acccacagtg gaaaacagat tcctgccagg 1200

gagactcagg gggacccctc gtctgttccc tccaaggccg catgactttg actggaattg 1260

tgagctgggg ccgtggatgt gccctgaagg acaagccagg cgtctacacg agagtctcac 1320

acttcttacc ctggatccgc agtcacacca aggaagagaa tggcctggcc ctctgagggt 1380

ccccagggag gaaacgggca ccacccgctt tcttgctggt tgtcattttt gcagtagagt 1440

catctccatc agctgtaaga agagactggg aagat 1475

<210> 34
<211> 431
<212> PRT
<213> Homo sapiens

<400> 34

Met Arg Ala Leu Leu Ala Arg Leu Leu Leu Cys Val Leu Val Val Ser
1 5 10 15

Asp Ser Lys Gly Ser Asn Glu Leu His Gln Val Pro Ser Asn Cys Asp
20 25 30

Cys Leu Asn Gly Gly Thr Cys Val Ser Asn Lys Tyr Phe Ser Asn Ile
35 40 45

His Trp Cys Asn Cys Pro Lys Lys Phe Gly Gly Gln His Cys Glu Ile
50 55 60

Asp Lys Ser Lys Thr Cys Tyr Glu Gly Asn Gly His Phe Tyr Arg Gly
65 70 75 80

Lys Ala Ser Thr Asp Thr Met Gly Arg Pro Cys Leu Pro Trp Asn Ser
85 90 95

```
Ala Thr Val Leu Gln Gln Thr Tyr His Ala His Arg Ser Asp Ala Leu
            100                 105                 110

Gln Leu Gly Leu Gly Lys His Asn Tyr Cys Arg Asn Pro Asp Asn Arg
        115                 120                 125

Arg Arg Pro Trp Cys Tyr Val Gln Val Gly Leu Lys Pro Leu Val Gln
    130                 135                 140

Glu Cys Met Val His Asp Cys Ala Asp Gly Lys Lys Pro Ser Ser Pro
145                 150                 155                 160

Pro Glu Glu Leu Lys Phe Gln Cys Gly Gln Lys Thr Leu Arg Pro Arg
                165                 170                 175

Phe Lys Ile Ile Gly Gly Glu Phe Thr Thr Ile Glu Asn Gln Pro Trp
            180                 185                 190

Phe Ala Ala Ile Tyr Arg Arg His Arg Gly Gly Ser Val Thr Tyr Val
        195                 200                 205

Cys Gly Gly Ser Leu Ile Ser Pro Cys Trp Val Ile Ser Ala Thr His
    210                 215                 220

Cys Phe Ile Asp Tyr Pro Lys Lys Glu Asp Tyr Ile Val Tyr Leu Gly
225                 230                 235                 240

Arg Ser Arg Leu Asn Ser Asn Thr Gln Gly Glu Met Lys Phe Glu Val
                245                 250                 255

Glu Asn Leu Ile Leu His Lys Asp Tyr Ser Ala Asp Thr Leu Ala His
            260                 265                 270

His Asn Asp Ile Ala Leu Leu Lys Ile Arg Ser Lys Glu Gly Arg Cys
        275                 280                 285

Ala Gln Pro Ser Arg Thr Ile Gln Thr Ile Cys Leu Pro Ser Met Tyr
    290                 295                 300

Asn Asp Pro Gln Phe Gly Thr Ser Cys Glu Ile Thr Gly Phe Gly Lys
305                 310                 315                 320
```

```
Glu Asn Ser Thr Asp Tyr Leu Tyr Pro Glu Gln Leu Lys Met Thr Val
                325                 330                 335

Val Lys Leu Ile Ser His Arg Glu Cys Gln Gln Pro His Tyr Tyr Gly
            340                 345                 350

Ser Glu Val Thr Thr Lys Met Leu Cys Ala Ala Asp Pro Gln Trp Lys
        355                 360                 365

Thr Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys Ser Leu
    370                 375                 380

Gln Gly Arg Met Thr Leu Thr Gly Ile Val Ser Trp Gly Arg Gly Cys
385                 390                 395                 400

Ala Leu Lys Asp Lys Pro Gly Val Tyr Thr Arg Val Ser His Phe Leu
                405                 410                 415

Pro Trp Ile Arg Ser His Thr Lys Glu Glu Asn Gly Leu Ala Leu
            420                 425                 430
```

<210> 35
<211> 107
<212> PRT
<213> Mus musculus

<400> 35

```
Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1               5                   10                  15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala
            20                  25                  30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35                  40                  45

Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
    50                  55                  60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65                  70                  75                  80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro
```

85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 36
<211> 120
<212> PRT
<213> Mus musculus

<400> 36

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 37
<211> 120
<212> PRT
<213> Mus musculus

<400> 37

Gln Val Thr Leu Arg Glu Ser Gly Pro Ala Leu Val Lys Pro Thr Gln
1 5 10 15

Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser
20 25 30

Gly Met Ser Val Gly Trp Ile Arg Gln Pro Ser Gly Lys Ala Leu Glu
35 40 45

Trp Leu Ala Asp Ile Trp Trp Asp Asp Lys Lys Asp Tyr Asn Pro Ser
50 55 60

Leu Lys Ser Arg Leu Thr Ile Ser Lys Asp Thr Ser Lys Asn Gln Val
65 70 75 80

Val Leu Lys Val Thr Asn Met Asp Pro Ala Asp Thr Ala Thr Tyr Tyr
85 90 95

Cys Ala Arg Ser Met Ile Thr Asn Trp Tyr Phe Asp Val Trp Gly Ala
100 105 110

Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 38
<211> 106
<212> PRT
<213> Mus musculus

<400> 38

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Cys Gln Leu Ser Val Gly Tyr Met
20 25 30

His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Trp Ile Tyr
35 40 45

Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Asp
65 70 75 80

Asp Phe Ala Thr Tyr Tyr Cys Phe Gln Gly Ser Gly Tyr Pro Phe Thr
85 90 95

Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 39
<211> 1039
<212> DNA
<213> Homo sapiens

<400> 39
tcctgcacag gcagtgcctt gaagtgcttc ttcagagacc tttcttcata gactactttt 60

ttttctttaa gcagcaaaag gagaaaattg tcatcaaagg atattccaga ttcttgacag 120

cattctcgtc atctctgagg acatcaccat catctcagga tgaggggcat gaagctgctg 180

ggggcgctgc tggcactggc ggccctactg caggggggccg tgtccctgaa gatcgcagcc 240

ttcaacatcc agacatttgg ggagaccaag atgtccaatg ccaccctcgt cagctacatt 300

gtgcagatcc tgagccgcta tgacatcgcc ctggttccagg aggtcagaga cagccacctg 360

actgccgtgg ggaagctgct ggacaacctc aatcaggatg caccagacac ctatcactac 420

gtggtcagtg agccactggg acggaacagc tataaggagc gctacctgtt cgtgtacagg 480

cctgaccagg tgtctgcggt ggacagctac tactacgatg atggctgcga gccctgcggg 540

aacgacacct tcaaccgaga gccagccatt gtcaggttct tctcccggtt cacagaggtc 600

agggagtttg ccattgttcc cctgcatgcg gccccggggg acgcagtagc cgagatcgac 660

gctctctatg acgtctacct ggatgtccaa gagaaatggg gcttggagga cgtcatgttg 720

atgggcgact tcaatgcggg ctgcagctat gtgagaccct cccagtggtc atccatccgc 780

ctgtggacaa gccccacctt ccagtggctg atccccgaca gcgctgacac cacagctaca 840

cccacgcact gtgcctatga caggatcgtg gttgcaggga tgctgctccg aggcgccgtt 900

gttcccgact cggctcttcc ctttaacttc caggctgcct atggcctgag tgaccaactg 960

gcccaagcca tcagtgacca ctatccagtg gaggtgatgc tgaagtgagc agcccctccc 1020

cacaccagtt gaactgcag 1039

<210> 40
<211> 282
<212> PRT
<213> Homo sapiens

<400> 40

Met Arg Gly Met Lys Leu Leu Gly Ala Leu Leu Ala Leu Ala Ala Leu

```
1               5                  10                  15

Leu Gln Gly Ala Val Ser Leu Lys Ile Ala Ala Phe Asn Ile Gln Thr
            20                  25                  30

Phe Gly Glu Thr Lys Met Ser Asn Ala Thr Leu Val Ser Tyr Ile Val
        35                  40                  45

Gln Ile Leu Ser Arg Tyr Asp Ile Ala Leu Val Gln Glu Val Arg Asp
    50                  55                  60

Ser His Leu Thr Ala Val Gly Lys Leu Leu Asp Asn Leu Asn Gln Asp
65                  70                  75                  80

Ala Pro Asp Thr Tyr His Tyr Val Val Ser Glu Pro Leu Gly Arg Asn
                85                  90                  95

Ser Tyr Lys Glu Arg Tyr Leu Phe Val Tyr Arg Pro Asp Gln Val Ser
            100                 105                 110

Ala Val Asp Ser Tyr Tyr Tyr Asp Asp Gly Cys Glu Pro Cys Gly Asn
        115                 120                 125

Asp Thr Phe Asn Arg Glu Pro Ala Ile Val Arg Phe Phe Ser Arg Phe
    130                 135                 140

Thr Glu Val Arg Glu Phe Ala Ile Val Pro Leu His Ala Ala Pro Gly
145                 150                 155                 160

Asp Ala Val Ala Glu Ile Asp Ala Leu Tyr Asp Val Tyr Leu Asp Val
                165                 170                 175

Gln Glu Lys Trp Gly Leu Glu Asp Val Met Leu Met Gly Asp Phe Asn
            180                 185                 190

Ala Gly Cys Ser Tyr Val Arg Pro Ser Gln Trp Ser Ser Ile Arg Leu
        195                 200                 205

Trp Thr Ser Pro Thr Phe Gln Trp Leu Ile Pro Asp Ser Ala Asp Thr
    210                 215                 220

Thr Ala Thr Pro Thr His Cys Ala Tyr Asp Arg Ile Val Val Ala Gly
225                 230                 235                 240
```

Met Leu Leu Arg Gly Ala Val Val Pro Asp Ser Ala Leu Pro Phe Asn
245 250 255

Phe Gln Ala Ala Tyr Gly Leu Ser Asp Gln Leu Ala Gln Ala Ile Ser
260 265 270

Asp His Tyr Pro Val Glu Val Met Leu Lys
275 280

<210> 41
<211> 678
<212> DNA
<213> Mus musculus

<400> 41
gacatcttgc tgactcagtc tccagccatc ctgtctgtga gtccaggaga aagagtcagt 60

ttctcctgca gggccagtca gttcgttggc tcaagcatcc actggtatca gcaaagaaca 120

aatggttctc caaggcttct cataaagtat gcttctgagt ctatgtctgg gatcccttcc 180

aggtttagtg gcagtggatc agggacagat tttactctta gcatcaacac tgtggagtct 240

gaagatattg cagattatta ctgtcaacaa agtcatagct ggccattcac gttcggctcg 300

gggacaaatt tggaagtaaa agaagtgaag cttgaggagt ctggaggagg cttggtgcaa 360

cctggaggat ccatgaaact ctcctgtgtt gcctctggat tcattttcag taaccactgg 420

atgaactggg tccgccagtc tccagagaag gggcttgagt gggttgctga aattagatca 480

aaatctatta attctgcaac acattatgcg gagtctgtga aagggaggtt caccatctca 540

agagatgatt ccaaaagtgc tgtctacctg caaatgaccg acttaagaac tgaagacact 600

ggcgtttatt actgttccag gaattactac ggtagtacct acgactactg gggccaaggc 660

accactctca cagtctcc 678

<210> 42
<211> 226
<212> PRT
<213> Mus musculus

<400> 42

Asp Ile Leu Leu Thr Gln Ser Pro Ala Ile Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Val Ser Phe Ser Cys Arg Ala Ser Gln Phe Val Gly Ser Ser

20 25 30

Ile His Trp Tyr Gln Gln Arg Thr Asn Gly Ser Pro Arg Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Glu Ser Met Ser Gly Ile Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn Thr Val Glu Ser
65 70 75 80

Glu Asp Ile Ala Asp Tyr Tyr Cys Gln Gln Ser His Ser Trp Pro Phe
85 90 95

Thr Phe Gly Ser Gly Thr Asn Leu Glu Val Lys Glu Val Lys Leu Glu
100 105 110

Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Met Lys Leu Ser
115 120 125

Cys Val Ala Ser Gly Phe Ile Phe Ser Asn His Trp Met Asn Trp Val
130 135 140

Arg Gln Ser Pro Glu Lys Gly Leu Glu Trp Val Ala Glu Ile Arg Ser
145 150 155 160

Lys Ser Ile Asn Ser Ala Thr His Tyr Ala Glu Ser Val Lys Gly Arg
165 170 175

Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ala Val Tyr Leu Gln Met
180 185 190

Thr Asp Leu Arg Thr Glu Asp Thr Gly Val Tyr Tyr Cys Ser Arg Asn
195 200 205

Tyr Tyr Gly Ser Thr Tyr Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr
210 215 220

Val Ser
225

<210> 43
<211> 450

<212> DNA
<213> Homo sapiens

<400> 43
gctgcatcag aagaggccat caagcacatc actgtccttc tgccatggcc ctgtggatgc 60

gcctcctgcc cctgctggcg ctgctggccc tctggggacc tgacccagcc gcagcctttg 120

tgaaccaaca cctgtgcggc tcacacctgg tggaagctct ctacctagtg tgcggggaac 180

gaggcttctt ctacacaccc aagacccgcc gggaggcaga ggacctgcag gtggggcagg 240

tggagctggg cgggggccct ggtgcaggca gcctgcagcc cttggccctg gaggggtccc 300

tgcagaagcg tggcattgtg gaacaatgct gtaccagcat ctgctccctc taccagctgg 360

agaactactg caactagacg cagcccgcag gcagcccccc acccgccgcc tcctgcaccg 420

agagagatgg aataaagccc ttgaaccagc 450

<210> 44
<211> 110
<212> PRT
<213> Homo sapiens

<400> 44

Met Ala Leu Trp Met Arg Leu Leu Pro Leu Leu Ala Leu Leu Ala Leu
1 5 10 15

Trp Gly Pro Asp Pro Ala Ala Ala Phe Val Asn Gln His Leu Cys Gly
20 25 30

Ser His Leu Val Glu Ala Leu Tyr Leu Val Cys Gly Glu Arg Gly Phe
35 40 45

Phe Tyr Thr Pro Lys Thr Arg Arg Glu Ala Glu Asp Leu Gln Val Gly
50 55 60

Gln Val Glu Leu Gly Gly Gly Pro Gly Ala Gly Ser Leu Gln Pro Leu
65 70 75 80

Ala Leu Glu Gly Ser Leu Gln Lys Arg Gly Ile Val Glu Gln Cys Cys
85 90 95

Thr Ser Ile Cys Ser Leu Tyr Gln Leu Glu Asn Tyr Cys Asn
100 105 110

<210> 45

<211> 1203
<212> DNA
<213> Hepatitis B virus

<400> 45
atgggaggtt ggtcttccaa acctcgacaa ggcatgggga cgaatctttc tgttcccaat 60

cctctgggat tctttcccga tcaccagttg gaccctgcgt tcggagccaa ctcaaacaat 120

ccagattggg acttcaaccc caacaaggat cactggccag aggcaatcaa ggtaggagcg 180

ggagacttcg ggccagggtt caccccacca cacggcggtc ttttggggtg gagccctcag 240

gctcagggca tattgacaac agtgccagca gcgcctcctc ctgtttccac caatcggcag 300

tcaggaagac agcctactcc catctctcca cctctaagag acagtcatcc tcaggccatg 360

cagtggaact ccacaacatt ccaccaagct ctgctagatc ccagagtgag gggcctatat 420

tttcctgctg gtggctccag ttccggaaca gtaaaccctg ttccgactac tgtctcaccc 480

atatcgtcaa tcttctcgag gactggggac cctgcaccga acatggagag cacaacatca 540

ggattcctag gacccctgct cgtgttacag gcggggtttt tcttgttgac aagaatcctc 600

acaataccac agagtctaga ctcgtggtgg acttctctca attttctagg gggagcaccc 660

acgtgtcctg gccaaaattc gcagtcccca acctccaatc actcaccaac ctcttgtcct 720

ccaatttgtc ctggttatcg ctggatgtgt ctgcggcgtt ttatcatatt cctcttcatc 780

ctgctgctat gcctcatctt cttgttggtt cttctggact accaaggtat gttgcccgtt 840

tgtcctctac ttccaggaac atcaactacc agcacgggac catgcaagac ctgcacgatt 900

cctgctcaag gaacctctat gtttccctct tgttgctgta caaaaccttc ggacggaaac 960

tgcacttgta ttcccatccc atcatcctgg gctttcgcaa gattcctatg ggagtgggcc 1020

tcagtccgtt tctcctggct cagtttacta gtgccatttg ttcagtggtt cgcagggctt 1080

tcccccactg tttggctttc agttatatgg atgatgtggt attgggggcc aagtctgtac 1140

aacatcttga gtccctttt acctctatta ccaattttct tttgtctttg ggtatacatt 1200

tga 1203

<210> 46
<211> 400
<212> PRT
<213> Hepatitis B virus

<400> 46

Met Gly Gly Trp Ser Ser Lys Pro Arg Gln Gly Met Gly Thr Asn Leu
1 5 10 15

```
Ser Val Pro Asn Pro Leu Gly Phe Phe Pro Asp His Gln Leu Asp Pro
            20                  25                  30

Ala Phe Gly Ala Asn Ser Asn Asn Pro Asp Trp Asp Phe Asn Pro Asn
        35                  40                  45

Lys Asp His Trp Pro Glu Ala Ile Lys Val Gly Ala Gly Asp Phe Gly
    50                  55                  60

Pro Gly Phe Thr Pro Pro His Gly Gly Leu Leu Gly Trp Ser Pro Gln
65                  70                  75                  80

Ala Gln Gly Ile Leu Thr Thr Val Pro Ala Ala Pro Pro Pro Val Ser
                85                  90                  95

Thr Asn Arg Gln Ser Gly Arg Gln Pro Thr Pro Ile Ser Pro Pro Leu
            100                 105                 110

Arg Asp Ser His Pro Gln Ala Met Gln Trp Asn Ser Thr Thr Phe His
        115                 120                 125

Gln Ala Leu Leu Asp Pro Arg Val Arg Gly Leu Tyr Phe Pro Ala Gly
    130                 135                 140

Gly Ser Ser Ser Gly Thr Val Asn Pro Val Pro Thr Thr Val Ser Pro
145                 150                 155                 160

Ile Ser Ser Ile Phe Ser Arg Thr Gly Asp Pro Ala Pro Asn Met Glu
                165                 170                 175

Ser Thr Thr Ser Gly Phe Leu Gly Pro Leu Leu Val Leu Gln Ala Gly
            180                 185                 190

Phe Phe Leu Leu Thr Arg Ile Leu Thr Ile Pro Gln Ser Leu Asp Ser
        195                 200                 205

Trp Trp Thr Ser Leu Asn Phe Leu Gly Gly Ala Pro Thr Cys Pro Gly
    210                 215                 220

Gln Asn Ser Gln Ser Pro Thr Ser Asn His Ser Pro Thr Ser Cys Pro
225                 230                 235                 240
```

```
Pro Ile Cys Pro Gly Tyr Arg Trp Met Cys Leu Arg Arg Phe Ile Ile
                245                 250                 255

Phe Leu Phe Ile Leu Leu Leu Cys Leu Ile Phe Leu Leu Val Leu Leu
            260                 265                 270

Asp Tyr Gln Gly Met Leu Pro Val Cys Pro Leu Leu Pro Gly Thr Ser
        275                 280                 285

Thr Thr Ser Thr Gly Pro Cys Lys Thr Cys Thr Ile Pro Ala Gln Gly
    290                 295                 300

Thr Ser Met Phe Pro Ser Cys Cys Cys Thr Lys Pro Ser Asp Gly Asn
305                 310                 315                 320

Cys Thr Cys Ile Pro Ile Pro Ser Ser Trp Ala Phe Ala Arg Phe Leu
                325                 330                 335

Trp Glu Trp Ala Ser Val Arg Phe Ser Trp Leu Ser Leu Leu Val Pro
            340                 345                 350

Phe Val Gln Trp Phe Ala Gly Leu Ser Pro Thr Val Trp Leu Ser Val
        355                 360                 365

Ile Trp Met Met Trp Tyr Trp Gly Pro Ser Leu Tyr Asn Ile Leu Ser
    370                 375                 380

Pro Phe Leu Pro Leu Leu Pro Ile Phe Phe Cys Leu Trp Val Tyr Ile
385                 390                 395                 400
```

<210> 47
<211> 799
<212> DNA
<213> Homo sapiens

<400> 47
cgaaccactc agggtcctgt ggacagctca cctagctgca atggctacag gctcccggac 60

gtccctgctc ctggcttttg gcctgctctg cctgccctgg cttcaagagg gcagtgcctt 120

cccaaccatt cccttatcca ggccttttga caacgctatg ctccgcgccc atcgtctgca 180

ccagctggcc tttgacacct accaggagtt tgaagaagcc tatatcccaa aggaacagaa 240

gtattcattc ctgcagaacc cccagacctc cctctgtttc tcagagtcta ttccgacacc 300

ctccaacagg gaggaaacac aacagaaatc caacctagag ctgctccgca tctccctgct 360

gctcatccag tcgtggctgg agcccgtgca gttcctcagg agtgtcttcg ccaacagcct 420

ggtgtacggc gcctctgaca gcaacgtcta tgacctccta aaggacctag aggaaggcat 480

ccaaacgctg atggggaggc tggaagatgg cagcccccgg actgggcaga tcttcaagca 540

gacctacagc aagttcgaca caaactcaca caacgatgac gcactactca agaactacgg 600

gctgctctac tgcttcagga aggacatgga caaggtcgag acattcctgc gcatcgtgca 660

gtgccgctct gtggagggca gctgtggctt ctagctgccc gggtggcatc cctgtgaccc 720

ctccccagtg cctctcctgg ccctggaagt tgccactcca gtgcccacca gccttgtcct 780

aataaaatta agttgcatc 799

<210> 48
<211> 217
<212> PRT
<213> Homo sapiens

<400> 48

Met Ala Thr Gly Ser Arg Thr Ser Leu Leu Leu Ala Phe Gly Leu Leu
1 5 10 15

Cys Leu Pro Trp Leu Gln Glu Gly Ser Ala Phe Pro Thr Ile Pro Leu
20 25 30

Ser Arg Pro Phe Asp Asn Ala Met Leu Arg Ala His Arg Leu His Gln
35 40 45

Leu Ala Phe Asp Thr Tyr Gln Glu Phe Glu Glu Ala Tyr Ile Pro Lys
50 55 60

Glu Gln Lys Tyr Ser Phe Leu Gln Asn Pro Gln Thr Ser Leu Cys Phe
65 70 75 80

Ser Glu Ser Ile Pro Thr Pro Ser Asn Arg Glu Glu Thr Gln Gln Lys
85 90 95

Ser Asn Leu Glu Leu Leu Arg Ile Ser Leu Leu Leu Ile Gln Ser Trp
100 105 110

Leu Glu Pro Val Gln Phe Leu Arg Ser Val Phe Ala Asn Ser Leu Val
115 120 125

```
Tyr Gly Ala Ser Asp Ser Asn Val Tyr Asp Leu Leu Lys Asp Leu Glu
    130                 135                 140

Glu Gly Ile Gln Thr Leu Met Gly Arg Leu Glu Asp Gly Ser Pro Arg
145                 150                 155                 160

Thr Gly Gln Ile Phe Lys Gln Thr Tyr Ser Lys Phe Asp Thr Asn Ser
                165                 170                 175

His Asn Asp Asp Ala Leu Leu Lys Asn Tyr Gly Leu Leu Tyr Cys Phe
            180                 185                 190

Arg Lys Asp Met Asp Lys Val Glu Thr Phe Leu Arg Ile Val Gln Cys
        195                 200                 205

Arg Ser Val Glu Gly Ser Cys Gly Phe
    210                 215
```

<210> 49
<211> 963
<212> DNA
<213> Homo sapiens

<400> 49

```
atggagacag acacactcct gttatgggtg ctgctgctct gggttccagg ttccactggt    60

gacgtcaggc gagggccccg gagcctgcgg ggcagggacg cgccagcccc cacgccctgc   120

gtcccggccg agtgcttcga cctgctggtc cgccactgcg tggcctgcgg gctcctgcgc   180

acgccgcggc cgaaaccggc cggggccagc agccctgcgc ccaggacggc gctgcagccg   240

caggagtcgg tgggcgcggg ggccggcgag gcggcggtcg acaaaactca cacatgccca   300

ccgtgcccag cacctgaact cctgggggga ccgtcagtct tcctcttccc cccaaaaccc   360

aaggacaccc tcatgatctc ccggaccccct gaggtcacat gcgtggtggt ggacgtgagc   420

cacgaagacc ctgaggtcaa gttcaactgg tacgtggacg gcgtggaggt gcataatgcc   480

aagacaaagc cgcgggagga gcagtacaac agcacgtacc gtgtggtcag cgtcctcacc   540

gtcctgcacc aggactggct gaatggcaag gagtacaagt gcaaggtctc caacaaagcc   600

ctcccagccc ccatcgagaa aaccatctcc aaagccaaag ggcagccccg agaaccacag   660

gtgtacaccc tgccccatc ccgggatgag ctgaccaaga accaggtcag cctgacctgc   720

ctggtcaaag gcttctatcc cagcgacatc gccgtggagt gggagagcaa tgggcagccg   780
```

gagaacaact acaagaccac gcctcccgtg ttggactccg acggctcctt cttcctctac 840

agcaagctca ccgtggacaa gagcaggtgg cagcagggga acgtcttctc atgctccgtg 900

atgcatgagg ctctgcacaa ccactacacg cagaagagcc tctccctgtc tcccgggaaa 960

tga 963

<210> 50
<211> 320
<212> PRT
<213> Homo sapiens

<400> 50

Met Glu Thr Asp Thr Leu Leu Leu Trp Val Leu Leu Leu Trp Val Pro
1 5 10 15

Gly Ser Thr Gly Asp Val Arg Arg Gly Pro Arg Ser Leu Arg Gly Arg
20 25 30

Asp Ala Pro Ala Pro Thr Pro Cys Val Pro Ala Glu Cys Phe Asp Leu
35 40 45

Leu Val Arg His Cys Val Ala Cys Gly Leu Leu Arg Thr Pro Arg Pro
50 55 60

Lys Pro Ala Gly Ala Ser Ser Pro Ala Pro Arg Thr Ala Leu Gln Pro
65 70 75 80

Gln Glu Ser Val Gly Ala Gly Ala Gly Glu Ala Ala Val Asp Lys Thr
85 90 95

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
100 105 110

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
115 120 125

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
130 135 140

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
145 150 155 160

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val

```
                165                 170                 175

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
            180                 185                 190

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
        195                 200                 205

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
    210                 215                 220

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
225                 230                 235                 240

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
                245                 250                 255

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
            260                 265                 270

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
        275                 280                 285

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
    290                 295                 300

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
305                 310                 315                 320
```

<210> 51
<211> 107
<212> PRT
<213> Homo sapiens

<400> 51

```
Asp Ile Gln Met Thr Gln Thr Pro Ser Thr Leu Ser Ala Ser Val Gly
1               5                   10                  15

Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr
            20                  25                  30

Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35                  40                  45
```

Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Val Lys
100 105

<210> 52
<211> 107
<212> PRT
<213> Mus musculus

<400> 52

Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
1 5 10 15

Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr
20 25 30

Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Ile Val Lys Leu Leu Ile
35 40 45

Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln
65 70 75 80

Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp
85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 53
<211> 119
<212> PRT
<213> Homo sapiens

<400> 53

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr
20 25 30

Leu Ile Glu Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe
50 55 60

Lys Gly Arg Val Thr Leu Thr Val Asp Glu Ser Thr Asn Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Phe Cys
85 90 95

Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Gln Gly
100 105 110

Thr Leu Val Thr Val Ser Ser
115

<210> 54
<211> 119
<212> PRT
<213> Mus musculus

<400> 54

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Gly Pro Gly Thr
1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr
20 25 30

Leu Ile Glu Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe
50 55 60

```
Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr Thr Ala Tyr
65                  70                  75                  80

Met Gln Leu Ser Ser Leu Thr Ser Asp Asp Ser Ala Val Tyr Phe Cys
                85                  90                  95

Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Arg Gly
            100                 105                 110

Thr Leu Val Thr Val Ser Ala
        115
```

<210> 55
<211> 214
<212> PRT
<213> Homo sapiens

<400> 55

```
Asp Ile Gln Met Thr Gln Thr Pro Ser Thr Leu Ser Ala Ser Val Gly
1               5                   10                  15

Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Tyr
            20                  25                  30

Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35                  40                  45

Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
    50                  55                  60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro
65                  70                  75                  80

Asp Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp
                85                  90                  95

Thr Phe Gly Gln Gly Thr Lys Val Glu Val Lys Arg Thr Val Ala Ala
            100                 105                 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
        115                 120                 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
    130                 135                 140
```

```
Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145                 150                 155                 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
                165                 170                 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
            180                 185                 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
        195                 200                 205

Phe Asn Arg Gly Glu Cys
    210
```

<210> 56
<211> 448
<212> PRT
<213> Homo sapiens

<400> 56

```
Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1               5                   10                  15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr
            20                  25                  30

Leu Ile Glu Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
        35                  40                  45

Gly Val Ile Tyr Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe
    50                  55                  60

Lys Gly Arg Val Thr Leu Thr Val Asp Glu Ser Thr Asn Thr Ala Tyr
65                  70                  75                  80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Phe Cys
                85                  90                  95

Ala Arg Arg Asp Gly Asn Tyr Gly Trp Phe Ala Tyr Trp Gly Gln Gly
            100                 105                 110
```

```
Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe
        115                 120                 125

Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu
    130                 135                 140

Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp
145                 150                 155                 160

Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu
                165                 170                 175

Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser
            180                 185                 190

Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro
        195                 200                 205

Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys
    210                 215                 220

Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro
225                 230                 235                 240

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
                245                 250                 255

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
            260                 265                 270

Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
        275                 280                 285

Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
    290                 295                 300

Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
305                 310                 315                 320

Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys
                325                 330                 335

Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
```

340 345 350

Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr
355 360 365

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
370 375 380

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
385 390 395 400

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
405 410 415

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
420 425 430

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
435 440 445

<210> 57
<211> 8540
<212> DNA
<213> Homo sapiens

<400> 57
gacgtcgcgg ccgctctagg cctccaaaaa agcctcctca ctacttctgg aatagctcag 60

aggccgaggc ggcctcggcc tctgcataaa taaaaaaaat tagtcagcca tgcatggggc 120

ggagaatggg cggaactggg cggagttagg ggcgggatgg gcggagttag gggcgggact 180

atggttgctg actaattgag atgcatgctt tgcatacttc tgcctgctgg ggagcctggg 240

gactttccac acctggttgc tgactaattg agatgcatgc tttgcatact tctgcctgct 300

ggggagcctg gggactttcc acaccctaac tgacacacat tccacagaat taattcccct 360

agttattaat agtaatcaat tacggggtca ttagttcata gcccatatat ggagttccgc 420

gttacataac ttacggtaaa tggcccgcct ggctgaccgc ccaacgaccc ccgcccattg 480

acgtcaataa tgacgtatgt tcccatagta acgccaatag ggactttcca ttgacgtcaa 540

tgggtggact atttacggta aactgcccac ttggcagtac atcaagtgta tcatatgcca 600

agtacgcccc ctattgacgt caatgacggt aaatggcccg cctggcatta tgcccagtac 660

atgaccttat gggactttcc tacttggcag tacatctacg tattagtcat cgctattacc 720

atggtgatgc ggttttggca gtacatcaat gggcgtggat agcggtttga ctcacgggga 780

tttccaagtc tccaccccat tgacgtcaat gggagtttgt tttggcacca aaatcaacgg 840

gactttccaa aatgtcgtaa caactccgcc ccattgacgc aaatgggcgg taggcgtgta 900

cggtgggagg tctatataag cagagctggg tacgtgaacc gtcagatcgc ctggagacgc 960

catcacagat ctctcaccat gagggtcccc gctcagctcc tggggctcct gctgctctgg 1020

ctcccaggtg cacgatgtga tggtaccaag gtggaaatca aacgtacggt ggctgcacca 1080

tctgtcttca tcttcccgcc atctgatgag cagttgaaat ctggaactgc ctctgttgtg 1140

tgcctgctga ataacttcta tcccagagag gccaaagtac agtggaaggt ggataacgcc 1200

ctccaatcgg gtaactccca ggagagtgtc acagagcagg acagcaagga cagcacctac 1260

agcctcagca gcaccctgac gctgagcaaa gcagactacg agaaacacaa agtctacgcc 1320

tgcgaagtca cccatcaggg cctgagctcg cccgtcacaa agagcttcaa caggggagag 1380

tgttgaattc agatccgtta acggttacca actacctaga ctggattcgt gacaacatgc 1440

ggccgtgata tctacgtatg atcagcctcg actgtgcctt ctagttgcca gccatctgtt 1500

gtttgcccct cccccgtgcc ttccttgacc ctggaaggtg ccactcccac tgtcctttcc 1560

taataaaatg aggaaattgc atcgcattgt ctgagtaggt gtcattctat tctgggggtt 1620

ggggtggggc aggacagcaa gggggaggat tgggaagaca atagcaggca tgctggggat 1680

gcggtgggct ctatggaacc agctggggct cgacagctat gccaagtacg ccccctattg 1740

acgtcaatga cggtaaatgg cccgcctggc attatgccca gtacatgacc ttatgggact 1800

ttcctacttg gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt 1860

ggcagtacat caatgggcgt ggatagcggt ttgactcacg gggatttcca agtctccacc 1920

ccattgacgt caatgggagt ttgttttggc accaaaatca acgggacttt ccaaaatgtc 1980

gtaacaactc cgccccattg acgcaaatgg gcggtaggcg tgtacggtgg gaggtctata 2040

taagcagagc tgggtacgtc ctcacattca gtgatcagca ctgaacacag acccgtcgac 2100

atgggttgga gcctcatctt gctcttcctt gtcgctgttg ctacgcgtgt cgctagcacc 2160

aagggcccat cggtcttccc cctggcaccc tcctccaaga gcacctctgg gggcacagcg 2220

gccctgggct gcctggtcaa ggactacttc cccgaaccgg tgacggtgtc gtggaactca 2280

ggcgccctga ccagcggcgt gcacaccttc ccggctgtcc tacagtcctc aggactctac 2340

tccctcagca gcgtggtgac cgtgccctcc agcagcttgg gcacccagac ctacatctgc 2400

aacgtgaatc acaagcccag caacaccaag gtggacaaga aagcagagcc caaatcttgt 2460

gacaaaactc acacatgccc accgtgccca gcacctgaac tcctgggggg accgtcagtc 2520

ttcctcttcc ccccaaaacc caaggacacc ctcatgatct cccggacccc tgaggtcaca 2580

tgcgtggtgg tggacgtgag ccacgaagac cctgaggtca agttcaactg gtacgtggac 2640

ggcgtggagg tgcataatgc caagacaaag ccgcgggagg agcagtacaa cagcacgtac 2700

cgtgtggtca gcgtcctcac cgtcctgcac caggactggc tgaatggcaa ggactacaag 2760

tgcaaggtct ccaacaaagc cctcccagcc cccatcgaga aaaccatctc caaagccaaa 2820

gggcagcccc gagaaccaca ggtgtacacc ctgcccccat cccgggatga gctgaccagg 2880

aaccaggtca gcctgacctg cctggtcaaa ggcttctatc ccagcgacat cgccgtggag 2940

tgggagagca atgggcagcc ggagaacaac tacaagacca cgcctcccgt gctggactcc 3000

gacggctcct tcttcctcta cagcaagctc accgtggaca agagcaggtg gcagcagggg 3060

aacgtcttct catgctccgt gatgcatgag gctctgcaca accactacac gcagaagagc 3120

ctctccctgt ctccgggtaa atgaggatcc gttaacggtt accaactacc tagactggat 3180

tcgtgacaac atgcggccgt gatatctacg tatgatcagc ctcgactgtg ccttctagtt 3240

gccagccatc tgttgtttgc ccctcccccg tgccttcctt gaccctggaa ggtgccactc 3300

ccactgtcct ttcctaataa aatgaggaaa ttgcatcgca ttgtctgagt aggtgtcatt 3360

ctattctggg gggtggggtg gggcaggaca gcaaggggga ggattgggaa gacaatagca 3420

ggcatgctgg ggatgcggtg ggctctatgg aaccagctgg ggctcgacag cgctggatct 3480

cccgatcccc agctttgctt ctcaatttct tatttgcata atgagaaaaa aaggaaaatt 3540

aattttaaca ccaattcagt agttgattga gcaaatgcgt tgccaaaaag gatgctttag 3600

agacagtgtt ctctgcacag ataaggacaa acattattca gagggagtac ccagagctga 3660

gactcctaag ccagtgagtg gcacagcatt ctagggagaa atatgcttgt catcaccgaa 3720

gcctgattcc gtagagccac accttggtaa gggccaatct gctcacacag gatagagagg 3780

gcaggagcca gggcagagca tataaggtga ggtaggatca gttgctcctc acatttgctt 3840

ctgacatagt tgtgttggga gcttggatag cttggacagc tcagggctgc gatttcgcgc 3900

caaacttgac ggcaatccta gcgtgaaggc tggtaggatt ttatccccgc tgccatcatg 3960

gttcgaccat tgaactgcat cgtcgccgtg tcccaaaata tggggattgg caagaacgga 4020

gacctaccct ggcctccgct caggaacgag ttcaagtact tccaaagaat gaccacaacc 4080

tcttcagtgg aaggtaaaca gaatctggtg attatgggta ggaaaacctg gttctccatt 4140

cctgagaaca atcgaccttt aaaggacaga attaatatag ttctcagtag agaactcaaa 4200

gaaccaccac gaggagctca ttttcttgcc aaaagtttgg atgatgcctt aagacttatt 4260

gaacaaccgg aattggcaag taaagtagac atggtttgga tagtcggagg cagttctgtt 4320

taccaggaag ccatgaatca accaggccac cttagactct ttgtgacaag gatcatgcag 4380

gaatttgaaa gtgacacgtt tttcccagaa attgatttgg ggaaatataa acttctccca 4440

gaatacccag gcgtcctctc tgaggtccag gaggaaaaag gcatcaagta taagtttgaa 4500

gtctacgaga agaaagacta acaggaagat gctttcaagt tctctgctcc cctcctaaag 4560

tcatgcattt ttataagacc atgggacttt tgctggcttt agatcagcct cgactgtgcc 4620

ttctagttgc cagccatctg ttgtttgccc ctcccccgtg ccttccttga ccctggaagg 4680

tgccactccc actgtccttt cctaataaaa tgaggaaatt gcatcgcatt gtctgagtag 4740

gtgtcattct attctggggg gtggggtggg gcaggacagc aagggggagg attgggaaga 4800

caatagcagg catgctgggg atgcggtggg ctctatggaa ccagctgggg ctcgagctac 4860

tagctttgct tctcaatttc ttatttgcat aatgagaaaa aaaggaaaat taattttaac 4920

accaattcag tagttgattg agcaaatgcg ttgccaaaaa ggatgcttta gagacagtgt 4980

tctctgcaca gataaggaca aacattattc agagggagta cccagagctg agactcctaa 5040

gccagtgagt ggcacagcat tctagggaga aatatgcttg tcatcaccga agcctgattc 5100

cgtagagcca caccttggta agggccaatc tgctcacaca ggatagagag ggcaggagcc 5160

agggcagagc atataaggtg aggtaggatc agttgctcct cacatttgct tctgacatag 5220

ttgtgttggg agcttggatc gatcctctat ggttgaacaa gatggattgc acgcaggttc 5280

tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga caatcggctg 5340

ctctgatgcc gccgtgttcc ggctgtcagc gcaggggcgc ccggttcttt ttgtcaagac 5400

cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat cgtggctggc 5460

cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg gaagggactg 5520

gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg ctcctgccga 5580

gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc cggctacctg 5640

cccattcgac caccaagcga aacatcgcat cgagcgagca cgtactcgga tggaagccgg 5700

tcttgtcgat caggatgatc tggacgaaga gcatcagggg ctcgcgccag ccgaactgtt 5760

cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc atggcgatgc 5820

ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg actgtggccg 5880

gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata ttgctgaaga 5940

gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg cttcccgatt 6000

cgcagcgcat cgccttctat cgccttcttg acgagttctt ctgagcggga ctctgggggtt 6060

cgaaatgacc gaccaagcga cgcccaacct gccatcacga gatttcgatt ccaccgccgc 6120

cttctatgaa aggttgggct tcggaatcgt tttccgggac gccggctgga tgatcctcca 6180

gcgcggggat ctcatgctgg agttcttcgc ccaccccaac ttgtttattg cagcttataa 6240

tggttacaaa taaagcaata gcatcacaaa tttcacaaat aaagcatttt tttcactgca 6300

ttctagttgt ggtttgtcca aactcatcaa tctatcttat catgtctgga tcgcggccgc 6360

gatcccgtcg agagcttggc gtaatcatgg tcatagctgt ttcctgtgtg aaattgttat 6420

ccgctcacaa ttccacacaa catacgagcc ggagcataaa gtgtaaagcc tggggtgcct 6480

aatgagtgag ctaactcaca ttaattgcgt tgcgctcact gcccgctttc cagtcgggaa 6540

acctgtcgtg ccagctgcat taatgaatcg gccaacgcgc ggggagaggc ggtttgcgta 6600

ttgggcgctc ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt cggctgcggc 6660

gagcggtatc agctcactca aaggcggtaa tacggttatc cacagaatca ggggataacg 6720

caggaaagaa catgtgagca aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt 6780

tgctggcgtt tttccatagg ctccgccccc ctgacgagca tcacaaaaat cgacgctcaa 6840

gtcagaggtg gcgaaacccg acaggactat aaagatacca ggcgtttccc cctggaagct 6900

ccctcgtgcg ctctcctgtt ccgaccctgc cgcttaccgg atacctgtcc gcctttctcc 6960

cttcgggaag cgtggcgctt tctcaatgct cacgctgtag gtatctcagt tcggtgtagg 7020

tcgttcgctc caagctgggc tgtgtgcacg aacccccgt tcagcccgac cgctgcgcct 7080

tatccggtaa ctatcgtctt gagtccaacc cggtaagaca cgacttatcg ccactggcag 7140

cagccactgg taacaggatt agcagagcga ggtatgtagg cggtgctaca gagttcttga 7200

agtggtggcc taactacggc tacactagaa ggacagtatt tggtatctgc gctctgctga 7260

agccagttac cttcggaaaa agagttggta gctcttgatc cggcaaacaa accaccgctg 7320

gtagcggtgg ttttttgtt tgcaagcagc agattacgcg cagaaaaaaa ggatctcaag 7380

aagatccttt gatcttttct acggggtctg acgctcagtg gaacgaaaac tcacgttaag 7440

ggattttggt catgagatta tcaaaaagga tcttcaccta gatcctttta aattaaaaat 7500

gaagttttaa atcaatctaa agtatatatg agtaaacttg gtctgacagt taccaatgct 7560

taatcagtga ggcacctatc tcagcgatct gtctatttcg ttcatccata gttgcctgac 7620

tccccgtcgt gtagataact acgatacggg agggcttacc atctggcccc agtgctgcaa 7680

tgataccgcg agacccacgc tcaccggctc cagatttatc agcaataaac cagccagccg 7740

gaagggccga gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag tctattaatt 7800

gttgccggga agctagagta agtagttcgc cagttaatag tttgcgcaac gttgttgcca 7860

ttgctacagg catcgtggtg tcacgctcgt cgtttggtat ggcttcattc agctccggtt 7920

cccaacgatc aaggcgagtt acatgatccc ccatgttgtg caaaaaagcg gttagctcct 7980

tcggtcctcc gatcgttgtc agaagtaagt tggccgcagt gttatcactc atggttatgg 8040

cagcactgca taattctctt actgtcatgc catccgtaag atgcttttct gtgactggtg 8100

agtactcaac caagtcattc tgagaatagt gtatgcggcg accgagttgc tcttgcccgg 8160

cgtcaatacg ggataatacc gcgccacata gcagaacttt aaaagtgctc atcattggaa 8220

aacgttcttc ggggcgaaaa ctctcaagga tcttaccgct gttgagatcc agttcgatgt 8280

aacccactcg tgcacccaac tgatcttcag catcttttac tttcaccagc gtttctgggt 8340

gagcaaaaac aggaaggcaa aatgccgcaa aaaagggaat aagggcgaca cggaaatgtt 8400

gaatactcat actcttcctt tttcaatatt attgaagcat ttatcagggt tattgtctca 8460

tgagcggata catatttgaa tgtatttaga aaaataaaca aatagggttc cgcgcacat 8520

ttccccgaaa agtgccacct 8540

<210> 58
<211> 9209
<212> DNA
<213> Mus musculus

<400> 58
gacgtcgcgg ccgctctagg cctccaaaaa agcctcctca ctacttctgg aatagctcag 60

aggccgaggc ggcctcggcc tctgcataaa taaaaaaaat tagtcagcca tgcatggggc 120

ggagaatggg cggaactggg cggagttagg ggcgggatgg gcggagttag gggcgggact 180

atggttgctg actaattgag atgcatgctt tgcatacttc tgcctgctgg ggagcctggg 240

gactttccac acctggttgc tgactaattg agatgcatgc tttgcatact tctgcctgct 300

ggggagcctg gggactttcc acaccctaac tgacacacat tccacagaat taattcccct 360

agttattaat agtaatcaat tacggggtca ttagttcata gcccatatat ggagttccgc 420

gttacataac ttacggtaaa tggcccgcct ggctgaccgc ccaacgaccc ccgcccattg 480

acgtcaataa tgacgtatgt tcccatagta acgccaatag ggactttcca ttgacgtcaa 540

tgggtggact atttacggta aactgcccac ttggcagtac atcaagtgta tcatatgcca 600

agtacgcccc ctattgacgt caatgacggt aaatggcccg cctggcatta tgcccagtac 660

atgaccttat gggactttcc tacttggcag tacatctacg tattagtcat cgctattacc 720

atggtgatgc ggttttggca gtacatcaat gggcgtggat accggtttga ctcacgcgga 780

tttccaagtc tccaccccat tgacgtcaat gggagtttgt tttggcacca aaatcaacgg 840

gactttccaa aatgtcgtaa caactccgcc ccattgacgc aaatgggcgg taggcgtgta 900

cggtgggagg tctatataag cagagctggg tacgtgaacc gtcagatcgc ctggagacgc 960

catcacagat ctctcactat ggattttcag gtgcagatta tcagcttcct gctaatcagt 1020

gcttcagtca taatgtccag aggacaaatt gttctctccc agtctccagc aatcctgtct 1080

gcatctccag gggagaaggt cacaatgact tgcagggcca gctcaagtgt aagttacatc 1140

cactggttcc agcagaagcc aggatcctcc cccaaaccct ggatttatgc cacatccaac 1200

ctggcttctg gagtccctgt tcgcttcagt ggcagtgggt ctgggacttc ttactctctc 1260

acaatcagca gagtggaggc tgaagatgct gccacttatt actgccagca gtggactagt 1320

aacccaccca cgttcggagg ggggaccaag ctggaaatca aacgtacggt ggctgcacca 1380

tctgtcttca tcttcccgcc atctgatgag cagttgaaat ctggaactgc ctctgttgtg 1440

tgcctgctga ataacttcta tcccagagag gccaaagtac agtggaaggt ggataacgcc 1500

ctccaatcgg gtaactccca ggagagtgtc acagagcagg acagcaagga cagcacctac 1560

agcctcagca gcaccctgac gctgagcaaa gcagactacg agaaacacaa agtctacgcc 1620

tgcgaagtca cccatcaggg cctgagctcg cccgtcacaa agagcttcaa caggggagag 1680

tgttgaattc agatccgtta acggttacca actacctaga ctggattcgt gacaacatgc 1740

ggccgtgata tctacgtatg atcagcctcg actgtgcctt ctagttgcca gccatctgtt 1800

gtttgcccct cccccgtgcc ttccttgacc ctggaaggtg ccactcccac tgtcctttcc 1860

taataaaatg aggaaattgc atcgcattgt ctgagtaggt gtcattctat tctgggggggt 1920

ggggtggggc aggacagcaa gggggaggat tgggaagaca atagcaggca tgctggggat 1980

gcggtgggct ctatggaacc agctgggggct cgacagctat gccaagtacg ccccctattg 2040

acgtcaatga cggtaaatgg cccgcctggc attatgccca gtacatgacc ttatgggact 2100

ttcctacttg gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt 2160

ggcagtacat caatgggcgt ggatagcggt ttgactcacg gggatttcca agtctccacc 2220

ccattgacgt caatgggagt ttgttttggc accaaaatca acgggacttt ccaaaatgtc 2280

gtaacaactc cgccccattg acgcaaatgg gcggtaggcg tgtacggtgg gaggtctata 2340

taagcagagc tgggtacgtc ctcacattca gtgatcagca ctgaacacag acccgtcgac 2400

atgggttgga gcctcatctt gctcttcctt gtcgctgttg ctacgcgtgt cctgtcccag 2460

gtacaactgc agcagcctgg ggctgagctg gtgaagcctg gggcctcagt gaagatgtcc 2520

tgcaaggctt ctggctacac atttaccagt tacaatatgc actgggtaaa acagacacct 2580

ggtcggggcc tggaatggat tggagctatt tatcccggaa atggtgatac ttcctacaat 2640

cagaagttca aaggcaaggc cacattgact gcagacaaat cctccagcac agcctacatg 2700

cagctcagca gcctgacatc tgaggactct gcggtctatt actgtgcaag atcgacttac 2760

tacggcggtg actggtactt caatgtctgg ggcgcaggga ccacggtcac cgtctctgca 2820

gctagcacca agggcccatc ggtcttcccc ctggcaccct cctccaagag cacctctggg 2880

ggcacagcgg ccctgggctg cctggtcaag gactacttcc ccgaaccggt gacggtgtcg 2940

tggaactcag gcgccctgac cagcggcgtg cacaccttcc cggctgtcct acagtcctca 3000

ggactctact ccctcagcag cgtggtgacc gtgccctcca gcagcttggg cacccagacc 3060

tacatctgca acgtgaatca caagcccagc aacaccaagg tggacaagaa agcagagccc 3120

aaatcttgtg acaaaactca cacatgccca ccgtgcccag cacctgaact cctgggggga 3180

ccgtcagtct tcctcttccc cccaaaaccc aaggacaccc tcatgatctc ccggacccct 3240

gaggtcacat gcgtggtggt ggacgtgagc cacgaagacc ctgaggtcaa gttcaactgg 3300

tacgtggacg gcgtggaggt gcataatgcc aagacaaagc cgcgggagga gcagtacaac 3360

agcacgtacc gtgtggtcag cgtcctcacc gtcctgcacc aggactggct gaatggcaag 3420

gagtacaagt gcaaggtctc caacaaagcc ctcccagccc ccatcgagaa aaccatctcc 3480

aaagccaaag ggcagccccg agaaccacag gtgtacaccc tgcccccatc ccgggatgag 3540

ctgaccaaga accaggtcag cctgacctgc ctggtcaaag gcttctatcc cagcgacatc 3600

gccgtggagt gggagagcaa tgggcagccg gagaacaact acaagaccac gcctcccgtg 3660

ctggactccg acggctcctt cttcctctac agcaagctca ccgtggacaa gagcaggtgg 3720

cagcaggggа acgtcttctc atgctccgtg atgcatgagg ctctgcacaa ccactacacg 3780

cagaagagcc tctccctgtc tccgggtaaa tgaggatccg ttaacggtta ccaactacct 3840

agactggatt cgtgacaaca tgcggccgtg atatctacgt atgatcagcc tcgactgtgc 3900

cttctagttg ccagccatct gttgtttgcc cctccccccgt gccttccttg accctggaag 3960

gtgccactcc cactgtcctt tcctaataaa atgaggaaat tgcatcgcat tgtctgagta 4020

ggtgtcattc tattctgggg ggtggggtgg ggcaggacag caaggggggag gattgggaag 4080

acaatagcag gcatgctggg gatgcggtgg gctctatgga accagctggg gctcgacagc 4140

gctggatctc ccgatcccca gctttgcttc tcaatttctt atttgcataa tgagaaaaaa 4200

aggaaaatta attttaacac caattcagta gttgattgag caaatgcgtt gccaaaaagg 4260

atgctttaga gacagtgttc tctgcacaga taaggacaaa cattattcag agggagtacc 4320

cagagctgag actcctaagc cagtgagtgg cacagcattc tagggagaaa tatgcttgtc 4380

atcaccgaag cctgattccg tagagccaca ccttggtaag ggccaatctg ctcacacagg 4440

atagagaggg caggagccag ggcagagcat ataaggtgag gtaggatcag ttgctcctca 4500

catttgcttc tgacatagtt gtgttgggag cttggatagc ttggacagct cagggctgcg 4560

atttcgcgcc aaacttgacg gcaatcctag cgtgaaggct ggtaggattt tatccccgct 4620

gccatcatgg ttcgaccatt gaactgcatc gtcgccgtgt cccaaaatat ggggattggc 4680

aagaacggag acctaccctg gcctccgctc aggaacgagt tcaagtactt ccaaagaatg 4740

accacaacct cttcagtgga aggtaaacag aatctggtga ttatgggtag gaaaacctgg 4800

ttctccattc ctgagaagaa tcgaccttta aaggacagaa ttaatatagt tctcagtaga 4860

gaactcaaag aaccaccacg aggagctcat tttcttgcca aaagtttgga tgatgcctta 4920

agacttattg aacaaccgga attggcaagt aaagtagaca tggtttggat agtcggaggc 4980

agttctgttt accaggaagc catgaatcaa ccaggccacc ttagactctt tgtgacaagg 5040

atcatgcagg aatttgaaag tgacacgttt ttcccagaaa ttgatttggg gaaatataaa 5100

cttctcccag aatacccagg cgtcctctct gaggtccagg aggaaaaagg catcaagtat 5160

aagtttgaag tctacgagaa gaaagactaa caggaagatg ctttcaagtt ctctgctccc 5220

ctcctaaagc tatgcatttt tataagacca tgggactttt gctggcttta gatcagcctc 5280

gactgtgcct tctagttgcc agccatctgt tgtttgcccc tcccccgtgc cttccttgac 5340

cctggaaggt gccactccca ctgtcctttc ctaataaaat gaggaaattg catcgcattg 5400

tctgagtagg tgtcattcta ttctgggggg tggggtgggg caggacagca agggggagga 5460

ttgggaagac aatagcaggc atgctgggga tgcggtgggc tctatggaac cagctggggc 5520

tcgagctact agctttgctt ctcaatttct tatttgcata atgagaaaaa aaggaaaatt 5580

aattttaaca ccaattcagt agttgattga gcaaatgcgt tgccaaaaag gatgctttag 5640

agacagtgtt ctctgcacag ataaggacaa acattattca gagggagtac ccagagctga 5700

gactcctaag ccagtgagtg gcacagcatt ctagggagaa atatgcttgt catcaccgaa 5760

gcctgattcc gtagagccac accttggtaa gggccaatct gctcacacag gatagagagg 5820

gcaggagcca gggcagagca tataaggtga ggtaggatca gttgctcctc acatttgctt 5880

ctgacatagt tgtgttggga gcttggatcg atcctctatg gttgaacaag atggattgca 5940

cgcaggttct ccggccgctt gggtggagag gctattcggc tatgactggg cacaacagac 6000

aatcggctgc tctgatgccg ccgtgttccg gctgtcagcg caggggcgcc cggttctttt 6060

tgtcaagacc gacctgtccg gtgccctgaa tgaactgcag gacgaggcag cgcggctatc 6120

gtggctggcc acgacgggcg ttccttgcgc agctgtgctc gacgttgtca ctgaagcggg 6180

aagggactgg ctgctattgg gcgaagtgcc ggggcaggat ctcctgtcat ctcaccttgc 6240

tcctgccgag aaagtatcca tcatggctga tgcaatgcgg cggctgcata cgcttgatcc 6300

ggctacctgc ccattcgacc accaagcgaa acatcgcatc gagcgagcac gtactcggat 6360

ggaagccggt cttgtcgatc aggatgatct ggacgaagag catcaggggc tcgcgccagc 6420

cgaactgttc gccaggctca aggcgcgcat gcccgacggc gaggatctcg tcgtgaccca 6480

tggcgatgcc tgcttgccga atatcatggt ggaaaatggc cgcttttctg gattcatcga 6540

ctgtggccgg ctgggtgtgg cggaccgcta tcaggacata gcgttggcta cccgtgatat 6600

tgctgaagag cttggcggcg aatgggctga ccgcttcctc gtgctttacg gtatcgccgc 6660

tcccgattcg cagcgcatcg ccttctatcg ccttcttgac gagttcttct gagcgggact 6720

ctggggttcg aaatgaccga ccaagcgacg cccaacctgc catcacgaga tttcgattcc 6780

accgccgcct tctatgaaag gttgggcttc ggaatcgttt tccgggacgc cggctggatg 6840

atcctccagc gcggggatct catgctggag ttcttcgccc accccaactt gtttattgca 6900

gcttataatg gttacaaata aagcaatagc atcacaaatt tcacaaataa agcatttttt 6960

tcactgcatt ctagttgtgg tttgtccaaa ctcatcaatc tatcttatca tgtctggatc 7020

gcggccgcga tcccgtcgag agcttggcgt aatcatggtc atagctgttt cctgtgtgaa 7080

attgttatcc gctcacaatt ccacacaaca tacgagccgg aagcataaag tgtaaagcct 7140

ggggtgccta atgagtgagc taactcacat taattgcgtt gcgctcactg cccgctttcc 7200

agtcgggaaa cctgtcgtgc cagctgcatt aatgaatcgg ccaacgcgcg gggagaggcg 7260

gtttgcgtat tgggcgctct tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc 7320

ggctgcggcg agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag 7380

gggataacgc aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa 7440

aggccgcgtt gctggcgttt ttccataggc tccgcccccc tgacgagcat cacaaaaatc 7500

gacgctcaag tcagaggtgg cgaaacccga caggactata aagataccag gcgtttcccc 7560

ctggaagctc cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg 7620

cctttctccc ttcgggaagc gtggcgcttt ctcaatgctc acgctgtagg tatctcagtt 7680

cggtgtaggt cgttcgctcc aagctgggct gtgtgcacga acccccgtt cagcccgacc 7740

gctgcgcctt atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc 7800

cactggcagc agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag 7860

agttcttgaa gtggtggcct aactacggct acactagaag gacagtattt ggtatctgcg 7920

ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa 7980

ccaccgctgg tagcggtggt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag 8040

gatctcaaga agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact 8100

cacgttaagg gattttggtc atgagattat caaaaaggat cttcacctag atccttttaa 8160

attaaaaatg aagttttaaa tcaatctaaa gtatatatga gtaaacttgg tctgacagtt 8220

accaatgctt aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag 8280

ttgcctgact ccccgtcgtg tagataacta cgatacggga gggcttacca tctggcccca 8340

gtgctgcaat gataccgcga gacccacgct caccggctcc agatttatca gcaataaacc 8400

agccagccgg aagggccgag cgcagaagtg gtcctgcaac tttatccgcc tccatccagt 8460

ctattaattg ttgccgggaa gctagagtaa gtagttcgcc agttaatagt ttgcgcaacg 8520

ttgttgccat tgctacaggc atcgtggtgt cacgctcgtc gtttggtatg gcttcattca 8580

gctccggttc ccaacgatca aggcgagtta catgatcccc catgttgtgc aaaaaagcgg 8640

ttagctcctt cggtcctccg atcgttgtca gaagtaagtt ggccgcagtg ttatcactca 8700

tggttatggc agcactgcat aattctctta ctgtcatgcc atccgtaaga tgcttttctg 8760

tgactggtga gtactcaacc aagtcattct gagaatagtg tatgcggcga ccgagttgct 8820

cttgcccggc gtcaatacgg gataataccg cgccacatag cagaacttta aaagtgctca 8880

tcattggaaa acgttcttcg gggcgaaaac tctcaaggat cttaccgctg ttgagatcca 8940

gttcgatgta acccactcgt gcacccaact gatcttcagc atcttttact ttcaccagcg 9000

tttctgggtg agcaaaaaca ggaaggcaaa atgccgcaaa aaagggaata agggcgacac 9060

ggaaatgttg aatactcata ctcttccttt ttcaatatta ttgaagcatt tatcagggtt 9120

attgtctcat gagcggatac atatttgaat gtatttagaa aaataaacaa ataggggttc 9180

cgcgcacatt tccccgaaaa gtgccacct 9209

<210> 59
<211> 384
<212> DNA
<213> Mus musculus

<400> 59
atggattttc aggtgcagat tatcagcttc ctgctaatca gtgcttcagt cataatgtcc 60

agagggcaaa ttgttctctc ccagtctcca gcaatcctgt ctgcatctcc aggggagaag 120

gtcacaatga cttgcagggc cagctcaagt gtaagttaca tccactggtt ccagcagaag 180

ccaggatcct cccccaaacc ctggatttat gccacatcca acctggcttc tggagtccct 240

gttcgcttca gtggcagtgg gtctgggact tcttactctc tcacaatcag cagagtggag 300

gctgaagatg ctgccactta ttactgccag cagtggacta gtaacccacc cacgttcgga 360

gggggacca agctggaaat caaa 384

<210> 60
<211> 128
<212> PRT
<213> Mus musculus

<400> 60

Met Asp Phe Gln Val Gln Ile Ile Ser Phe Leu Leu Ile Ser Ala Ser
1 5 10 15

Val Ile Met Ser Arg Gly Gln Ile Val Leu Ser Gln Ser Pro Ala Ile
20 25 30

Leu Ser Ala Ser Pro Gly Glu Lys Val Thr Met Thr Cys Arg Ala Ser
35 40 45

Ser Ser Val Ser Tyr Ile His Trp Phe Gln Gln Lys Pro Gly Ser Ser
50 55 60

Pro Lys Pro Trp Ile Tyr Ala Thr Ser Asn Leu Ala Ser Gly Val Pro
65 70 75 80

Val Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile

85 90 95

Ser Arg Val Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp
100 105 110

Thr Ser Asn Pro Pro Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
115 120 125

<210> 61
<211> 420
<212> DNA
<213> Mus musculus

<400> 61
atgggttgga gcctcatctt gctcttcctt gtcgctgttg ctacgcgtgt cctgtcccag 60

gtacaactgc agcagcctgg ggctgagctg gtgaagcctg gggcctcagt gaagatgtcc 120

tgcaaggctt ctggctacac atttaccagt tacaatatgc actgggtaaa acagacacct 180

ggtcggggcc tggaatggat tggagctatt tatcccggaa atggtgatac ttcctacaat 240

cagaagttca aaggcaaggc cacattgact gcagacaaat cctccagcac agcctacatg 300

cagctcagca gcctgacatc tgaggactct gcggtctatt actgtgcaag atcgacttac 360

tacggcggtg actggtactt caatgtctgg ggcgcaggga ccacggtcac cgtctctgca 420

<210> 62
<211> 140
<212> PRT
<213> Mus musculus

<400> 62

Met Gly Trp Ser Leu Ile Leu Leu Phe Leu Val Ala Val Ala Thr Arg
1 5 10 15

Val Leu Ser Gln Val Gln Leu Gln Gln Pro Gly Ala Glu Leu Val Lys
20 25 30

Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35 40 45

Thr Ser Tyr Asn Met His Trp Val Lys Gln Thr Pro Gly Arg Gly Leu
50 55 60

Glu Trp Ile Gly Ala Ile Tyr Pro Gly Asn Gly Asp Thr Ser Tyr Asn
65 70 75 80

```
Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser
                85                  90                  95

Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val
            100                 105                 110

Tyr Tyr Cys Ala Arg Ser Thr Tyr Tyr Gly Gly Asp Trp Tyr Phe Asn
        115                 120                 125

Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ala
    130                 135                 140
```